



















TDP/N/Y

P		●	●
M	●	●	●
K		●	●
N			
S	●	●	●
H			



Ref.	KS2100	KS3100	KS4100	l	s	r	Tronzado y Ranurado Parting & Grooving		Torneado Turning	
							fn (mm/rev.)	fn (mm/rev.)	Ap fn (mm)	
 TDP2002	✓	✓	✓	20	2	0,2	0.04~0.12	-	-	
 TDP3002	✓	✓	✓	20	3	0,2	0.05~0.16	-	-	
 TDP4003	✓	✓	✓	20	4	0,3	0.06~0.18	-	-	
 TDPR2002			✓	20	2	0,2	0.04~0.12	-	-	
 TDPL2002			✓	20	2	0,2	0.04~0.12	-	-	
 TDPR3002			✓	20	3	0,2	0.05~0.16	-	-	
 TDPL3002			✓	20	3	0,2	0.05~0.16	-	-	
 TDN2002	✓	✓	✓	20	2	0,2	0.06~0.18	-	-	
 TDN3002	✓	✓	✓	20	3	0,2	0.07~0.22	-	-	
 TDN4003	✓	✓	✓	20	4	0,2	0.08~0.25	-	-	
 TDN5003			✓	20	5	0,3	0.08~0.25	-	-	
 TDNR2002			✓	20	2	0,2	0.06~0.18	-	-	
 TDNL2002			✓	20	2	0,2	0.06~0.18	-	-	
 TDNR3002			✓	20	3	0,2	0.07~0.22	-	-	
 TDNL3002			✓	20	3	0,2	0.07~0.22	-	-	
 TDY3E- 0.4		✓		20	3	0,4	0.10~0.20	0.10~0.38	0.50~2.20	
 TDY4E- 0.4		✓		20	4	0,4	0.15~0.26	0.10~0.40	0.50~2.80	