



07

CORDLESS RANGE





RODAVIGO, S.A.

RODAMIENTOS VIGO, S.A.

www.rodavigo.net

+34 986 288118

Servicio de Att. al Cliente

CORDLESS RANGE

INNOVATIVE CORDLESS SOLUTIONS FOR TOUGH CONDITIONS

AEG POWERTOOLS offer today's professional user a wide range of innovative, powerful cordless solutions that are capable of performing in the toughest conditions.

AEG
POWERTOOLS



RODAVIGO, S.A.

RODAMIENTOS VIGO, S.A.


www.rodavigo.net

+34 986 288118

Servicio de Att. al Cliente

AEG

POWERTOOLS



PRO LiTHIUM ION



PRO 18v

SYSTEM

**A COMPLETE
RANGE OF
PROFESSIONAL
TOOLS
POWERED BY
ONE BATTERY**





OMNI^{PRO}

ONE SYSTEM

OMNI^{PRO} is a revolutionary system allowing users to tailor their system depending on application. All heads and bodies are interchangeable to select the best balance of power base and head for ultimate productivity.

OMNI 12C

Features

- Offers users the ultimate in ergonomics. The light weight, compact body is ideal for working in tight spaces
- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- One handed use of applications
- Small and compact for working in tight environments
- LED light with twilight mode for precise work even in the darkest area

Specifications

OMNI 12C

Voltage (V)	12
Oscillation rate (opm)	20,000
Oscillation angle left/ right (°)	1.5
Article Number	4935440765
EAN Code	4002395134809

OMNI 18C

Features

- Gives more power and more runtime than the 12 V power base, whilst keeping the advantage of cordless portability
- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- One handed use of applications
- Optimum power to weight ratio
- LED for work place illumination
- Built in fuel gauge
- Slim design handle for perfect ergonomics and a better vibration absorption

Specification

OMNI 18C

Voltage (V)	18
Oscillation rate (opm)	20,000
Oscillation angle left/ right (°)	1.5
Article Number	4935440645
EAN Code	4002395134649

OMNI 300

Features

- It is the choice for longer applications where a cordless machine is not required, with all the power expected from an AC machine
- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- One handed use of applications
- LED for work place illumination
- Mains machine

Specification

OMNI 300

Power input (W)	300
Oscillation rate (opm)	2000
Oscillation angle left/ right (°)	1.5
Article Number	4935431790
EAN Code	4002395194995



BEST FOR
ERGONOMICS

18V PRO LITHIUM ION



BEST FOR
POWER

18V PRO LITHIUM ION



BEST FOR
RUNTIME

JIGSAW HEAD OMNI-JS

Article No. 4935440715
EAN No. 4002395134748



HAMMER HEAD OMNI-HH

Article No. 4935440710
EAN No. 4002395134731



RECIPROCATING SAW HEAD OMNI-RH

Article No. 4935440725
EAN No. 4002395134762





**3 BODIES
7 HEADS**

100+ APPLICATIONS

**CHOOSE
YOUR
SYSTEM**

All **heads** and
bodies are inter-
changeable

AEG
POWERTOOLS



RATCHED HEAD
OMNI-HR

Article No. 4935440720
EAN No. 4002395134755

**IMPACT DRIVER
HEAD**
OMNI-HI

Article No. 4935440730
EAN No. 4002395134779

**RIGHT ANGLE
DRILL HEAD**
OMNI-RAD

Article No. 4935440705
EAN No. 4002395134724

MULTITool HEAD
OMNI-MT

Article No. 4935440700
EAN No. 4002395134717





18 V COMPACT DRILL/DRIVER

PRO 18v

BS 18C

Features

- New 4 poles frameless motor and compact gearbox
- Small, compact & powerful for high torque applications
- Only 186 mm in length
- 60 Nm (2.0 Ah) / 70 Nm (4.0 Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1650 rpm
- Integrated clutch and chuck for a more compact design
- LED for work place illumination
- Forward and reverse
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a double ended bit and a side handle



Specifications

	BS 18C LI-202C	BS 18C LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2.0	4.0
No. of batteries supplied	2	2
Charger supplied	30 min	30 min
Max. drilling wood/ steel (mm)	45/13	45/13
Chuck capacity (mm)	13	13
Max. torque (Nm)	60	70
No load speed (rpm)	0-450 / 0-1650	0-450 / 0-1650
Weight with battery pack (kg)	1.8	2.0
Supplied in	Kitbox	Kitbox
Article Number	4935443977	4935443994
EAN Code	4002395135677	4002395135738



18 V CORDLESS SDS-PLUS ROTARY HAMMER

PRO 18v

BBH 18


Features

- L-shape SDS for drilling and fixing into concrete up to 24 mms
- 2.3 Joule impact energy delivers high performance
- Rotary stop for light chiselling applications
- Hammer action stop for rotary drilling in wood and metal
- Metal gearbox for extended durability
- Safety clutch for user protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BBH18-0	BBH 18 Li-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4.0
No. of batteries supplied	0	2
Charger supplied	-	30 min
Max. drilling wood/ steel/ concrete (mm)	30/13/24	30/13/24
Blow energy (EPTA) [J]	2.3	2.3
No load speed (rpm)	1400	1400
Full load hammer action (bpm)	0 - 4200	0-4200
Weight with battery pack (kg)	3,5	3.5
Supplied in	Kitbox	Kitbox
Article Number	4935408330	4935443457
EAN Code	4002395132744	4002395135783





12 CORDLESS SYSTEMS

18 V PREMIUM HAMMERDRILL/DRIVER

PRO 18v

BSB 18

Features

- New high performance open frame motor
- Compact & powerful for high torque applications
- 80 Nm maximum torque delivers complete power
- Full metal gearbox and housing for superior durability
- 2-speeds - 0-450 / 0-1600 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm full metal Rohm keyless chuck, with spindle lock
- LED - for work place illumination
- 3 mode selector - ease of use between applications
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a side handle

Specifications

BSB 18 LI-402C

Battery type	Li-ion
Battery pack capacity (Ah)	4.0
No. of batteries supplied	2
Charger supplied	30 min
Max. drilling wood/ steel/ masonry (mm)	55/13/16
Chuck capacity (mm)	1.5-13 mm
Max. torque (Nm)	80
No load speed (rpm)	0 - 450/0 - 1600
Max. percussion rate (bpm)	7.200-25.600
Weight with battery pack (kg)	2.5
Supplied in	Kitbox
Article Number	4935443452
EAN Code	4002395135769



18 V COMPACT HAMMERDRILL/DRIVER

PRO 18v

BSB 18C

Features

- New 4 poles frameless motor and compact gear box
- Compact & powerful for high torque applications
- Only 202 mm in length
- 60 Nm (2.0 Ah) / 70 Nm (4.0 Ah) maximum torque delivers complete power
- 2-speeds - 0-450 / 0-1650 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm keyless chuck, with spindle lock
- LED - for work place illumination
- 3 mode selector - ease of use between applications
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a side handle

Specifications

BSB 18C Li-202C **BSB 18C Li-402C**

Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2.0	4.0
No. of batteries supplied	2	2
Charger supplied	30 min	30 min
Max. drilling wood/steel/masonry (mm)	45/13/14	45/13/14
Chuck capacity (mm)	1.5-13	1.5-13
Max. torque (Nm)	60	70
No load speed (rpm)	0 - 450/0 - 1650	0 - 450/0 - 1650
Max. percussion rate (bpm)	21.450	21.450
Weight with battery pack (kg)	1.9	2.2
Supplied in	Kitbox	Kitbox
Article Number	4935443980	4935443997
EAN Code	4002395135684	4002395135745





18 V ULTRA COMPACT IMPACT WRENCH

PRO 18v

BSS 18C 12Z

Features

- Ultra compact, well balanced impact wrench
- Only 203 mm overall length
- 360 Nm maximum torque
- Delivers 0-3200 impacts per minute for increased productivity
- Industrial metal gearbox and gears for extended life
- 1/2" Square reception and delivered with 1/4" hex adaptor for screwdriving
- Built in Triple LED for perfect illumination of the work surface without any shadow effect

Specifications

	BSS 18C 12Z-0	BSS 18C 12Z Li-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4.0
No. of batteries supplied	0	2
Charger supplied	-	30 min
Max. torque (Nm)	360	360
No load speed (rpm)	0-2900	0-2900
Impact rate (ipm)	0 - 3200	0 - 3200
Tool reception	1/2" square	1/2" square
Weight with battery pack (kg)	2.3	2.3
Supplied in	-	Kitbox
Article Number	4935446449	4935446456
EAN Code	4002395136247	4002395136254



18 V ULTRA COMPACT IMPACT WRENCH

PRO 18v

BSS 18C

Features

- Ultra compact, well balanced impact wrench
- Only 145 mm overall length
- 158 Nm maximum torque
- Delivers up to 3100 impacts per minute for increased productivity
- Industrial metal gearbox and gears for extended life
- 1/4" Hex bit reception
- Built in LED illuminates work surface
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a single PZ2 bit

Specifications

	BSS 18C-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
Max. torque (Nm)	158
No load speed (rpm)	0 - 2400
Impact rate (ipm)	0 - 3100
Tool reception	1/4" Hex
Weight with battery pack (kg)	2.0
Supplied in	Kitbox
Article Number	4935428405
EAN Code	4002395132140





14 CORDLESS SYSTEMS

18 V DRILL/DRIVER

PRO 18v

BS 18G2

Features

- Compact & powerful for completion of all jobsite applications
- 50 Nm maximum torque delivers complete power
- 2 speeds - 0 - 400 / 0 - 1500 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve full metal chuck
- Built in fuel gauge
- LED - for work place illumination
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of both battery and tool



Specifications

BS 18G2 LI-152C

Battery type	Li-ion
Battery pack capacity (Ah)	1.5
No. of batteries supplied	2
Charger supplied	60 min
Max. drilling wood/ steel (mm)	34/13
Chuck capacity (mm)	1.5-13
Max. torque (Nm)	50
No load speed (rpm)	0 - 400/0 - 1500
Weight with battery pack (kg)	1.8
Supplied in	Kitbox
Article Number	4935433950
EAN Code	4002395134441



18 V HAMMERDRILL/DRIVER

PRO 18v

BSB 18G2

Features

- Compact & powerful for completion of all jobsite applications
- 50 Nm maximum torque delivers complete power
- 2 speeds - 0-400 / 0-1500 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve full metal chuck
- 3 mode selector - ease of use between functions
- Built in fuel gauge
- LED - for work place illumination
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of both battery and tool



Specifications

BSB 18G2 LI-152C

Battery type	Li-ion
Battery pack capacity (Ah)	1.5
No. of batteries supplied	2
Max. drilling wood/ steel/ masonry (mm)	34/13/12
Chuck capacity (mm)	1.5-13
Max. torque (Nm)	50
No load speed (rpm)	0 - 400/0 - 1500
Weight with battery pack (kg)	1.9
Supplied in	Kitbox
Article Number	4935433970
EAN Code	4002395134489





18 V HEAVY DUTY CIRCULAR SAW

PRO 18v

BKS 18

Features

- Compact, light and well balanced
- Extremely fast cutting speed of 5000 rpm
- Magnesium base and upper guard for durability
- Large 50° bevel capacity
- Electronic motor brake, saw blade stops within seconds
- Lock off switch for safety
- Spindle lock for fast blade changing
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a 165 mm TCT blade and a side fence



Specifications

	BKS 18-0
Battery type	Li-ion
Blade diameter (mm)	165
Arbor size (mm)	15.87 mm (5/8")
Bevel capacity (°)	50°
No load speed (rpm)	0 - 5000
Max. cutting depth 45/90° (mm)	41/54
Weight with battery pack (kg)	3.6
Supplied in	-
Article Number	4935431375
EAN Code	4002395132812



18 V PENDULUM ACTION RECIPROCATING SAW

PRO 18v

BUS 18

Features

- Pendulum action for increased performance
- 3600 strokes per minute and 19 mm stroke length for fast cutting applications
- Robust bladeclamp for demolition applications
- FIXTEC for fast and easy keyless blade change
- Adjustable shoe
- Saw blade can be turned 180° for various applications
- Variable speed trigger
- Soft-grip
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with 2 blades



Specifications

	BUS 18-0
Battery type	Li-ion
No. of batteries supplied	0
No load stroke rate (spm)	0 - 3600
Weight with battery pack (kg)	3.5
Supplied in	-
Article Number	4935431370
EAN Code	4002395132805





16 CORDLESS SYSTEMS

18 V HEAVY DUTY ANGLE GRINDER

PRO 18v

BEWS 18-115

Features

- Compact and powerful cordless angle grinder
- Overload protection with LED warning
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Fast and tool-free disc change with patented FIXTEC nut
- Built in fuel gauge
- AEG Pro Lithium-Ion battery technology for maximum durability of battery and tool
- Supplied with a FIXTEC nut, flange nut, AVS side handle and a grinding keyless guard



Specifications

	BEWS 18-115X-0	BEWS 18-115X Li-402C
Battery type	-	Li-ion
Battery pack capacity (Ah)	-	4.0
No. of batteries supplied	0	2
Charger supplied	-	60 min
No load speed (rpm)	9000	9000
Max. cutting depth (mm)	28	28
Spindle size	M14	M14
Weight with battery pack (kg)	2.5	2.5
Supplied in	Kitbox	-
Article Number	4935433319	4935443463
EAN Code	4002395133222	4002395136001



18 V HEAVY DUTY ANGLE GRINDER

PRO 18v

BEWS 18-125

Features

- Compact and powerful cordless angle grinder
- Overload protection with LED warning
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Fast and tool-free disc change with patented FIXTEC nut
- Built in fuel gauge
- AEG Pro Lithium-Ion battery technology for maximum durability of battery and tool
- Supplied with a FIXTEC nut, flange nut, AVS side handle and a grinding keyless guard



Specifications

	BEWS 18-125X-0	BEWS 18-125X Li-402C
Battery type	-	Li-ion
Battery pack capacity (Ah)	-	4.0
No. of batteries supplied	0	2
Charger supplied	-	60 min
No load speed (rpm)	9000	9000
Max. cutting depth (mm)	33	33
Spindle size	M14	M14
Weight with battery pack (kg)	2.5	2.5
Supplied in	Kitbox	Kitbox
Article Number	4935431998	4935443460
EAN Code	4002395132980	4002395135790





JOBSITE RADIO

PRO 18v

BR 18C

Features

- FM AM tuner
- Aux mode for MP3 player or smartphone
- Suitable for 18V 1,5Ah / 2,0Ah / 3,0Ah and 4,0Ah pack
- IP54 for outdoor usage
- Shock resistant construction to withstand the Jobsite abuses



Specifications

BR 18C-0

Voltage (V)	18
Weight (kg)	0.825
Article Number	4935411720
EAN Code	4002395131662



18 V BATTERIES



	L1840R	L1830R	L1820R	L1815R	B1817G	B1814G
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	NiCd	NiCd
Battery pack capacity (Ah)	4.0	3.0	2.0	1.5	1.7	1.4
Charger compatibility	AL 1218G,AL 9618	AL 9618,BL 1218	AL 9618,BL 1218	AL 9618,BL 1218	AL 9618,BL 1218	AL 9618,BL 1218
Charger supplied	60 min,30 min	60 min,30min	60 min,30 min	60 min,30 min	60 min,30 min	60 min,30 min
Article Number	4932430170	4932352655	4932430169	4932352654	4932352480	4932352533
EAN Code	4002395378319	4002395373130	4002395378302	4002395373123	4002395371396	4002395371914



**THERMAL
OVERLOAD
PROTECTION**

Protects over heating



**CURRENT
OVERLOAD
PROTECTION**

Protects over loading



**INDIVIDUAL
CELL
MONITORING**

Protects over/under charging



18 CORDLESS SYSTEMS

18 V HEAVY DUTY JIGSAW

PRO 18v

BST 18X

Features


- Pendulum action for increased cutting performance
- Metal gearbox for extended durability
- Professional, die-cast aluminium base plate
- Patented FIXTEC system for fast keyless blade change
- Variable speed trigger
- Ergonomic soft-grip for comfortable use
- Electronic motor brake
- Supplied with a plastic shoe cover, an anti splintering device and 2 blades



Specifications

BST 18X-0

Battery type	-
Stroke length (mm)	26
No load stroke rate (spm)	0 - 2050
Bevel capacity (°)	to 45°
Max. cutting capacity soft wood (mm)	80
Weight with battery pack (kg)	3.5
Supplied in	-
Article Number	4935413130
EAN Code	4002395197460



FLASHLIGHTS / BATTERY LAMPS

PRO 18v

BAL 18

Features

- Compact directional light source for confined spaces
- LED Light with 2 sources: directional spot or area light
- Clip for hanging or mounting



Specifications

BAL 18

Voltage (V)	18
Weight (kg)	0,318
Article Number	4932352661
EAN Code	4002395373192





14.4 V HAMMERDRILL/DRIVER

PRO LITHIUM ION

BSB 14G2

Features

- Compact & powerful for completion of all jobsite applications
- 36 Nm maximum torque delivers complete power (32 Nm NiCd)
- 2 speeds 0-400 / 0-1500 rpm (0-1400 rpm NiCd)
- 24-stage torque adjustment
- FIXTEC 13 mm single sleeve chuck with full metal jaws (10 mm NiCd)
- 3 mode selector - ease of use between functions
- LED - for work place illumination (lithium version only)
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool*



Specifications

	BSB 14G2 LI-152C	BSB 14G2 NC-142C
Battery type	Li-ion	NiCd
Battery pack capacity (Ah)	1.5	1.4
No. of batteries supplied	2	2
Charger supplied	60 min	60 min
Max. drilling wood/ steel/ masonry (mm)	32/13/8	30/10/8
Max. percussion rate (bpm)	22.250	21.000
Chuck capacity (mm)	1.5-13	10
Max. torque (Nm)	36	32
No load speed (rpm)	0 - 400/0 - 1500	0 - 400/0 - 1400
Weight with battery pack (kg)	1.8	1.8
Supplied in	Kitbox	Kitbox
Article Number	4935431990	4935431989
EAN Code	4002395132997	4002395195107



14.4 V DRILL/DRIVER

PRO LITHIUM ION

BS 14G2

Features

- Compact & powerful for completion of all jobsite applications
- 36 Nm maximum torque delivers complete power (32 Nm NiCd)
- 2 speeds 0-400 / 0-1500 rpm (0-1400 rpm NiCd)
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve chuck with full metal jaws (10 mm NiCd)
- Built in fuel gauge
- LED - for work place illumination (lithium version only)
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool*



Specifications

	BS 14G2 LI-152C	BS 14G2 NC-142C
Battery type	Li-ion	NiCd
Battery pack capacity (Ah)	1.5	1.4
No. of batteries supplied	2	2
Charger supplied	60 min	60 min
Max. drilling wood/ steel (mm)	32/13	30/10
Chuck capacity (mm)	1.5-13	10
Max. torque (Nm)	36	32
No load speed (rpm)	0-400 / 0-1500	0-400 / 0-1400
Weight with battery pack (kg)	1.7	1.7
Supplied in	Kitbox	Kitbox
Article Number	4935431988	4935431987
EAN Code	4002395195084	4002395195077



* Lithium-Ion products only



20 **CORDLESS SYSTEMS**

14.4 V COMPACT HAMMERDRILL/DRIVER

PRO LITHIUM ION

BSB 14C

Features

- 3 mode selector
- Powerful new frameless motor delivering 50 Nm maximum torque
- 2 speeds - 0-400 / 0-1500 rpm
- FIXTEC 13 mm keyless chuck
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

BSB 14C LI-202C

Battery type	Li-ion
Battery pack capacity (Ah)	2.0
No. of batteries supplied	2
Charger supplied	30 min
Max. drilling wood/ steel/ masonry (mm)	45/13/14
Max. percussion rate (bpm)	19.500
Chuck capacity (mm)	1.5-13
Max. torque (Nm)	50
No load speed (rpm)	0 - 400/0 - 1500
Weight with battery pack (kg)	1.8
Supplied in	Kitbox
Article Number	4935443974
EAN Code	4002395136025



14.4 V COMPACT DRILL/DRIVER

PRO LITHIUM ION

BS 14C

Features

- Ultra compact drill/driver measuring 186 mm in length
- Powerful new frameless motor delivering 50 Nm maximum torque
- 2 speeds 0-400 / 0-1500 rpm
- FIXTEC 13 mm keyless chuck
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

BS 14C LI-202C

Battery type	Li-ion
Battery pack capacity (Ah)	2.0
No. of batteries supplied	2
Charger supplied	30 min
Max. drilling wood/ steel (mm)	45/13
Chuck capacity (mm)	1.5-13 mm
Max. torque (Nm)	50
No load speed (rpm)	0-400 / 0-1500
Weight with battery pack (kg)	1.7
Supplied in	Kitbox
Article Number	4935443971
EAN Code	4002395135653





12 V 2-SPEED ULTRA COMPACT PERCUSSION DRILL **PRO LITHIUM ION**

BSB 12C2

Features

- Compact hammer drill/driver measuring only 192 mm
- Built in fuel gauge
- Belt clip
- 2-speed gearbox for a wide range of applications
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10 mm chuck
- Electronic switch with variable speed
- 3 mode selector - ease of use between applications
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Powerful Torque of 32 Nm (2.0Ah) / 40 Nm (4.0Ah) for all driving applications

Specifications

	BSB 12C2 LI-202B	BSB 12C2 LI-402B
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2.0	4.0
No. of batteries supplied	2	2
Charger supplied	30 min	30 min
Max. drilling wood/ steel/ masonry (mm)	20/10/10	40/10/10
Max. percussion rate (bpm)	22.500	22.500
Chuck capacity (mm)	10	10
Max. torque (Nm)	32	40
No load speed (rpm)	0 - 400/0 - 1500	0 - 400/0 - 1500
Weight with battery pack (kg)	1.2	1.4
Supplied in	Tool bag	Tool bag
Article Number	4935443964	4935446696
EAN Code	4002395135622	4002395136384



12 V ULTRA COMPACT 2-SPEED DRILL/DRIVER **PRO LITHIUM ION**

BS 12C2

Features

- Compact pocket drill/screwdriver measuring only 168 mm
- 17-stage torque adjustment plus additional drilling stage
- 2-speed gearbox for a wide range of applications
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10 mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surface
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specifications

	BS 12C2 Li-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2.0
No. of batteries supplied	2
Charger supplied	30 min
Max. drilling wood/ steel (mm)	20/10
Chuck capacity (mm)	10
Max. torque (Nm)	34
No load speed (rpm)	1.500
Weight with battery pack (kg)	1.1
Supplied in	Kitbox
Article Number	4935443916
EAN Code	4002395135585





22 CORDLESS SYSTEMS

12 V 2-SPEED DRILL DRIVER

PRO LITHIUM ION

BBS 12C2

Features

- Removable chuck system allows user to keep a 25 mm screwdriving bit in the reception when the chuck is installed
- Extremely compact percussion drill - 192 mm length with the chuck / 155 mm without
- LED light with twilight mode - allows to work in tight and confine spacesLED light with twilight mode - allows to work in tight and confine spaces
- Belt clip for easy carriage
- Built in fuel gauge
- High torque - 32 Nm for a wide range of applications
- Offset and right angle attachments delivering the same performance as the tool itself, no more need to cope with torque level or drilling speed
- Full metal planetary gears and gear housing for maximum durability
- Compatible & Versatile
- Possible to fix the chuck on the right angle attachment in order to have a right angle drill
- Ideal for all application in series that required pre-drilling
- - 25 mm screw driving bit can be let in the reception when the attachment is installed
- - Once the hole drilled, then just pull the chuck out to drive your screw. No more need of 2 drills!



Specifications

	BBS 12C2 LI-202B	BBS 12C2 Li-202C KIT 1
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2.0	2.0
No. of batteries supplied	2	2
Charger supplied	30 min	30 min
Max. drilling wood/ steel (mm)	20/10	20/10
Max. torque (Nm)	32	32
No load speed (rpm)	0 - 400/0 - 1500	0 - 400/0 - 1500
Standard equipment	Removable chuck, screwdriving bit, belt clip	Removable chuck, chuck offset attachment, screwdriving bit, belt clip
Weight with battery pack (kg)	1.2	1.2
Supplied in	Tool bag	Kitbox
Article Number	4935446693	4935446382
EAN Code	4002395136377	4002395136131





12 V HAMMERDRILL/DRIVER

PRO Li^{THIUM} ION

BSB 12G2

Features

- Compact & powerful for completion of all jobsite applications
- 30 Nm maximum torque delivers complete power
- 2 speeds 0-350 / 0-1350 rpm
- 24-stage torque adjustment
- FIXTEC 10 mm single sleeve chuck with full metal jaws
- 3 mode selector - ease of use between functions
- New 12V 1.5Ah pro Lithium pack delivering higher power and higher runtime
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BSB 12G2 LI-152C	BSB 12G2 NC-142C
Battery type	Li-ion	NiCd
Battery pack capacity (Ah)	1.5	1.4
No. of batteries supplied	2	2
Charger supplied	60 min	60 min
Max. drilling wood/ steel/ masonry (mm)	30/10/6	30/10/6
Max. percussion rate (bpm)	20.250	20.250
Chuck capacity (mm)	10	10
Max. torque (Nm)	30	30
No load speed (rpm)	0 - 350 / 0 - 1350	0 - 350 / 0 - 1350
Weight with battery pack (kg)	1.5	1.5
Supplied in	Kitbox	Kitbox
Article Number	4935446690	4935431986
EAN Code	4002395136360	4002395195053



12 V DRILL/DRIVER

PRO Li^{THIUM} ION

BS 12G2

Features

- Compact & powerful for completion of all jobsite applications
- 30 Nm maximum torque delivers complete power
- 2 speeds 0-350 / 0-1350 rpm
- 24-stage torque adjustment for complete control
- FIXTEC 10 mm single sleeve chuck with full metal jaws
- New 12V 1.5 Ah pro lithium pack delivering higher power and higher runtime
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BS 12G2 LI-152C	BS 12G2 NC-142C
Battery type	Li-ion	NiCd
Battery pack capacity (Ah)	1.5	1.4
No. of batteries supplied	2	2
Charger supplied	60 min	60 min
Max. drilling wood/ steel (mm)	30/10	30/10
Chuck capacity (mm)	1.5 - 10	10
Max. torque (Nm)	30	30
No load speed (rpm)	0 - 350/0 - 1350	0 - 350/0 - 1350
Weight with battery pack (kg)	1.4	1.4
Supplied in	Kitbox	Kitbox
Article Number	4935446687	4935431985
EAN Code	4002395136353	4002395195060





24 CORDLESS SYSTEMS

12 V ULTRA COMPACT DRILL/DRIVER

PRO Li^{THIUM} ION

BS 12C


Features

- Compact pocket drill/screwdriver measuring only 161 mm
- Built in fuel gauge
- 17-stage torque adjustment plus additional drilling stage
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10 mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surfaces
- Overload protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BS 12C LI-151B	BS 12C LI-152B
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1.5	1.5
No. of batteries supplied	1	2
Charger supplied	30 min	30 min
Max. drilling wood/ steel (mm)	20/10	20/10
Max. torque (Nm)	18.5	18.5
No load speed (rpm)	0-575	0-575
Weight with battery pack (kg)	1.0	1.0
Supplied in	Tool bag	Tool bag
Article Number	4935433901	4935433902
EAN Code	4002395126347	4002395126354



12 V ULTRA COMPACT IMPACT DRIVER

PRO Li^{THIUM} ION

BSS 12C


Features

- Ultra compact impact driver measuring only 163 mm
- 115 Nm torque
- Industrial metal gearbox and gears for superior durability
- Built in fuel gauge
- 1/4" Hex bit reception
- Ergonomic soft-grip design
- NEW 3 beam LED for total workplace illumination
- Belt clip
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BSS 12C-0	BSS 12C LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2.0
No. of batteries supplied	0	2
Charger supplied	-	30 min
Max. torque (Nm)	115	115
No load speed (rpm)	0-2000	0-2000
Impact rate (ipm)	0-3000	0-3000
Tool reception	1/4" Hex	1/4" Hex
Weight with battery pack (kg)	1.0	1.2
Supplied in	-	Kitbox
Article Number	4935446702	4935443965
EAN Code	4002395136407	4002395135639





AEG BATTERY PACKS

12 V



	L1240	L1230	L1220	L1215	L1215R	M1230R	B1214G
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion	NiMH	NiCd
Battery pack capacity (Ah)	4.0	3.0	2.0	1.5	1.5	3.0	1.4
Charger compatibility	LL 1230	LL 1230	LL 1230	LL 1230	AL 9618,BL 1218	AL 9618,BL 1218	AL 9618,BL 1218
Charger supplied	30 min	30 min	30 min	30 min	60 min,30 min	60 min,30 min	60 min,30 min
Article Number	4932430166	4932352824	4932430165	4932352658	4932430365	4932352107	4932352532
EAN Code	4002395378272	4002395374823	4002395378265	4002395373161	4002395380268	4002395367603	4002395371907

14.4 V



	L1430R GEN II	L1420R	L1415R	B1414G
Battery type	Li-ion	Li-ion	Li-ion	NiCd
Battery pack capacity (Ah)	3.0	2.0	1.5	1.4
Charger compatibility	AL 9618,BL 1218,AL 1218G	AL 9618,BL 1218,AL 1218G	AL 9618,BL 1218,AL 1218G	BL 1218,AL 9618,AL 1218G
Charger supplied	60 min,30 min,60 min	60 min,30 min,60 min	60 min,30 min,60 min	60 min,30 min,60 min
Article Number	4932352657	4932430167	4932352656	4932352531
EAN Code	4002395373154	4002395378289	4002395373147	4002395371891

3.6 V INLINE SCREWDRIVER

PRO Li^{THIUM} ION

SE 3.6

Features

- In-line or angled handle adjustment
- 10-stage torque selection plus drill stage
- Ergonomic, modern design
- 2-speed full metal gearbox
- 1/4" Hex bit reception



Specifications

	SE 3.6 LI-152C	SE 3.6 NC-142C
Battery type	Li-ion	NiCd
Battery pack capacity (Ah)	1.5	1.4
No. of batteries supplied	2	2
Charger supplied	30 min	30 min
Max. drilling aluminium/wood (mm)	5/6	5/6
Max. torque (Nm)	6.5	6.5
No load speed (rpm)	200/600	200/600
Weight with battery pack (kg)	0.6	0.6
Supplied in	Kitbox	Kitbox
Article Number	4935413165	4935413155
EAN Code	4002395197538	4002395197514





26 CORDLESS SYSTEMS

12 V CORDLESS HAMMER

PRO Li^{THIUM} ION™

BBH 12


Features

- L-shape SDS hammer for drilling and fixing into concrete up to 13 mm
- 0.9 Joule impact energy delivers high performance
- Hammer action stop for rotary drilling in wood and metal
- Built in fuel gauge
- Metal gearbox for extended durability
- Safety clutch for user protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a screwdriving bit adaptor



Specifications

	BBH12-0	BBH 12 LI-202C	BBH 12 LI-402C	BBH 12 LI-401C
Battery type	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2.0	4.0	4.0
No. of batteries supplied	0	2	2	1
Charger supplied	-	30 min	30 min	30 min
Max. drilling wood/ steel/ concrete (mm)	10/8/13	10/8/13	10/8/13	10/8/13
Blow energy (EPTA)(J)	0.9	0.9	0.9	0.9
No load speed (rpm)	0-800	0-800	0-800	0-800
Full load hammer action (bpm)	0-5350	0-5350	0-5350	0-5350
Weight with battery pack (kg)	1.8	1.6	1.8	1.8
Supplied in	-	Kitbox	Kitbox	Kitbox
Article Number	4935446699	4935443968	4935443991	4935443988
EAN Code	4002395136391	4002395135646	4002395135721	4002395135714



FLASHLIGHTS / BATTERY LAMPS

PRO Li^{THIUM} ION™

BLL 12C


Features

- Fantastic power to weight ratio
- Extra long runtime with Pro lithium Packs



Specifications

	BLL 12C
Bulb type	LED
Battery Life (continuous use) (hrs)	Up to 9 h with 1,5Ah battery pack
Weight without battery pack (kg)	0.23
Article Number	4932352162
EAN Code	4002395368150





LASER DISTANCE METER

LMG 50

Features

- Point and shoot system - one person measuring with only one simple press of a button
- Area, volume, height and width measurement
- Pythagoras 3 types
- Large and easy to read 3 line LCD graphical display with automatic white backlight
- Measuring pin for corner measurement
- Memory recall for last 10 measurements
- IP54 water & dust protection
- Extremely slim LDM
- Rubber overmold for a perfect handling
- Large rising buttons with intuitive positioning
- Belt clip makes it easy to carry and to hold in the pocket
- Addition/Subtraction function for adding measures of areas and volumes
- 3 points of measures: from the back, front or back end pin
- Indirect surface measurement

Specifications

	LMG 50
Battery type	2 x AA
Dimensions (mm)	109 x 40 x 32
IP protection class	IP 54
Max. measurement range (m)	50
Pythagoras function	3-point
Temperature range (°C)	-10°C to + 50°C
Weight with battery pack (kg)	0.100
Article Number	4935447680
EAN Code	4002395294275



3 types of indirect distance measurements



Timer function



Unique on the market - 2 type of indirect surface calculation



Pin for accurate measurement in corners




Continuous measurement with min/max






Belt clip



PRO LITHIUM-ION TECHNOLOGY



TRIPLE PROTECTION

THERMAL MONITORING	OVER CURRENT MONITORING	INDIVIDUAL CELL MONITORING
 <p>THERMAL OVERLOAD PROTECTION Protects over heating</p>	 <p>CURRENT OVERLOAD PROTECTION Protects over loading</p>	 <p>INDIVIDUAL CELL MONITORING Protects over/under charging</p>

AEG Powertools Lithium-Ion technology provides the optimum power platform for todays professional user by protecting both battery and machine in 3 ways:

1) Electronic current protection

- shuts down if excessive current draw may harm battery and machine
- thermal shutdown protects battery if temperature gets too high
- protects individual cells from over discharging

2) Robust construction

- AEG Powertools Lithium-Ion technology benefits from robust internal and external design features as illustrated above, to ensure optimum durability

3) Individual cell monitoring

- individual cells charge and discharge at different rates - AEG Powertools Lithium-Ion technology offers tailored charging and discharging for individual cells for maximum cell life