



# ACCESSORIES RANGE





# ACCESSORIES RANGE

## WHERE POWER MEETS PERFORMANCE

**AEG POWERTOOLS** offer a complete range of accessories for the professional user. From drill bits to saw blades all these accessories offer reliability ease of use and performance.

**AEG**  
POWERTOOLS





## POWER SET SDS-PLUS DRILL BITS

- High quality 2 cutter carbide top with 130° tip angle
- The carbide tip is set deeper into the head for a more precise fit and better durability
- 2 flute geometry for rapid material removal
- Surface treated flute eliminates binding for faster drilling and high abrasion resistance
- High quality robust and compact power set with secure lock
- Made in Germany

	Article Number	EAN Code
Counter display (12 sets) SDS-Plus	<b>4932352315</b>	4002395369744
Single Power Set SDS-Plus Drill Bits (8pcs)		
Single Power Set 8pcs - SDS-plus drill bits (8pcs) with Ø 5/6/8 x 110 mm and Ø 6 (2pcs)/8/10/12 x 160 mm	<b>4932352236</b>	4002395368952



## POWER SET STONE DRILL BITS

- Extra sharp diamond ground carbide tip with 130 degree angle
- Polished silver and black finish eliminates binding for faster cutting and material removal
- Made from special alloy steel for best precision and robustness
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 sets) Stone	<b>4932352238</b>	4002395368976
Single Power Set Stone Drill Bits (10pcs)		
Contents: Ø 4/5/5.5/6 (2pcs)/7/8 (2pcs)/9/10 mm	<b>4932352239</b>	4002395368983



## POWER SET HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- Oxide coating for improved swarf removal
- Normal point cutting tip with 118 degree angle
- Standard type N flute design
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-R	<b>4932352240</b>	4002395368990
Single Power Set HSS-R Drill Bits (19pcs)		
Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	<b>4932352241</b>	4002395369003



## POWER SET HSS-G (DIN 338) METAL DRILL BITS

- Fully ground drill bits according to DIN 338
- Standard tip for cutting geometry with 118° angle
- Standard type N flute design for faster chip removal and faster cutting
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-G	<b>4932352242</b>	4002395369010
Single Power Set HSS-G Drill Bits (19pcs)		
Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	<b>4932352243</b>	4002395369027







80 ACCESSORIES

**BATTERIES**

**18 V**



	<b>L1840R</b>	<b>L1830R</b>	<b>L1820R</b>	<b>L1815R</b>	<b>B1817G</b>	<b>B1814G</b>
<b>Battery type</b>	Li-ion	Li-ion	Li-ion	Li-ion	NiCd	NiCd
<b>Battery pack capacity (Ah)</b>	4.0	3.0	2.0	1.5	1.7	1.4
<b>Charger compatibility</b>	AL 1218G,AL 9618	AL 9618,BL 1218	AL 9618,BL 1218	AL 9618,BL 1218	AL 9618,BL 1218	AL 9618,BL 1218
<b>Charger supplied</b>	60 min,30 min	60 min,30min	60 min,30 min	60 min,30 min	60 min,30 min	60 min,30 min
<b>Article Number</b>	<b>4932430170</b>	<b>4932352655</b>	<b>4932430169</b>	<b>4932352654</b>	<b>4932352480</b>	<b>4932352533</b>
<b>EAN Code</b>	4002395378319	4002395373130	4002395378302	4002395373123	4002395371396	4002395371914

**14.4 V**



	<b>L1430R GEN II</b>	<b>L1420R</b>	<b>L1415R</b>	<b>B1414G</b>
<b>Battery type</b>	Li-ion	Li-ion	Li-ion	NiCd
<b>Battery pack capacity (Ah)</b>	3.0	2.0	1.5	1.4
<b>Charger compatibility</b>	AL 9618,BL 1218,AL 1218G	AL 9618,BL 1218,AL 1218G	AL 9618,BL 1218,AL 1218G	BL 1218,AL 9618,AL 1218G
<b>Charger supplied</b>	60 min,30 min,60 min	60 min,30 min,60 min	60 min,30 min,60 min	60 min,30 min,60 min
<b>Article Number</b>	<b>4932352657</b>	<b>4932430167</b>	<b>4932352656</b>	<b>4932352531</b>
<b>EAN Code</b>	4002395373154	4002395378289	4002395373147	4002395371891

**12 V**



	<b>L1240</b>	<b>L1230</b>	<b>L1220</b>	<b>L1215</b>	<b>L1215R</b>	<b>M1230R</b>	<b>B1214G</b>
<b>Battery type</b>	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion	NiMH	NiCd
<b>Battery pack capacity (Ah)</b>	4.0	3.0	2.0	1.5	1.5	3.0	1.4
<b>Charger compatibility</b>	LL 1230	LL 1230	LL 1230	LL 1230	AL 9618,BL 1218	AL 9618,BL 1218	AL 9618,BL 1218
<b>Charger supplied</b>	30 min	30 min	30 min	30 min	60 min,30 min	60 min,30 min	60 min,30 min
<b>Article Number</b>	<b>4932430166</b>	<b>4932352824</b>	<b>4932430165</b>	<b>4932352658</b>	<b>4932430365</b>	<b>4932352107</b>	<b>4932352532</b>
<b>EAN Code</b>	4002395378272	4002395374823	4002395378265	4002395373161	4002395380268	4002395367603	4002395371907

**3.6 V**



	<b>SL 3.6</b>
<b>Battery type</b>	Li-ion
<b>Battery pack capacity (Ah)</b>	1.5
<b>Charger compatibility</b>	LA 036
<b>Charger supplied</b>	30 min
<b>Article Number</b>	<b>4932352969</b>
<b>EAN Code</b>	4002395376278

**CHARGERS**

	<b>Battery type</b>	<b>Charging range</b>	<b>Charging time</b>	<b>Article Number</b>	<b>EAN Code</b>
<b>AL1214G</b>	Li-ion, NiCd, NiMH	12 - 14.4 V	60 min	<b>4932352481</b>	4002395371402
<b>AL1218G</b>	Li-ion, NiCd, NiMH	12 - 18 V	60 min	<b>4932352528</b>	4002395371860
<b>BL 1218 GEN II</b>	Li-ion, NiCd, NiMH	12 - 18 V	30 min	<b>4932352659</b>	4002395373178
<b>LL1230</b>	Li-ion	12 V	30 min	<b>4932352096</b>	4002395367498
<b>LA 036</b>	Li-ion, NiCd, NiMH	3.6 V	30 min	<b>4932352097</b>	4002395367504



## POWER SET SCREWDRIVING BITS

- COLDfire® is a special hardening treatment for making metal stronger, tougher and more durable. This cryogenic process is a one-time permanent treatment affecting the entire screwdriving bit and it is not just a surface coating. The cryogenic process consists of two steps, firstly the bit is hardened by heating it up to 870° and then freezing the bit down to -148° using a dry nitrogen atmosphere. The result of this process is a bit with exceptional durability
- + 40% stronger - bit tips hold their form and will accept higher torque forces
- + 45% longer life - over the lifetime of a bit one can expect to drive 45% more screws

**COLDfire®**  
Cryogenically Treated

	Article Number	EAN Code
Counter display (6x sets) Screwdriving Bits	<b>4932352254</b>	4002395369133
Single Power Set Screwdriving Bits (40pcs) Contents: 25mm length: PH1 / PH2 (2pcs)/ PH3 / PZ1 (2pcs)/ PZ2 (2pcs)/ PZ3 (2pcs)/ TX6/ TX7 TX 8/ TX9/ TX10 (2pcs)/ TX15 (2pcs)/ TX20 (2pcs)/ TX25 (2pcs)/ TX30/ TX40/ Hex 3/ Hex 4/ Hex 5/ Hex 6/ SL 0.6 x 4.5/ SL 0.8 x 5.5/ SL 1.0 x 5.5/ SL 1.2 x 6.5 50mm length: PH1/ PH2/ PZ1/ PZ2/ TX10/ TX15/ TX20 1/4" Hex magnetic bit holder	<b>4932352255</b>	4002395369140



## PROFI-BOX HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- 118° cutting tip angle
- Oxide coating for improved swarf removal
- Robust metal box

	Article Number	EAN Code
Counter display (10 x sets) HSS-R	<b>4932352460</b>	4002395371198
Single Profi-Box HSS-R Drill Bits (19pcs) Contents: Ø 1-10 mm in 0.5 mm increments	<b>4932352459</b>	4002395371181



## MAXI-MIX DRILL BITS


- Contains a mixed assortment of drill bits for drilling wood, metal and masonry/stone (18 pieces in total)
- Robust metal box

	Article Number	EAN Code
Counter display (10 x sets) Maxi-Mix Drill Bits	<b>4932352464</b>	4002395371235
Single Maxi-Mix Drill Bits (18pcs) Contents: Stone drill bits: Ø 3/4/5/6/8/10 mm HSS-R drill bits: Ø 3/4/5/6/8/10 mm Wood drill bits: Ø 3/4/5/6/8/10 mm	<b>4932352463</b>	4002395371228



## WB1 - SCREWDRIVER ANGLE ATTACHMENT WITH 10 SCREWDRIVING BITS

- Contents: WB1 and screwdriving bits 25 mm PH1/ PH2/ PZ1/ PZ2 (2pcs)/ PZ3/ TX15/ TX20/ Hex 4/ Hex 5
- Being only 30 mm high it is ideally suited to working in confined and limited spaces
- Fits to all machines. The 1/4" Hex shank fits directly into the chuck preventing slippage
- Magnetic 1/4" Hex reception. Accepts 1/4" Hex screwdriving bits
- Adjustable to working situation. 360° variable thumb lever for extra grip
- Industrial quality up to 11 Nm torque and 400 min<sup>-1</sup>
- Tough gears made of special hardened steel



	Article Number	EAN Code
Counter display (10 x WB1 Sets)	<b>4932430174</b>	4002395378357
Single WB1 Contents: Screwdriver angle attachment with 10 screwdriving bits	<b>4932430173</b>	4002395378340



82 ACCESSORIES

**POWER SET HSS-G TIN DRILL BITS**

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Titanium nitride coating increases cutting speed by 50% and lifetime by 300%
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-G TiN	<b>4932352244</b>	4002395369034
Single Power Set HSS-G TiN Drill Bits (19pcs)		
Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm / Ø 3 (2pcs) x 61 mm / Ø 3.5 (2pcs) x 70 mm / Ø 4 (2pcs) x 75 mm / Ø 4.5 (2pcs) x 80 mm / Ø 5 (2pcs) x 86 mm / Ø 6 (2pcs) x 93 mm / Ø 7 x 109 mm / Ø 8 x 117 mm / Ø 9 x 125 mm / Ø 10 x 133 mm	<b>4932352245</b>	4002395369041



**POWER SET LIP & SPUR WOOD DRILL BITS**

- Manufactured from chrome vanadium steel according to DIN 7487 E
- Center point guarantees precise positioning
- Sharpened shoulders provide for clean holes avoiding splintering
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6x sets) Lip and Spur Wood	<b>4932352246</b>	4002395369058
Single Power Set Lip & Spur Wood Drills Bits (8 pcs)		
Contents: Ø 3 x 60 mm / Ø 4 x 75 mm / Ø 5 x 85 mm / Ø 6 x 97 mm / Ø 7 x 104 mm / Ø 8 x 117 mm / Ø 9 x 120 mm / Ø 10 x 133 mm	<b>4932352247</b>	4002395369065



**POWER SET HSS-G (DIN 338) METAL DRILL BITS & SCREWDRIVING BITS**

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Screwdriving bits are milled from S2 steel
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter Display (6 x sets) HSS-G & Screwdriving Bits	<b>4932352248</b>	4002395369072
Single Power Set HSS-G & Screwdriving Bits (35pcs)		
Contents: Ø 2 / 2.5 / 3 / 3.2 / 3.5 / 4 / 4.5 / 6 / 8 / 10mm 25mm length: PH1 (2pcs) / PH2 (2pcs) / PH3 (2pcs) / PZ1 (2pcs) / PZ2 (2pcs) / PZ3 (2pcs) / TX10 (2pcs) / TX15 (2pcs) / TX20 (2pcs) / TX25 (2pcs) / TX30 / TX40 50mm length: PH2 / PZ2 ¼" Hex magnetic bit holder	<b>4932352249</b>	4002395369089



**POWER SET JIGSAW BLADES FOR WOOD & METAL**

- Wood applications:  
T144D - Fast cutting  
T101B - Very clean, splinter free cutting
- Metal applications:  
T118A - Cutting of thin sheet material Ø 1.5-4 mm  
T118B - cutting of thicker material 3-6 mm
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) Jigsaw Blades	<b>4932352252</b>	4002395369119
Power Set 50pcs - jigsaw blades for wood and metal		
10 x T 144 D / 10 x T 101 B / 15 x T 118 A / 15 x T 188 B	<b>4932352253</b>	4002395369126






## SDS-PLUS DRILL BITS - 2 CUT / 10 PIECE POWER PACKS


- High quality 2 cutter carbide tip with 130 degree tip angle
- The carbide tip is set deeper into the head for a more precise fit and better durability
- 2 flute geometry for rapid material removal
- Surface treated eliminates binding for faster drilling and high abrasion resistance
- Made in Germany

Ø (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
5	110	50	10	<b>4932352256</b>	4002395369157
5.5	110	50	10	<b>4932352257</b>	4002395369164
6	110	50	10	<b>4932352258</b>	4002395369171
6	160	100	10	<b>4932352259</b>	4002395369188
7	160	100	10	<b>4932352260</b>	4002395369195
8	110	50	10	<b>4932352261</b>	4002395369201
8	160	100	10	<b>4932352262</b>	4002395369218
8	210	150	10	<b>4932352263</b>	4002395369225
10	160	100	10	<b>4932352264</b>	4002395369232
10	210	150	10	<b>4932352265</b>	4002395369249
10	260	200	10	<b>4932352266</b>	4002395369256
12	160	100	10	<b>4932352267</b>	4002395369263
12	210	150	10	<b>4932352268</b>	4002395369270
<b>Single Power Set 8pcs - SDS-plus drill bits (8pcs)</b> with Ø 5/6/8 x 110 mm and Ø 6 (2pcs)/8/10/12 x 160 mm				<b>4932352236</b>	4002395368952
<b>SDS-plus Starter Set</b> with Ø 6 / 8 / 10 x 160mm, point chisel and flat chisel				<b>4932352653</b>	4002395373116




## SDS MAX DRILLS - 2 CUT

Ø (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
16	540	400	1	<b>4932352687</b>	4002395373451
18	540	400	1	<b>4932352688</b>	4002395373468
20	520	400	1	<b>4932352689</b>	4002395373475
22	520	400	1	<b>4932352690</b>	4002395373482
25	520	400	1	<b>4932352691</b>	4002395373499
28	570	450	1	<b>4932352692</b>	4002395373505
30	570	450	1	<b>4932352693</b>	4002395373512
32	570	450	1	<b>4932352694</b>	4002395373529




## SDS-PLUS CHISELS

Description	Length (mm)	Width (mm)	Quantity	Article Number	EAN Code
Point chisel	200	-	1	<b>4932352269</b>	4002395369287
Flat chisel	200	20	1	<b>4932352270</b>	4002395369294
Wide chisel	200	35	1	<b>4932352271</b>	4002395369300
<b>Set of 3 SDS-plus chisels</b> with 1 pointed, 1 flat, 1 wide chisel				<b>4932352272</b>	4002395369317



## SDS MAX CHISELS

Description	Length (mm)	Width (mm)	Quantity	Article Number	EAN Code
Point chisel	400	-	1	<b>4932352685</b>	4002395373437
Flat chisel	400	25	1	<b>4932352686</b>	4002395373444



## ROUTER BIT SET

Description	Quantity	Article Number	EAN Code
8 mm shank	12	<b>4932354236</b>	4002395320639





84 ACCESSORIES

**MAXI-BIT SCREWDRIVING SET**

	Article Number	EAN Code
Counter display (20 x sets) & Screwdriving Bits	<b>4932399494</b>	4002395361144
Single Maxi-Bit Set Screwdriving Bits (10pcs)		
Contents: SL 0.6 x 4.5/ SL 0.8 x 5.5/ SL 1.5 x 6.5/ PH1/ PH2/ PH3/ PZ1/ PZ2/ PZ3 1/4" Hex magnetic bit holder	<b>4932399493</b>	4002395361151



**PROFI-BIT SCREWDRIVING SET**

	Article Number	EAN Code
Counter Display (17 x Sets) Screwdriving Bits	<b>4932399496</b>	4002395361168
Single Profi-Bit Set Screwdriving Bits (17pcs)		
Contents: SL 0.8 x 5.5/ SL 1.2 x 6.5/ PH1/ PH2 (2pcs)/ PH3/ PZ1/ PZ2 (2pcs)/ PZ3/ TX10/ TX15/ TX20/ TX25/ TX30/ TX40 1/4" Hex magnetic bit holder	<b>4932399495</b>	4002395361175



**FIXTEC NUTS**

- FIXTEC: Disc changing in seconds, no extra tools required
- 12 seconds from removing the worn disc to fixing a new disc
- Only 8 mm thin, enabling more surface of sic on the material
- Compatible to all manufactures angle grinders up to 150 mm with standard M14 spindle thread
- With integrated keyholes, for removal of the nut with a standard pin spanner in the event of the nut becoming too tight



	Article Number	EAN Code
Counter display (12 x FIXTEC Nut)	<b>4932358936</b>	4002395326693
Single FIXTEC Nut	<b>4932358225</b>	4002395325528






## MASONRY DRILL BITS

- Carbide tip with diamond ground cutting edges with 130° angle - For drilling in brick and aerated conret blocks


Ø (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
4	75	40	1	<b>4932363591</b>	4002395332410
5	85	50	1	<b>4932363593</b>	4002395332434
5.5	85	50	1	<b>4932363595</b>	4002395332458
6	100	60	1	<b>4932363597</b>	4002395332472
6	150	85	1	<b>4932367032</b>	4002395333967
7	100	60	1	<b>4932363599</b>	4002395332496
8	120	80	1	<b>4932363600</b>	4002395332502
8	200	135	1	<b>4932363612</b>	4002395332366
10	120	80	1	<b>4932363602</b>	4002395332526
10	200	135	1	<b>4932363613</b>	4002395332373
12	150	85	1	<b>4932363604</b>	4002395332540
<b>Single Power Set Stone Drill Bits (10pcs)</b>				<b>4932352239</b>	4002395368983
Contents: Ø 4/5/5.5/6 (2pcs)/7/8 (2pcs)/9/10 mm					



## HIGH PERFORMANCE BI-METAL HOLESAWS / SYSTEM ACCESSORIES

Ø (mm)	Ø (inch)	Article Number	EAN Code	Ø (mm)	Ø (inch)	Article Number	EAN Code
14	9/16	<b>4932367244</b>	4002395335947	57	2 1/4	<b>4932367266</b>	4002395336173
16	5/8	<b>4932367245</b>	4002395335954	60	2 3/8	<b>4932367267</b>	4002395336180
19	3/4	<b>4932367247</b>	4002395335978	64	2 1/2	<b>4932367268</b>	4002395336197
20	25/32	<b>4932367248</b>	4002395335985	65	2 5/16	<b>4932367269</b>	4002395336203
21	19/16	<b>4932367249</b>	4002395335992	68	2 11/16	<b>4932371580</b>	4002395345250
22	7/8	<b>4932367250</b>	4002395336005	70	2 3/4	<b>4932367271</b>	4002395336227
24	15/16	<b>4932367251</b>	4002395336012	73	2 7/8	<b>4932367272</b>	4002395336234
25	1	<b>4932367252</b>	4002395336029	76	3	<b>4932367273</b>	4002395336241
27	1 1/16	<b>4932367253</b>	4002395336036	79	3 1/8	<b>4932367274</b>	4002395336258
29	1 1/8	<b>4932367289</b>	4002395336043	83	3 1/4	<b>4932367275</b>	4002395336265
30	1 3/16	<b>4932367254</b>	4002395336050	89	3 1/2	<b>4932367277</b>	4002395336289
32	1 1/4	<b>4932367255</b>	4002395336067	92	3 5/8	<b>4932367278</b>	4002395336296
35	1 3/8	<b>4932367256</b>	4002395336074	98	3 7/8	<b>4932367280</b>	4002395336319
38	1 1/2	<b>4932367257</b>	4002395336081	102	4	<b>4932367281</b>	4002395336326
40	1 5/8	<b>4932367258</b>	4002395336098	105	4 1/8	<b>4932367282</b>	4002395336333
43	1 11/16	<b>4932367259</b>	4002395336104	114	4 1/2	<b>4932367284</b>	4002395336357
44	1 3/4	<b>4932367260</b>	4002395336111	121	4 3/4	<b>4932367285</b>	4002395336364
48	1 7/8	<b>4932367262</b>	4002395336135	127	5	<b>4932367286</b>	4002395336371
51	2	<b>4932367263</b>	4002395336142	152	6	<b>4932367288</b>	4002395336395
54	2 1/8	<b>4932367265</b>	4002395336166				

		Article Number	EAN Code
<b>Arbor Hex 11 - 5/8" x 18 - 1pc</b>	FIXTEC arbor 5/8" x 18 11 mm Hex for holesaws Ø 32 - 152 mm	<b>4932367421</b>	4002395337422
<b>Arbor Hex 9 - 1/2" x 20 - 1pc</b>	Arbor 1/2" x 20 Light duty arbor 1/2" x 20 Hex 9 for holesaws Ø 14 - 30 mm	<b>4932367422</b>	4002395337439
<b>Pilot Drill - Long - 1pc</b>	Pilot drill bit long For use with arbor <b>4932367421</b>	<b>4932367423</b>	4002395337446
<b>Pilot Drill - Short - 1pc</b>	Pilot drill bit short For use with arbor <b>4932367422</b>	<b>4932367424</b>	4002395337453



## MULTIMIX SET 75 PCS - DRILLING AND SCREWDRIVING SET

	Article Number	EAN Code
<p>Contents:</p> <p>Screwdriving bits 25 mm length            1 x PH 0/ 1 x PH 1/ 3 x PH 2/ 1 x PH 3/ 1 x PZ 0/ 1 x PZ 1/ 3 x PZ 2/ 1 x PZ 3/            1 x SQ 1/ 1 x SQ 2/ 1 x SQ 3/ 1 x TX 10/ 1 x TX 15/ 1 x TX 20/ 1 x TX 25/ 1 x TX 30/            1 x TX 40/ 1 x Hex 4/ 1 x Hex 5/ 1 x Hex 6/ 1 x SL 3/ 1 x SL 4/ 1 x SL 4/ 1 x SL 5/ 1 x SL 6/            1 x SL 7/ 1 x SL 8            ¼" Hex magnetic bit holder</p> <p>Screwdriving bits 50 mm length            1 x PH 2/ 1 x PZ 2/ 1 x SL 4/ 1 x SL 6/ 1 x SL 8</p> <p>Nut drivers            1 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ 1 x 12 mm</p> <p>Metal drill bits HSS-R DIN 338            2 x 1 mm/ 1 x 1.5 mm/ 1 x 2 mm/ 1 x 2.5 mm/ 1 x 3 mm/ 1 x 3.5 mm/ 1 x 4 mm</p> <p>Lip &amp; Spur wood drill bits            3 x 3 mm/ 3 x 4 mm/ 2 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/</p> <p>Countersink with ¼" Hex reception 45°</p> <p>Masonry drill bits            1 x 4 mm/ 1 x 5 mm/ 1 x 5.5 mm/ 3 x 6 mm/ 1 x 6.5 mm/ 2 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ 1 x 12 mm</p>	<b>4932352670</b>	4002395373284



## DRILL AND DRIVE 50PCS SET

	Article Number	EAN Code
<p>HSS-Ground Metal Drill Bits            1 x 2 mm/ 1 x 2.5 mm/ 1 x 3 mm/ 1 x 3.5 mm/ 1 x 4 mm/ 1 x 4.5 mm/ 1 x 5 mm/ 1 x 5.5 mm/ 1 x 6 mm</p> <p>Stone Drill Bits            1 x 5 mm/ 1 x 5.5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 8 mm/ 1 x 9 mm/ 1 x 10 mm</p> <p>Nut Drivers            1 x Hex 6/ 1 x Hex 8/ 1 x Hex 10</p> <p>Lip &amp; Spur Wood Drill Bits            1 x 4 mm/ 1 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm</p> <p>Flat Boring Bits            1 x 16 mm/ 1 x 18 mm</p> <p>Screwdriving bits 25 mm bits (1 of each)            SL 0.6 x 4.5/ SL 0.8 x 5.5/ PH 1/ PH 2/ PH 3/ PZ 1/ PZ 2/ PZ 3/ TX 10/ TX 15/ TX 20/ TX 25/ TX 30/ TX 35/ TX 40/ Hex 4/ Hex 5/ Hex 6            50 mm bits            PH 1/ PZ 2            Magnetic bit holder</p>	<b>4932430411</b>	4002395380725



## METAL DRILL BITS HSS-G COBALT (DIN 338)

- Metal drill bits ground from solid extremely heat resistant cobalt-alloyed high speed steel produced according to DIN 338. Polished finish. Split point shaped cutting tip with 135° angle for improved centering - no center punched required.
- 5% Cobalt content. Withstands high drilling heat.
- Type N flute normal angle.
- Suitable for drilling high alloy content steels and metals with tensile strengths of over 1000 N/mm like heat and acid proof steels and stainless steel.
- Colour: bronze.

Ø (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
2.0	49	24	2	<b>4932430416</b>	4002395380770
3.0	61	33	2	<b>4932430417</b>	4002395380787
3.2	65	36	2	<b>4932430418</b>	4002395380794
4.0	75	43	2	<b>4932430419</b>	4002395380800
4.8	86	52	1	<b>4932430420</b>	4002395380817
5.0	86	52	1	<b>4932430421</b>	4002395380824
6.0	93	57	1	<b>4932430422</b>	4002395380831
7.0	109	69	1	<b>4932430423</b>	4002395380848
8.0	117	75	1	<b>4932430424</b>	4002395380855
9.0	125	81	1	<b>4932430425</b>	4002395380862
10.0	133	87	1	<b>4932430426</b>	4002395380879
11.0	142	94	1	<b>4932430427</b>	4002395380886
12.0	151	101	1	<b>4932430428</b>	4002395380893
13.0	151	101	1	<b>4932430429</b>	4002395380909





## CIRCULAR SAW BLADES FOR PORTABLE TOOLS

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
127	20	6	1.8	✓						✓			<b>4932352534</b>	4002395371921
127	20	40	1.8		✓	✓	✓	✓	✓			✓	<b>4932352535</b>	4002395371938
160	20	48	2.2		✓	✓	✓	✓	✓			✓	<b>4932352868</b>	4002395375264
160	20	48	2.2						✓		✓	✓	<b>4932352869</b>	4002395375271
165	20	24	2.6		✓	✓	✓	✓	✓				<b>4932430311</b>	4002395379729
165	20	52	2.8		✓	✓	✓	✓	✓			✓	<b>4932430312</b>	4002395379736
184	30	24	1.8		✓	✓	✓	✓	✓			✓	<b>4932352874</b>	4002395375325
190	30	24	2.2		✓	✓	✓	✓	✓				<b>4932430469</b>	4002395381302
190	30	48	2.8		✓	✓	✓	✓	✓			✓	<b>4932430470</b>	4002395381319

## CIRCULAR SAW BLADES FOR CORDLESS TOOLS

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
165	15.8	18	1.5		✓	✓	✓	✓	✓			✓	<b>4932430366</b>	4002395380275











## MITRE SAW BLADES

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
216	30	48	2.4										<b>4932430721</b>	4002395383825
254	30	48	3.2		✓	✓	✓	✓	✓				<b>4932430471</b>	4002395381326
254	30	80	3.2								✓	✓	<b>4932430472</b>	4002395381333
305	30	60	3.2		✓	✓	✓	✓	✓			✓	<b>4932430473</b>	4002395381340
305	30	96	3.2								✓	✓	<b>4932430474</b>	4002395381357



88 ACCESSORIES

JIGSAW BLADES FOR WOOD / PLASTICS / METAL


Blade length (mm)	Blade pitch (mm)	Ref. No.	Quantity	Description	Max. cutting capacity wood (mm)	Max. cutting capacity laminated chipboard (mm)	Max. cutting capacity parquet laminate (mm)	Max. cutting capacity PVC (mm)	Max. cutting capacity non-ferrous metals (mm)	Max. cutting capacity metal pipe Ø (mm)	Max. cutting capacity aluminium (mm)	Article Number	EAN Code
<b>3521 44</b>  <b>AEG</b>													
75	3	T 111 C	5	For rough cutting	5-60			< 40				<b>4932352144</b>	4002395367979
<b>3521 45</b>  <b>AEG</b>													
50	1.35	T 101 AO	5	For fast, clean, curve cutting	< 20		< 20	< 15				<b>4932352145</b>	4002395367986
<b>3521 46</b>  <b>AEG</b>													
75	4	T 244 D	5	For rough, curve cutting	< 60							<b>4932352146</b>	4002395367993
<b>3521 47</b>  <b>AEG</b>													
75	4	T 144 D	5	For fast, rough cutting	< 60							<b>4932352147</b>	4002395368006
<b>3521 48</b>  <b>AEG</b>													
75	2.5	T 101 B	5	For very clean, splinter free cutting	< 30	< 60		< 30				<b>4932352148</b>	4002395368013
<b>3521 49</b>  <b>AEG</b>													
75	4	T 101 D	5	For fast, clean, splinter free cutting	< 60	< 60		< 45				<b>4932352149</b>	4002395368020
<b>3521 50</b>  <b>AEG</b>													
55	1.2	T 118 A	5	For thin sheet metal					1.5-4	1.5-4		<b>4932352150</b>	4002395368037
<b>3521 51</b>  <b>AEG</b>													
55	2	T 118 B	5	Rougher cuts in metal					3-6	3-6	3-10	<b>4932352151</b>	4002395368044
 <b>12 piece set in container</b> Suitable for <b>4932373494</b> 4002395349944													
 <b>Power Set 50pcs - jigsaw</b> 10 x T 144 D/ 10 x T 101 B/ 15 x T 118 A/ 15 x T 188 B <b>4932352253</b> 4002395369126													






## BLADES FOR OSCILLATING TOOL

- Universal blade reception make AEG blades compatible with most popular oscillating tools
- Every blade pack contains both washers




Description	Cutting width (mm)	Max. cutting depth (mm)	Quantity	Article Number	EAN Code
Bi-Metal plunge cutting blade Application: ① Wood, metal, PVC Plunge cutting in wood/ steel/ copper/ aluminium	28	40	1	<b>4932430315</b>	4002395379767
Plunge cutting blade Application: ② Wood, PVC Plunge cutting in soft and hard wood, PVC Recess cutting in wood. Flush cutting to length in wood	28	40	1	<b>4932430316</b>	4002395379774
Plunge cutting blade Application: ③ Wood, PVC Plunge cutting in soft and hard wood, PVC Blade sits flush when cutting in door jambs Recess cutting in wood	9	40	1	<b>4932430317</b>	4002395379781
Bi-Metal flush cutting blade Application: ④ Wood, metal, PVC Plunge cutting in solid wood Flush cutting in wood Cutting steel, copper/ aluminium/ metal pipes and profiles with small dimensions. Cutting PVC pipes to length	88	20	1	<b>4932430319</b>	4002395379804
Grout removal blade Application: ⑤ Grout, mortar, soft tiles Routing grout joints on wall and floor tiles	85	20	1	<b>4932430318</b>	4002395379798
9pc Set 2 x bi-metal plunge cutting blades 2 x plunge cutting blades 28 mm ⑥ 2 x plunge cutting blades 9 mm 1 x bi-metal flush cutting blade 1 x scraper 1 x grout blade			9	<b>4932430314</b>	4002395379750
Washer Set ⑦ To fit Bosch keyless oscillating tool To fit Dremel keyless oscillating tool			2	<b>4931441298</b>	4002395872541



## SANDING ACCESSORIES FOR OSCILLATING TOOL











Description	Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
⑧ Sanding Pad 10pc Set Sanding paper Hook & Loop 4 x Grit 60 3 x Grit 80 3 x Grit 120		93x93	1	<b>4932430320</b>	4002395379811
⑨ Application: Wood, PVC For sanding small areas, e.g. in corners, along edges, in restricted areas and tight spaces, sanding down of surface blemishes.	6080120	93x93	10	<b>4932430321</b>	4002395379828





90 ACCESSORIES

**RECIPROCATING SAW BLADES FOR WOOD / PLASTICS / METAL**

Blade length (mm)	Tooth pitch (mm)	Ref. No.	Quantity	Description	Article Number	EAN Code
						
150	2.5	S811H	3	For all woods, nail embedded wood, plaster board 3-100 mm, non-ferrous metals, aluminium 3-10 mm, plastic pipes	<b>4932318127</b>	4002395301959
						
150	4.2	S744D	2	For fast scroll cutting 6-100 mm	<b>4932323801</b>	4002395304240
						
150	4	S644D	2	For fast cutting of wood and plastic, plunge cutting, 6-100 mm	<b>4932323800</b>	4002395304233
						
240	8.5	S1542K	2	Special hardened teeth design, for fast coarse cut, as well for green and fire wood, 20-180mm	<b>4932323804</b>	4002395304271
						
300	4.2	S1344D	2	For cutting large timbers and plastic, clean cut, 6-250 mm	<b>4932323802</b>	4002395304257
						
150	1.4	S922EF	3	For all metals with a wall thickness between 1.5-4 mm	<b>4932354792</b>	4002395324477
						
150	1.8	S922BF	3	For all metals with a wall thickness between 3-10 mm	<b>4932354789</b>	4002395324446
						
230	Coarse grit	S1130R	2	For abrasive materials, fibreglass materials (polyesters, epoxies, melamines), cast iron pipes	<b>4932373386</b>	4002395348817
						
450	17	-	1	For abrasive materials ie. bricks, soft abrasive blocks	<b>4932430447</b>	4002395381081
						
300	4.2	-	1	For cutting of frozen materials	<b>4932430448</b>	4002395381098
400	4.2	-	1	For cutting of frozen materials	<b>4932430449</b>	4002395381104


**GUIDE RAIL**

Description	Article Number	EAN Code
<b>GR 1400 Guide rail</b> 1400mm long. Supplied with carry-bag. Adaptors to fix guide rail to following machines: MBS 30: 4931 4118 18 KS 55 C (only suitable for machines with production date after 6/2010)/ KS 66C (only suitable for machines with production date after 8/2011): 4931 41655 18, CS 60: 4931 4165 18	<b>4932352558</b>	4002395372164
<b>Connector piece</b> For combining two guide rails together	<b>4932352559</b>	4002395372171
<b>Clamps</b> Set of 2 champs for fixing the guide rail to the work material	<b>4932352560</b>	4002395372188



**ATTACHMENTS**

Description	Article Number	EAN Code
<b>Xtractor</b> <b>The ideal dust extraction solution.</b> The Xtractor can be used with all household and industrial dust extraction units with a hose diameter from 26-41 mm.	<b>4932373501</b>	4002395351862





**POLISHING ACCESSORIES- HOOK & LOOP**

Description	Ø (mm)	Height (mm)	Quantity	Article Number	EAN Code	
<p>Polishing backing pad</p> <p>Application: Reception of felt- / lambswool polishing discs and polishing sponges</p> <p>Characteristics: M14 thread, break resistant with integrated soft and flexible foam layer, Hook &amp; Loop fixation</p>	150	25	1	<b>4932430450</b>	4002395381111	
<p>Lambswool polishing disc</p> <p>Application: Finishing high gloss polishing</p> <p>Requires polishing backing pad</p> <p>Characteristics: Natural lambs wool, very soft and adaptable</p> <p>Hook &amp; Loop fixation</p>	150		1	<b>4932430453</b>	4002395381142	
<p>Polishing sponge - hard</p> <p>Application: Polish up of weather-beaten lacquer, lacquer reconditioning</p> <p>Requires polishing backing pad</p> <p>Characteristics: Medium hard, fine pored, with rounded edge,</p> <p>Hook &amp; Loop fixation</p>	150	50	1	<b>4932430452</b>	4002395381135	
<p>Polishing sponge- soft</p> <p>Application: Second polish of lacquer, lacquer care</p> <p>Requires polishing backing pad</p> <p>Characteristics: Super-soft, fine pored, with rounded edge, Hook &amp; Loop fixation</p>	150	50	1	<b>4932430451</b>	4002395381128	

**BASE PLATES**

Description	Ø (mm)	No. of holes	Article Number	EAN Code	
<p>Base plate for EX 125 ES</p> <p>Complete with rubber ring as spare</p>	125	8	<b>4932352870</b>	4002395375288	
<p>Base plate for EX 150 E</p> <p>Complete with rubber ring as spare</p>	150	6	<b>4932352871</b>	4002395375295	




92 ACCESSORIES

**ABRASIVE PAPER- HOOK & LOOP FOR FDS 140**

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	115 x 107	10	<b>4932352420</b>	4002395370795
80	115 x 107	10	<b>4932352421</b>	4002395370801
120	115 x 107	10	<b>4932352422</b>	4002395370818
240	115 x 107	10	<b>4932352423</b>	4002395370825



**ABRASIVE PAPER- CLAMP TYPE FOR FDS 140**


- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper

Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	115 x 140	10	<b>4932352424</b>	<b>4002395370832</b>
80	115 x 140	10	<b>4932352425</b>	<b>4002395370849</b>
120	115 x 140	10	<b>4932352426</b>	<b>4002395370856</b>
240	115 x 140	10	<b>4932352427</b>	<b>4002395370863</b>



**ABRASIVE DELTA PAPER- HOOK & LOOP FOR FDS 140**


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	110 x 88	10	<b>4932352925</b>	4002395375837
80	110 x 88	10	<b>4932352926</b>	4002395375844
120	110 x 88	10	<b>4932352927</b>	4002395375851
240	110 x 88	10	<b>4932352928</b>	4002395375868



**ABRASIVE DISCS- HOOK & LOOP- 6 HOLES**

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper

Grit	Ø (mm)	Quantity	Article Number	EAN Code
40	150	5	<b>4932430454</b>	4002395381159
60	150	5	<b>4932430455</b>	4002395381166
80	150	5	<b>4932430456</b>	4002395381173
120	150	5	<b>4932430457</b>	4002395381180
180	150	5	<b>4932430458</b>	4002395381197
240	150	5	<b>4932430459</b>	4002395381203







# AEG

**POWERTOOLS**



**PRO 18v**  
SYSTEM





**RODAVIGO, S.A.**

RODAMIENTOS VIGO, S.A.

[www.rodavigo.net](http://www.rodavigo.net)

**+34 986 288118**

Servicio de Att. al Cliente



**AEG**  
**POWERTOOLS**

**CORDLESS/HAMMERS/DRILLING/  
METALWORKING/WOODWORKING/  
ACCESSORIES**

**AEG POWERTOOLS** promises to draw upon its heritage and deliver exciting, high performance, innovative working solutions for the professional tradesmen of today and the future.

**AEG POWER TOOLS**

P.O. Box 320

D-71361 Winnenden

Germany

Tel.: +49 71 95 12-0

Fax: +49 71 95 12-666

**A&M Middle East**

P.O Box 61254

Jebel Ali Free Zone South

Dubai, UAE

Tel: +97148861399

Fax: +97148861400

[www.aeg-powertools.com](http://www.aeg-powertools.com)

**EPTA**

© AEG POWERTOOLS

AEG POWERTOOLS reserve the right to change all data including images, specification and service and warranty information without notice. AEG POWERTOOLS will hold no liability for printing errors or mistakes.

XXXX XXXX 00