

12.15



Acabado:
Monobloque Poliamida 6

Acabado:
Inyectado color marfil

Pisada:
Plana - Dura

Rodamiento:
Eje/Buje Liso




Disponibilidad, bajo demanda en
Poliamida inyectada color NEGRO

400/NYL

Serie Capitol

de 100 a 250 Kgs.



70/75
Shore D

-40°C/+90°C

60	25	31	10	90137	400/60 NYL	100
80	25	33	12	41771	400/80 NYL	150
100	24	32	12	41802	400/100 NYL	180
125	28	34	12	41822	400/125 NYL	200
160	33	39	15	41842	400/160 NYL	250

SERIES

2/3/12 - pág. 43

402/403/401 - pág. 76



12.16



Acabado:
Monobloque Poliamida 6


Acabado:
Inyectado color marfil

Pisada:
Semi-Abalonada / Dura

Rodamiento:
Eje/Buje Liso



Disponibilidad, bajo demanda en
Poliamida inyectada color NEGRO



70/75
Shore D

-40°C/+90°C

188/NYL

Serie Mononyl

de 100 a 1250 Kgs.



60	25	31	10	30505 188/60 NYL	100
80	32	39	12	30510 188/80 NYL	200
100	35	45	15	30520 188/100 NYL	300
130	40	45	15	30530 188/130 NYL	500
150	37	42	15	30523 188/150 NYL	400
160	45	60	20	30540 188/160 NYL	700
200	50	60	20	30550 188/200 NYL	900
250	55	70	25	30570 188/250 NYL	1250

SERIES

201/200/204 - pág. 64

278/279 - pág. 81

172/172 - pág. 85

360/361 - pág. 96

284/285/286 - pág. 134

288/289 - pág. 142



12.16



Acabado:
Monobloque Poliamida 6

Acabado:
Inyectado color marfil

Pisada:
Semi-Abalonada / Dura



Rodamiento:
CB - Cojinetes a Bolas



Disponibilidad, bajo demanda en
Poliamida inyectada color NEGRO

188/NYL CB

Serie Mononyl
de 200 a 1250 Kgs.



80	32	39	12			
100	35	45	15	30526	188/80 NYL CB	200
130	40	45	15	91086	188/100 NYL CB	300
160	45	60	20	91087	188/130 NYL CB	500
200	50	60	20	30610	188/160 NYL CB	700
250	55	70	25	30620	188/200 NYL CB	900
				30650	188/250 NYL CB	1250

SERIES

201/200/204 - pág. 65

278/279 - pág. 81

172/172 - pág. 85

360/361 - pág. 97



12.16



Acabado:
Monobloque Poliamida 6

Acabado:
Inyectado color blanco

Pisada:
Semi-Abalonada / Dura

Rodamiento:
CB - Cojinetes a Bolas




188/NYL RFZ

Serie Mononyl

de 750 a 1100 Kgs.



ARO REFORZADO



125	45	60	20
130	45	60	20
160	45	60	20
200	50	60	20

30573	188/125 NYL RFZ CB
30576	188/130 NYL RFZ CB
30578	188/160 NYL RFZ CB
30654	188/200 NYL RFZ CB

KG
750
800
900
1100

SERIES

350/351 - pág. 101

374/375 - pág. 108



12.16



Acabado:
Monobloque Poliamida 6

Acabado:
Inyectado color Blanco/Marfil

Pisada:
Semi-Abalonada / Dura

Rodamiento:
Eje/Buje Liso
CB - Cojinetes a Bolas




188/NYL

Serie Mononyl

de 120 a 450 Kgs.



Disponibilidad, bajo demanda en
Poliamida inyectada color NEGRO



60	30	40	12
80	32	42	15
100	35	39	12
100	35	39	12
100	35	45	15
125	40	48	20
125	40	48	15
130	40	60	20
130	40	60	15
150	37	42	20

90311 188/60 NYL Ø12	120
30097 188/80 NYL RADIOS	250
30521 188/100 NYL Ø12	250
91085 188/100 CB Ø12	250
29803 188/100 NYL RADIOS	300
30571 188/125 NYL BLANCO	350
30589 188/125 NYL CB BLANCO	350
30538 188/130 NYL AXB 60	450
30548 188/130 NYL CB AXB 60	450
30546 188/150 NYL Ø20	400

SERIES

201/200/204 - pág. 64

360/361 - pág. 96



12.17



Bandaje:
Poliamida Inyectado

Acabado:
Color Marfil / Blanco

Núcleo:
Poliamida
(100 - 130 m/m.)

Llantas Aluminio
(160 - 200 m/m)

Pisada:
Abalonada


Rodamiento:
CB - Cojinetes a Bolas



170/NYL

Serie Olimpia

de 400 a 950 Kgs.



**BAJA RESISTENCIA
A RODADURA**

100	40	45	15	30310	170/100 NYL CB	400
130	40	45	15	30330	170/130 NYL CB	550
160	45	60	20	30350	170/160 NYL CB	750
200	50	60	20	30370	170/200 NYL CB	950

SERIES

168/169 - pág. 89



12.14



Rueda:
Monobloque Polipropileno (PP)

Acabado:
Inyectado color marfil ó negro

Pisada:
Plana - Dura


Rodamiento:
Eje/Buje Liso



1083 PBL/PN

Serie Multiplast

de 20 a 60 Kgs.



75/80
Shore D

-10°C/+80°C

25	11	13	5
30	12	17	4
32	14	17	6
40	14	21	5
42	17	22	7
50	18	21	7
60	19	21	7
80	20	23	9

42000	1083/25 PBL	42240	PN
42010	1083/30 PBL	42250	PN
42020	1083/32 PBL	42260	PN
42060	1083/40 PBL	42300	PN
42030	1083/42 PBL	42270	PN
42070	1083/50 PBL	42310	PN
42090	1083/60 PBL	42330	PN
42069	1083/80 PBL	42350	PN

20
30
30
35
35
40
50
60

SERIES

480/484 - pág. 18



134/135 - pág. 20



2/3/12 - pág. 43

