

11.3



Rueda:
Fundición Gris ENG JL-50

Núcleo:
Monobloque con radios

Acabado:
Pintado esmalte rojo

Pisada:
Semi-Plana

Rodamiento:
Eje/Buje Liso



1065

Serie H FE

de 250 a 1000 Kgs.



80	32	35	10
100	35	42	10
125	44	53	12
150	47	55	12
200	60	76	16

17290
17300
17310
17320
17340

300
400
650
850
1000

1065/80 FE	300
1065/100 FE	400
1065/125 FE	650
1065/150 FE	850
1065/200 FE	1000

11.4




Rueda:
Fundición Gris ENG JL-50

Núcleo:
Monobloque

Acabado:
Pintado purpurina plateada

Pisada:
Semi-Plana

Rodamiento:
Cojinetes a Bolas



1066

Serie Taller FE

1000 Kgs.



125	45	54	20	17312	1066/125 FE	1000

11.4



Soporte:
Giratorio y Fijo

350/351:
Acero Estampado 8 m/m.

374/375:
Acero S355 soldado 10 m/m.

Rodamiento:
Cojinete a bolas



350/374

Serie Taller FE

de 800 a 1000 Kgs.



Serie 350/351

125	180	117	135x110	105x80	12
125	800	35725	350/125 FE CB	35729 350/125 FDP FE CB	35654 351/125 FE CB

Serie 374/375

125	190	120	165x110	125x70	14
125	1000	36097	374/125 FE CB	36157 375/125 FE CB	

11.5




Rueda:
Acero Templado


Acabado:
Superficie deslizamiento
con pendiente de 3 grados
respecto al eje de la rueda



Dureza Brinell:
de 180 a 230 HB

Rodamiento:
Cojinetes a Bolas



EXTRAFUERTE

A	b	C	d	
50	62	40	30	15
75	100	40	30	20
100	125	50	40	25
125	150	50	40	25
150	180	60	48	30
200	240	60	48	35
250	290	75	60	45
300	345	90	72	60
400	445	90	72	80

	
43100 232/50 DECAUVILLE	500
43101 232/75 DECAUVILLE	800
43102 232/100 DECAUVILLE	1200
43103 232/125 DECAUVILLE	1500
43104 232/150 DECAUVILLE	2000
43105 232/200 DECAUVILLE	2500
43106 232/250 DECAUVILLE	4000
43107 232/300 DECAUVILLE	7000
43108 232/400 DECAUVILLE	9000

Artículos Especiales - Fabricación específica bajo demanda (NO se admiten devoluciones).