

8.1



Bandaje:

Poliuretano TDI vulcanizado

Núcleo:

Acero mecanizado

Pisada:

Plana - Dura

Rodamiento:

Cojinetes a Bolas



215/RB

Serie Transpaleta

de 80 a 1100 Kgs.




Diagram 1			Diagram 2			Diagram 3			Diagram 4			Diagram 5			
Ø	L	B	Ø	L	B	Ø	L	B	Ø	L	B	Ø	L	B	KG
35	26	15	34796	215/35X26 RB	80	80	50	20	30851	215/80X50 RB	500				
40	30	15	30657	215/40X30 RB	100	80	54	20	30852	215/80X54 RB	550				
46	30	15	30658	215/46X30 RB	100	80	60	20	30853	215/80X60 RB	600				
48	15	15	30659	215/48X15 RB	110	80	70	20	36873	215/80X70 RB	700				
50	20	17	30660	215/50X20 RB	110	80	80	20	30854	215/80X80 RB	800				
50	30	15	30331	215/50X30 RB	120	80	90	20	30855	215/80X90 RB	900				
50	40	15	30366	215/50X40 RB	130	80	100	20	30856	215/80X100 RB	900				
55	30	20	30662	215/55X30 RB	130	82	50	20	30857	215/82X50 RB	500				
60	20	20	30663	215/60X20 RB	140	82	60	20	30858	215/82X60 RB	600				
60	30	17	30664	215/60X30 RB	150	82	70	20	30859	215/82X70 RB	700				
65	30	20	30665	215/65X30 RB	150	82	75	20	30860	215/82X75 RB	750				
70	20	20	30666	215/70X20 RB	150	82	80	20	30362	215/82X80 RB	800				
70	25	25	30667	215/70X25 RB	150	82	90	20	30363	215/82X90 RB	900				
70	30	20	30668	215/70X30 RB	150	82	100	20	30358	215/82X100 RB	1000				
70	70	15	30669	215/70X70 RB	500	85	30	20	30862	215/85X30 RB	300				
75	20	20	30869	215/75X20 RB	150	85	35	20	30863	215/85X35 RB	350				
75	40	15	36849	215/75X40 RB	300	85	40	20	30864	215/85X40 RB	400				
75	50	20	36851	215/75X50 RB	400	85	50	20	30865	215/85X50 RB	500				
75	65	15	30772	215/75X65 RB	400	85	60	20	30866	215/85X60 RB	600				
75	75	15	30773	215/75X75 RB	550	85	70	20	30361	215/85X70 RB	700				
80	20	20	30775	215/80X20 RB	150	85	75	20	30369	215/85X75 RB	750				
80	25	25	30776	215/80X25 RB	200	85	80	20	30867	215/85X80 RB	800				
80	30	20	30777	215/80X30 RB	300	85	90	20	30868	215/85X90 RB	900				
80	40	20	30779	215/80X40 RB	400	85	100	20	30368	215/85X100 RB	1000				
80	45	20	30646	215/80X45 RB	400	85	110	20	30364	215/85X110 RB	1100				

8.1



Rodillo:
Poliamida PA6
Nylon Inyectada

Pisada:
Plana - Dura


Rodamiento:
Cojinetes a Bolas



216/NYL

Serie Transpaleta

de 500 a 1000 Kgs.



70/75
Shore D -40°C/+90°C

80	56	20
80	70	20
85	63	20
85	70	20
85	90	20
85	110	20

34671	216/80X56 NYL CB
34679	216/80X70 NYL CB
34770	216/85X63 NYL CB
34772	216/85X70 NYL CB
34780	216/85X90 NYL CB
34790	216/85X110 NYL CB

500
600
700
800
900
1000

8.2



Rueda:
Poliamida PA6 / Nylon
Monobloque inyectado

Bandaje:
Goma Negra elástica

Bandaje:
Poliuretano TDI vulcanizado

Núcleo:
Aluminio nervios radiales


Rodamiento:
Cojinetes a Bolas



Mecanizamos el encaste del alojamiento para rodamiento con profundidad de 7 m/m. y ancho eje útil de 43 m/m.

14/188

Serie Apiladora de 350 a 800 Kgs.



Poliamida 6 Inyectada (Nylon) | 70/75 - Shore D

175	45	45	20	35900	188/175 NYL CB	600
200	50	50		35901	188/200 NYL CB	700

Goma Negra Elástica (Caucho) | 68/70 - Shore A

180	50	50	20	03785	14/180 GNK CB	350
200	50	50		02841	14/200 GNK CB	400

Poliuretano TDI (Vulcanizado) | 90/92 - Shore A

180	50	50	20	02715	14/180 RBK CB	700
200	50	50		03786	14/200 RBK CB	800