


WHEN YOU HAVE REAL WORK TO DO...
GRAB AN AIRCAT.

SANDERS & POLISHERS



CENTRAL VAC



6700-3-332CV

TUNE-UP KIT CONTAINS SPARES NO.:
3, 6, 12, 20, 21, 24, 31, 34, 36



6700-5-336CV

6700-6-332CV

6700-6-336CV

TUNE-UP KIT CONTAINS SPARES NO.:
3,6,14,21,24,34,37,39
TUNE-UP KIT CONTAINS SPARES NO.:
3, 6, 12, 18, 22, 29, 30, 32, 37, 39

NON CENTRAL VAC



6700-3-332

6700-5-336

6700-6-332

6700-6-336

TUNE-UP KIT CONTAINS SPARES NO.:
3,6,14,21,24,34,37,39
TUNE-UP KIT CONTAINS SPARES NO.:
3, 6, 12, 18, 22, 29, 30, 32, 37, 39



6700-1-332

TUNE-UP KIT CONTAINS SPARES NO.:
3, 6, 12, 20, 21, 24, 31, 34, 36, 43

SELF VAC



6700-6-332SV

6700-6-336SV

TUNE-UP KIT CONTAINS SPARES NO.:
3,6,20,21,24, 34, 37,39
TUNE-UP KIT CONTAINS SPARES NO.:
3, 6, 20, 21, 24, 26, 32, 34, 37

JITTERBUG SANDER



6700-JBS-332

TUNE-UP KIT CONTAINS SPARES NO.:
2, 3, 8, 10, 12, 14, 15, 18, 20, 21

WHEN YOU HAVE REAL WORK TO DO...
GRAB AN AIRCAT.



NEW

6700-6-338
6700-6-338CV

TUNE-UP KIT CONTAINS SPARES NO.:
3, 6, 12, 20, 21, 24, 31, 34, 36
TUNE-UP KIT CONTAINS SPARES NO.:
3, 6, 12, 18, 20, 22, 32, 34, 35

AC6700 SERIES LOW-VIBRATION 'GREASELESS' ORBITAL AND GEAR SANDERS

AIRCAT® AC6700 Series features lubrication-free, low-noise, and low-vibration sanders. With 15 models and various options, they ensure precision, comfort, and efficiency. Advanced technology reduces weight and enhances tool lifespan.

- PATENTED DOUBLE SEALED MOTOR PREVENTS DUST CONTAMINATION
- SMOOTH THROTTLE LEVER AND ERGONOMIC GRIP FOR COMFORT
- PATENTED "ANTI VIBRATION" MOTOR DESIGN REDUCES VIBRATION LEVEL TO 4.5M/SEC2

MODEL NO.	DESCRIPTION	Pad Size (in)	Orbit (mm)	Pad Type	No. Vacuum Pad Holes	Free Speed (RPM)
6700-1-332	NON VAC PALM SANDER	1	2.5	Hook & Loop	0	11.000
6700-3-332	NON VAC ORBITAL PALM SANDER/POLISHER	3	2.5	Hook & Loop	0	11.000
6700-3-332CV	CENTRAL VAC ORBITAL PALM SANDER/POLISHER	3	2.5	Hook & Loop	6	11.000
6700-5-336	NON VAC ORBITAL PALM SANDER	5	5	Hook & Loop	0	11.000
6700-5-336CV	CENTRAL VAC ORBITAL PALM SANDER	5	5	Hook & Loop	6	11.000
6700-6-332	NON VAC ORBITAL PALM SANDER	6	2.5	Hook & Loop	0	11.000
6700-6-332CV	CENTRAL VAC ORBITAL PALM SANDER	6	2.5	Hook & Loop	6	11.000
6700-6-332SV	SELF VAC ORBITAL PALM SANDER	6	2.5	Hook & Loop	6	11.000
6700-6-336	NON VAC ORBITAL PALM SANDER	6	5	Hook & Loop	0	11.000
6700-6-336CV	CENTRAL VAC ORBITAL PALM SANDER	6	5	Hook & Loop	6	11.000
6700-6-336SV	SELF VAC ORBITAL PALM SANDER	6	5	Hook & Loop	6	11.000
6700-JBS-332	JITTERBUG SANDER	196.85 x 69.85 mm	2.5	Hook & Loop	6	10.000
6700-6-338	AIRCAT NON VAC ORBITAL PALM SANDER	6	8	Hook & Loop	8	11.000
6700-6-338CV	AIRCAT CENTRAL VAC ORBITAL PALM SANDER	6	8	Hook & Loop	8	11.000

MODEL NO.	Weight (kg)	Length w/Pad Fitted (mm)	Width w/Pad Fitted (mm)	Height w/Pad Fitted (mm)	Noise Level d(B)A	Vibration m/sec2	Average Air Cons. (CFM)	Air Inlet BSP (in.)
6700-1-332	0.77	170.18	76.20	109.22	75	0.8	1.6	1/4
6700-3-332	0.81	139.70	76.20	109.22	75	0.8	1.6	1/4
6700-3-332CV	0.81	182.88	76.20	109.22	75	1.8	1.6	1/4
6700-5-336	0.90	170.18	127.00	109.22	75	1.8	1.6	1/4
6700-5-336CV	0.90	213.36	127.00	109.22	75	1.8	1.6	1/4
6700-6-332	0.90	172.72	152.40	109.22	75	1.8	1.6	1/4
6700-6-332CV	0.90	213.36	152.40	109.22	75	1.8	1.6	1/4
6700-6-332SV	0.90	205.74	152.40	109.22	75	1.8	1.6	1/4
6700-6-336	0.90	172.72	152.40	109.22	75	1.8	1.6	1/4
6700-6-336CV	0.90	213.36	152.40	109.22	75	1.8	1.6	1/4
6700-6-336SV	0.90	205.74	152.40	109.22	75	1.8	1.6	1/4
6700-JBS-332	1.13	195.00	70.00	105.41	80	1.8	9.0	1/4
6700-6-338	1.58	304.80	203.20	114.30	75	4.9	1.6	1/4
6700-6-338CV	1.58	304.80	203.20	114.30	75	4.9	1.6	1/4

WHEN YOU HAVE REAL WORK TO DO...
GRAB AN AIRCAT.

SANDERS AND POLISHERS



6310							6" DUAL ACTION SANDER			
SPEED (RPM)	PAD/BELT SIZE (IN.)	SPINDLE THREAD (IN.)	GEARS	EXHAUST	ORBIT OFF-SET (MM)	WEIGHT (KG)	LENGTH (MM)	LEVEL VIBRATION (SEC2)	AIR CONS. (CFM)	REC. HOSE SIZE (IN.)
10.000	6	5/16-24	DIRECT DRIVE	REAR	4.76	1.0	266	1.8	2.5	3/8"

- DUST ISOLATED, LUBRIFICATION-FREE, SPEED REGULATOR, DOUBLE SEALING
- RUBBERIZED CONFORT PALM GRIP



6315

6315-K



TUNE-UP KIT CONTAINS SPARES NO.:
4, 6, 8, 20, 23, 27, 29, 33, 34, 37, 39

6315 & 6315-K		3" MINI ORBITAL SANDER						
SPEED (RPM)	PAD SIZE (IN.)	WEIGHT (KG)	LENGTH (MM)	LEVEL VIBRATION (SEC2)	AIR CONS. (CFM)	REC. HOSE SIZE (IN.)	AIR INLET (IN.) BSP	
16.000	2" & 3"	0.71	132	3.3	2	3/8"	1/4"	

- KIT INCLUDES: A BLOW MOULD STORAGE TRAY, SANDER WITH GUN HANDLE, 2' AND 3' SANDING PADS, AS WELL AS A VARIETY OF 2' AND 3' SANDPAPER.
- SPEED CONTROL TRIGGER



6320

6320-K



TUNE-UP KIT CONTAINS SPARES NO.:
10-1, 11, 15, 18, 19, 20, 21, 27

6320 & 6320-K		3" MINI ORBITAL SANDER						
SPEED (RPM)	PAD SIZE (IN.)	WEIGHT (KG)	LENGTH (MM)	LEVEL VIBRATION (SEC2)	AIR CONS. (CFM)	REC. HOSE SIZE (IN.)	AIR INLET (IN.) BSP	
13.000	1-1/4" & 2"	0.49	266	1.8	2.5	3/8"	1/4"	

- KIT INCLUDES: HOOK AND LOOP 1.25 ROUND AND 2 ROUND, TRIANGULAR PAD SANDING DISCS 120/180/320/600/1000/1500 GRIT SIZES.



6370		LOW WEIGHT COMPOSITE VERTICAL POLISHER								
SPEED (RPM)	MOTOR (HP)	PAD SIZE (IN.)	EXHAUST	WEIGHT (KG)	LENGTH (MM)	LEVEL VIBRATION (SEC2)	AIR CONS. (CFM)	REC. HOSE SIZE (IN.)	AIR INLET (IN.) BSP	
3.500	0.6	7"	SIDE HANDLE	1.17	170.	1.8	12	3/8"	1/4"	

- STALL RESISTANT 0.6 HP MOTOR



TUNE-UP KIT CONTAINS SPARES NO.:
12, 15, 16, 17, 20, 21, 27, 28, 35, 37

