



DRIVE DESIGN
AND TECHNICAL MANUAL

RIBBED BELTS

DRIVE BELT TECHNOLOGY .

SECTION 1.3 | RIBBED V-BELTS | RUBBER BELTS

DIN 7867 - ISO 9982 - ASAE S 211,5 / IP26 RMA-MPTA

RIBBED BELTS PROFIL H/PH, J/PJ, K/PK AND L/PL, MOLDED AND GRINDED PROCESSES

FEATURES

The new CMW Power Transmission POWERPLUS ribbed belts is based on EPDM rubber (ethylene propylene diene monomer).

Our EPDM rubber is manufactured in Germany and USA, it ensures highest grip and strong longitudinal force.

Ribs profile is perfect and matches the pulley rib to provide highest power drive. And contact with pulley grooves is optimum, belt ribs completely fill the grooves and provide power through the entire drive surface.


This highest quality rubber compounds is bonded to a high modulus low stretch polyester cord for standard cord or polyamid (nylon) cord for elastic belt to guarantee high power transmission capability and superior extended operational life compared with conventional ribbed belts.

Our range is organised as below :

Standard: BR or EPDM, Profil H/PH - J/PJ - K/PK and L/PL, featuring low noise, high rate of power transmission, highly flexible.

Elastic: BR or EPDM, Profil EH/EPH - EJ/EPJ and EK/EPK , featuring extreme low decay, low noise, maintenance free.

Strong: EPDM, Profil J/PJ - K/PK and L/PL featuring heavy load resistance, low noise and long life.



For EPDM Ribbed Belts, the operating temperature from -40°C up to +130°C.

Resistance to dust, enables cooling, high drive efficiency
Meets RoHS and REACH requirements

Also available with Aramid cord for extra strong Ribbed Belts

Dimensions



ISO 9982	PH	PJ	PK	PL
RMA/MPTA	H	J	K	L
Pitch (mm)	160	234	356	470
Height (mm)	2.0	4	6	6.5
Belt Weight per rib per meter (Kg/m)	0.005	0.01	0.015	0.03
Min. pulley diameter (mm)	10	50	50	75
Min. Reverse bend diameter (mm)	20	55	55	55
Max belt speed (m/s)	80	45	45	45
Min. Length (mm)	200	200	500	600
Max. Length (mm)	2200	5600	5600	5600
Max. Number of ribs	105	230	151	115

1: Please consult us for availability

Le: Effective Length

Applications



Agriculture



Appliances/
Machinery



Fitness



Food
& Beverage



Textile



Wood



Technology
& Robots


1.3 RIBBED BELTS

Marking

Cut Belt

CWM	7PJ 490	batch code/worker code + position in sleeve
CWM	7PJ 490	batch code/worker code + position in sleeve
CWM	7PJ 490	batch code/worker code + position in sleeve
CWM	7PJ 490	batch code/worker code + position in sleeve
CWM	7PJ 490	batch code/worker code + position in sleeve
CWM	7PJ 490	batch code/worker code + position in sleeve

Sleeve

	POWERPLUS	PJ 920 / J362	>EPDM<	batch code/worker code + position in sleeve
	POWERPLUS	PJ 920 / J362	>EPDM<	batch code/worker code + position in sleeve
	POWERPLUS	PJ 920 / J362	>EPDM<	batch code/worker code + position in sleeve
	POWERPLUS	PJ 920 / J362	>EPDM<	batch code/worker code + position in sleeve
	POWERPLUS	PJ 920 / J362	>EPDM<	batch code/worker code + position in sleeve
	POWERPLUS	PJ 920 / J362	>EPDM<	batch code/worker code + position in sleeve

Product Codification

Example

	PP	230	PJ	1016	EPDM
PP-230-PJ-1016-EPDM means	High Performance line	Number of ribs	Section J/PJ / 2,34mm Standard cord	1016mm in Le	low temperature : -30°C high temperature: +140°C
	PP	6	EPJ	586	BR
PP-6-EPJ-586-BR means	High Performance line	Number of ribs	Section J/PJ / 2,34mm Elastic cord	586mm in Le	Molded polybutadene rubber

1.3 RIBBED BELTS

Standard Belt Range

ISO Code	RMA Code	CMW Product code	GTIN (EAN) code	Effective Length Le (mm)
PJ1434	J565	PP-230/PJ1434-EPDM	3666445080334	1434
PJ1439	J567	PP-230/PJ1439-EPDM	3666445080327	1439
PJ1446	J569	PP-230/PJ1446-EPDM	3666445080310	1446
PJ1458	J574	PP-230/PJ1458-EPDM	3666445080303	1458
PJ1461	J575	PP-230/PJ1461-EPDM	3666445080297	1461
PJ1470	J579	PP-230/PJ1470-EPDM	3666445080280	1470
PJ1473	J580	PP-230/PJ1473-EPDM	3666445080273	1473
PJ1482	J583	PP-230/PJ1482-EPDM	3666445080266	1482
PJ1490	J587	PP-230/PJ1490-EPDM	3666445080259	1490
PJ1503	J592	PP-230/PJ1503-EPDM	3666445080242	1503
PJ1510	J594	PP-230/PJ1510-EPDM	3666445080235	1510
PJ1520	J598	PP-230/PJ1520-EPDM	3666445080228	1520
PJ1535	J604	PP-230/PJ1535-EPDM	3666445080211	1535
PJ1545	J608	PP-230/PJ1545-EPDM	3666445080204	1545
PJ1549	J610	PP-230/PJ1549-EPDM	3666445080198	1549
PJ1560	J614	PP-230/PJ1560-EPDM	3666445080181	1560
PJ1569	J618	PP-230/PJ1569-EPDM	3666445080174	1569
PJ1588	J625	PP-230/PJ1588-EPDM	3666445080167	1588
PJ1603	J631	PP-230/PJ1603-EPDM	3666445080150	1603
PJ1615	J636	PP-230/PJ1615-EPDM	3666445080143	1615
PJ1628	J641	PP-230/PJ1628-EPDM	3666445080136	1628
PJ1639	J645	PP-230/PJ1639-EPDM	3666445080129	1639
PJ1651	J650	PP-230/PJ1651-EPDM	3666445080112	1651
PJ1660	J654	PP-230/PJ1660-EPDM	3666445080105	1660
PJ1633	J655	PP-230/PJ1633-EPDM	3666445080099	1633
PJ1670	J657	PP-230/PJ1670-EPDM	3666445080082	1670
PJ1690	J665	PP-230/PJ1690-EPDM	3666445080075	1690
PJ1700	J669	PP-230/PJ1700-EPDM	3666445080068	1700
PJ1702	J670	PP-230/PJ1702-EPDM	3666445080051	1702
PJ1718	J676	PP-230/PJ1718-EPDM	3666445080044	1718
PJ1729	J681	PP-230/PJ1729-EPDM	3666445080037	1729
PJ1740	J685	PP-230/PJ1740-EPDM	3666445080020	1740
PJ1753	J690	PP-230/PJ1753-EPDM	3666445080006	1753
PJ1753	J690	PP-230/PJ1753-EPDM	3666445080006	1753
PJ1765	J695	PP-230/PJ1765-EPDM	3666445079994	1765
PJ1778	J700	PP-230/PJ1778-EPDM	3666445079987	1778
PJ1791	J705	PP-230/PJ1791-EPDM	3666445079970	1791
PJ1803	J710	PP-230/PJ1803-EPDM	3666445079963	1803
PJ1814	J714	PP-230/PJ1814-EPDM	3666445079956	1814
PJ1833	J722	PP-230/PJ1833-EPDM	3666445079949	1833
PJ1840	J724	PP-230/PJ1840-EPDM	3666445079932	1840
PJ1850	J728	PP-230/PJ1850-EPDM	3666445079925	1850
PJ1854	J730	PP-230/PJ1854-EPDM	3666445079918	1854
PJ1863	J733	PP-230/PJ1863-EPDM	3666445079901	1863
PJ1875	J738	PP-230/PJ1875-EPDM	3666445079895	1875
PJ1892	J745	PP-230/PJ1892-EPDM	3666445079888	1892
PJ1895	J746	PP-230/PJ1895-EPDM	3666445079871	1895
PJ1900	J748	PP-230/PJ1900-EPDM	3666445079864	1900
PJ1910	J752	PP-230/PJ1910-EPDM	3666445079857	1910
PJ1915	J754	PP-230/PJ1915-EPDM	3666445079840	1915
PJ1930	J756	PP-230/PJ1930-EPDM	3666445079833	1930
PJ1927	J759	PP-230/PJ1927-EPDM	3666445079826	1927
PJ1940	J764	PP-230/PJ1940-EPDM	3666445079819	1940
PJ1964	J773	PP-230/PJ1964-EPDM	3666445079802	1964
PJ1976	J778	PP-230/PJ1976-EPDM	3666445079796	1976
PJ1989	J783	PP-230/PJ1989-EPDM	3666445079789	1989
PJ2001	J788	PP-230/PJ2001-EPDM	3666445079772	2001
PJ2013	J793	PP-230/PJ2013-EPDM	3666445079765	2013
PJ2019	J795	PP-230/PJ2019-EPDM	3666445079758	2019
PJ2038	J802	PP-230/PJ2038-EPDM	3666445079741	2038
PJ2062	J812	PP-230/PJ2062-EPDM	3666445079734	2062
PJ2074	J817	PP-230/PJ2074-EPDM	3666445079727	2074

Standard Belt Range

ISO Code	RMA Code	CMW Product code	GTIN (EAN) code	Effective Length Le (mm)
PJ2083	J820	PP-230/PJ2083-EPDM	3666445079710	2083
PJ2087	J822	PP-230/PJ2087-EPDM	3666445079703	2087
PJ2111	J831	PP-230/PJ2111-EPDM	3666445079697	2111
PJ2123	J836	PP-230/PJ2123-EPDM	3666445079680	2123
PJ2155	J848	PP-230/PJ2155-EPDM	3666445079673	2155
PJ2188	J861	PP-230/PJ2188-EPDM	3666445079666	2188
PJ2198	J865	PP-230/PJ2198-EPDM	3666445079659	2198
PJ2210	J870	PP-230/PJ2210-EPDM	3666445079642	2210
PJ2230	J878	PP-230/PJ2230-EPDM	3666445079635	2230
PJ2255	J888	PP-230/PJ2255-EPDM	3666445079628	2255
PJ2268	J893	PP-230/PJ2268-EPDM	3666445079611	2268
PJ2280	J898	PP-230/PJ2280-EPDM	3666445079604	2280
PJ2305	J907	PP-230/PJ2305-EPDM	3666445079598	2305
PJ2317	J912	PP-230/PJ2317-EPDM	3666445079581	2317
PJ2337	J920	PP-230/PJ2337-EPDM	3666445079574	2337
PJ2342	J922	PP-230/PJ2342-EPDM	3666445079567	2342
PJ2354	J927	PP-230/PJ2354-EPDM	3666445079550	2354
PJ2378	J936	PP-230/PJ2378-EPDM	3666445079543	2378
PJ2391	J941	PP-230/PJ2391-EPDM	3666445079536	2391
PJ2403	J946	PP-230/PJ2403-EPDM	3666445079529	2403
PJ2415	J951	PP-230/PJ2415-EPDM	3666445079512	2415
PJ2439	J960	PP-230/PJ2439-EPDM	3666445079505	2439
PJ2488	J980	PP-230/PJ2488-EPDM	3666445079499	2488
PJ2524	J994	PP-230/PJ2524-EPDM	3666445079482	2524
PJ2558	J1007	PP-230/PJ2558-EPDM	3666445079475	2558
PJ2806	J1105	PP-230/PJ2806-EPDM	3666445079468	2806

1.3 RIBBED BELTS


Standard Belt Range

ISO Code	RMA Code	CMW Product code	GTIN (EAN) code	Effective Length Le (mm)
PK1445	K569	PP-151/PK1445-EPDM	3666445078188	1445
PK1450	K571	PP-151/PK1450-EPDM	3666445078171	1450
PK1455	K573	PP-151/PK1455-EPDM	3666445078164	1455
PK1460	K575	PP-151/PK1460-EPDM	3666445078157	1460
PK1470	K579	PP-151/PK1470-EPDM	3666445078140	1470
PK1475	K603	PP-151/PK1475-EPDM	3666445078133	1475
PK1480	K583	PP-151/PK1480-EPDM	3666445078126	1480
PK1485	K585	PP-151/PK1485-EPDM	3666445078119	1485
PK1496	K589	PP-151/PK1496-EPDM	3666445078102	1496
PK1500	K590	PP-151/PK1500-EPDM	3666445078096	1500
PK1515	K596	PP-151/PK1515-EPDM	3666445078089	1515
PK1520	K598	PP-151/PK1520-EPDM	3666445078072	1520
PK1535	K604	PP-151/PK1535-EPDM	3666445078065	1535
PK1545	K608	PP-151/PK1545-EPDM	3666445078058	1545
PK1550	K610	PP-151/PK1550-EPDM	3666445078041	1550
PK1560	K614	PP-151/PK1560-EPDM	3666445078034	1560
PK1565	K616	PP-151/PK1565-EPDM	3666445078027	1565
PK1570	K618	PP-151/PK1570-EPDM	3666445078010	1570
PK1580	K622	PP-151/PK1580-EPDM	3666445078003	1580
PK1585	K624	PP-151/PK1585-EPDM	3666445077996	1585
PK1590	K626	PP-151/PK1590-EPDM	3666445077983	1590
PK1600	K630	PP-151/PK1600-EPDM	3666445077976	1600
PK1605	K632	PP-151/PK1605-EPDM	3666445077969	1605
PK1610	K634	PP-151/PK1610-EPDM	3666445077952	1610
PK1615	K636	PP-151/PK1615-EPDM	3666445077945	1615
PK1620	K638	PP-151/PK1620-EPDM	3666445077938	1620
PK1635	K644	PP-151/PK1635-EPDM	3666445077921	1635
PK1640	K646	PP-151/PK1640-EPDM	3666445077914	1640
PK1650	K650	PP-151/PK1650-EPDM	3666445077907	1650
PK1655	K652	PP-151/PK1655-EPDM	3666445077891	1655
PK1658	K653	PP-151/PK1658-EPDM	3666445077884	1658
PK1660	K654	PP-151/PK1660-EPDM	3666445077877	1660
PK1675	K659	PP-151/PK1675-EPDM	3666445077860	1675
PK1682	K662	PP-151/PK1682-EPDM	3666445077853	1682
PK1690	K665	PP-151/PK1690-EPDM	3666445077846	1690
PK1700	K669	PP-151/PK1700-EPDM	3666445077839	1700
PK1705	K671	PP-151/PK1705-EPDM	3666445077822	1705
PK1725	K679	PP-151/PK1725-EPDM	3666445077815	1725
PK1730	K681	PP-151/PK1730-EPDM	3666445077808	1730
PK1735	K683	PP-151/PK1735-EPDM	3666445077792	1735
PK1740	K685	PP-151/PK1740-EPDM	3666445077785	1740
PK1750	K689	PP-151/PK1750-EPDM	3666445077778	1750
PK1755	K691	PP-151/PK1755-EPDM	3666445077761	1755
PK1760	K693	PP-151/PK1760-EPDM	3666445077754	1760
PK1770	K697	PP-151/PK1770-EPDM	3666445077747	1770
PK1775	K699	PP-151/PK1775-EPDM	3666445077730	1775
PK1785	K703	PP-151/PK1785-EPDM	3666445077723	1785
PK1790	K705	PP-151/PK1790-EPDM	3666445077716	1790
PK1795	K707	PP-151/PK1795-EPDM	3666445077709	1795
PK1800	K709	PP-151/PK1800-EPDM	3666445077693	1800
PK1830	K720	PP-151/PK1830-EPDM	3666445077686	1830
PK1835	K722	PP-151/PK1835-EPDM	3666445077679	1835
PK1840	K724	PP-151/PK1840-EPDM	3666445077662	1840
PK1855	K730	PP-151/PK1855-EPDM	3666445077655	1855
PK1863	K733	PP-151/PK1863-EPDM	3666445077648	1863
PK1885	K742	PP-151/PK1885-EPDM	3666445077631	1885
PK1900	K748	PP-151/PK1900-EPDM	3666445077624	1900
PK1930	K760	PP-151/PK1930-EPDM	3666445077617	1930
PK1950	K767	PP-151/PK1950-EPDM	3666445077600	1950
PK1955	K770	PP-151/PK1955-EPDM	3666445077594	1955
PK1970	K776	PP-151/PK1970-EPDM	3666445077587	1970
PK1980	K779	PP-151/PK1980-EPDM	3666445077570	1980

Standard Belt Range

ISO Code	RMA Code	CMW Product code	GTIN (EAN) code	Effective Length Le (mm)
PK1995	K787	PP-151/PK1995-EPDM	3666445077563	1995
PK2000	K785	PP-151/PK2000-EPDM	3666445077556	2000
PK2020	K795	PP-151/PK2020-EPDM	3666445077549	2020
PK2030	K799	PP-151/PK2030-EPDM	3666445077532	2030
PK2050	K807	PP-151/PK2050-EPDM	3666445077525	2050
PK2100	K827	PP-151/PK2100-EPDM	3666445077518	2100
PK2135	K840	PP-151/PK2135-EPDM	3666445077501	2135
PK2145	K846	PP-151/PK2145-EPDM	3666445077495	2145
PK2200	K866	PP-151/PK2200-EPDM	3666445077488	2200
PK2205	K868	PP-151/PK2205-EPDM	3666445077471	2205
PK2245	K884	PP-151/PK2245-EPDM	3666445077464	2245
PK2257	K888	PP-151/PK2257-EPDM	3666445077457	2257
PK2285	K900	PP-151/PK2285-EPDM	3666445077440	2285
PK2305	K907	PP-151/PK2305-EPDM	3666445077433	2305
PK2330	K917	PP-151/PK2330-EPDM	3666445077426	2330
PK2360	K929	PP-151/PK2360-EPDM	3666445077419	2360
PK2475	K974	PP-151/PK2475-EPDM	3666445077402	2475
PK2480	K976	PP-151/PK2480-EPDM	3666445077396	2480
PK2530	K996	PP-151/PK2530-EPDM	3666445077389	2530
PK2585	K1018	PP-151/PK2585-EPDM	3666445077372	2585
PK2715	K1069	PP-151/PK2715-EPDM	3666445077365	2715
PK2871	K1130	PP-30/PK2871-EPDM	3666445077358	2871
PK2950	K1161	PP-30/PK2950-EPDM	3666445077341	2950


1.3 RIBBED BELTS



L/PL

Standard Belt Range

ISO Code	RMA Code	CMW Product code	GTIN (EAN) code	Effective Length Le (mm)
PL954	L376	PP-115/PL954-EPDM	3666445077334	954
PL991	L390	PP-115/PL991-EPDM	3666445077327	991
PL1041	L410	PP-115/PL1041-EPDM	3666445077310	1041
PL1075	L423	PP-115/PL1075-EPDM	3666445077303	1075
PL1149	L452	PP-115/PL1149-EPDM	3666445077297	1149
PL1194	L470	PP-115/PL1194-EPDM	3666445077280	1194
PL1219	L480	PP-115/PL1219-EPDM	3666445077273	1219
PL1270	L500	PP-115/PL1270-EPDM	3666445077266	1270
PL1280	L500	PP-115/PL1280-EPDM	3666445077259	1280
PL1295	L504	PP-115/PL1295-EPDM	3666445077242	1295
PL1333	L525	PP-115/PL1333-EPDM	3666445077235	1333
PL1371	L540	PP-115/PL1371-EPDM	3666445077228	1371
PL1397	L550	PP-115/PL1397-EPDM	3666445077211	1397
PL1450	L571	PP-115/PL1450-EPDM	3666445077204	1450
PL1422	L560	PP-115/PL1422-EPDM	3666445077198	1422
PL1473	L580	PP-115/PL1473-EPDM	3666445077181	1473
PL1480	L583	PP-115/PL1480-EPDM	3666445077174	1480
PL1499	L590	PP-115/PL1499-EPDM	3666445077167	1499
PL1562	L615	PP-115/PL1562-EPDM	3666445077150	1562
PL1613	L635	PP-115/PL1613-EPDM	3666445077143	1613
PL1651	L650	PP-115/PL1651-EPDM	3666445077136	1651
PL1664	L655	PP-115/PL1664-EPDM	3666445077129	1664
PL1715	L675	PP-115/PL1715-EPDM	3666445077112	1715
PL1764	L694	PP-115/PL1764-EPDM	3666445077105	1764
PL1765	L695	PP-115/PL1765-EPDM	3666445077099	1765
PL1803	L710	PP-115/PL1803-EPDM	3666445077082	1803
PL1842	L725	PP-115/PL1842-EPDM	3666445077075	1842
PL1943	L765	PP-115/PL1943-EPDM	3666445077068	1943
PL1981	L780	PP-115/PL1981-EPDM	3666445077051	1981
PL2019	L795	PP-115/PL2019-EPDM	3666445077044	2019
PL2070	L815	PP-115/PL2070-EPDM	3666445077037	2070
PL2096	L825	PP-115/PL2096-EPDM	3666445077020	2096
PL2134	L840	PP-115/PL2134-EPDM	3666445077013	2134
PL2197	L865	PP-115/PL2197-EPDM	3666445077006	2197
PL2219	L874	PP-115/PL2219-EPDM	3666445076993	2219
PL2235	L880	PP-115/PL2235-EPDM	3666445076986	2235
PL2324	L915	PP-115/PL2324-EPDM	3666445076979	2324
PL2362	L930	PP-115/PL2362-EPDM	3666445076962	2362
PL2477	L975	PP-115/PL2477-EPDM	3666445076955	2477
PL2515	L990	PP-115/PL2515-EPDM	3666445076948	2515
PL2705	L1065	PP-115/PL2705-EPDM	3666445076931	2705
PL2743	L1080	PP-115/PL2743-EPDM	3666445076924	2743
PL2845	L1120	PP-22/PL2845-EPDM	3666445076917	2845
PL2895	L1140	PP-22/PL2895-EPDM	3666445076900	2895
PL2921	L1150	PP-22/PL2921-EPDM	3666445076894	2921
PL2997	L1180	PP-22/PL2997-EPDM	3666445076887	2997
PL3086	L1215	PP-22/PL3086-EPDM	3666445076870	3086
PL3124	L1230	PP-22/PL3124-EPDM	3666445076863	3124
PL3125	L1230	PP-22/PL3125-EPDM	3666445076856	3125
PL3493	L1375	PP-22/PL3493-EPDM	3666445076849	3493
PL3696	L1455	PP-22/PL3696-EPDM	3666445076832	3696
PL4051	L1595	PP-22/PL4051-EPDM	3666445076825	4051



J/PJ

Standard Belt Range

ISO Code	RMA Code	CMW Product code	GTIN (EAN) code	Effective Length Le (mm)
PJ222	J87	P-102/PJ222-SBR-MOLDED	3666445081867	222
PJ236	J93	P-102/PJ236-SBR-MOLDED	3666445081850	236
PJ241	J95	P-102/PJ241-SBR-MOLDED	3666445081843	241
PJ249	J98	P-102/PJ249-SBR-MOLDED	3666445081836	249
PJ262	J103	P-102/PJ262-SBR-MOLDED	3666445081829	262
PJ270	J106	P-102/PJ270-SBR-MOLDED	3666445081812	270
PJ280	J110	P-102/PJ280-SBR-MOLDED	3666445081805	280
PJ284	J112	P-102/PJ284-SBR-MOLDED	3666445081799	284
PJ289	J114	P-102/PJ289-SBR-MOLDED	3666445081782	289
PJ302	J119	P-102/PJ302-SBR-MOLDED	3666445081775	302
PJ323	J127	P-102/PJ323-SBR-MOLDED	3666445081768	323
PJ327	J129	P-102/PJ327-SBR-MOLDED	3666445081751	327
PJ330	J130	P-102/PJ330-SBR-MOLDED	3666445081744	330
PJ353	J139	P-102/PJ353-SBR-MOLDED	3666445081737	353
PJ356	J140	P-102/PJ356-SBR-MOLDED	3666445081720	356
PJ360	J142	P-102/PJ360-SBR-MOLDED	3666445081713	360
PJ375	J147	P-102/PJ375-SBR-MOLDED	3666445081706	375
PJ376	J148	P-102/PJ376-SBR-MOLDED	3666445081690	376
PJ381	J150	P-102/PJ381-SBR-MOLDED	3666445081683	381
PJ384	J151	P-102/PJ384-SBR-MOLDED	3666445081676	384
PJ400	J157	P-102/PJ400-SBR-MOLDED	3666445081669	400
PJ406	J160	P-102/PJ406-SBR-MOLDED	3666445081652	406
PJ411	J162	P-102/PJ411-SBR-MOLDED	3666445081645	411
PJ414	J163	P-102/PJ414-SBR-MOLDED	3666445081638	414
PJ432	J170	P-102/PJ432-SBR-MOLDED	3666445081621	432
PJ444	J175	P-102/PJ444-SBR-MOLDED	3666445081614	444
PJ457	J180	P-102/PJ457-SBR-MOLDED	3666445081607	457
PJ478	J188	P-102/PJ478-SBR-MOLDED	3666445081591	478
PJ483	J190	P-102/PJ483-SBR-MOLDED	3666445081584	483

1.3 RIBBED BELTS

Standard Belt Range

CMW Product code	GTIN (EAN) code	Effective Length Le (mm)
P-4EPJ307	3666445076818	307
P-4EPJ310	3666445076801	310
P-4EPJ373	3666445076795	373
P-5EPJ373	3666445076788	373
P-8EPJ375	3666445076771	375
P-8EPJ414	3666445076764	414
P-8EPJ449	3666445076757	449
P-6EPJ476	3666445076740	476
P-8EPJ497	3666445076733	497
P-8EPJ523	3666445076726	523
P-8EPJ556	3666445076719	556
P-8EPJ558	3666445076702	558
P-4EPJ560	3666445076696	560
P-6EPJ560	3666445076689	560
P-8EPJ560	3666445076672	560
P-8EPJ598	3666445076665	598
P-4EPJ608	3666445076658	608
P-5EPJ608	3666445076641	608
P-6EPJ608	3666445076634	608
P-8EPJ608	3666445076627	608
P-5EPJ614	3666445076610	614
P-6EPJ614	3666445076603	614
P-7EPJ620	3666445076597	620
P-6EPJ636	3666445076580	636
P-8EPJ637	3666445076573	637
P-5EPJ659	3666445076566	659
P-7EPJ659	3666445076559	659
P-5EPJ823	3666445076542	823
P-5EPJ923	3666445076535	923
P-6EPJ926	3666445076528	926
P-8EPJ960	3666445076511	960
P-8EPJ1008	3666445076504	1008
P-8EPJ1011	3666445076498	1011
P-10EPJ1188	3666445076481	1188
P-10EPJ1196	3666445076474	1196
P-10EPJ1314	3666445076467	1314
P-10EPJ1578	3666445076450	1578
P-7EPJ1609	3666445076443	1609

Standard Belt Range

CMW Product code	GTIN (EAN) code	Effective Length Le (mm)
P-2EPJ246	3666445076436	246
P-3EPJ246	3666445076429	246
P-4EPJ246	3666445076412	246
P-2EPJ256	3666445076405	256
P-3EPJ256	3666445076399	256
P-4EPJ256	3666445076382	256
P-2EPJ270	3666445076375	270
P-3EPJ270	3666445076368	270
P-4EPJ270	3666445076351	270
P-2EPJ282	3666445076344	282
P-3EPJ282	3666445076337	282
P-4EPJ282	3666445076320	282
P-2EPJ286	3666445076313	286
P-3EPJ286	3666445076306	286
P-4EPJ286	3666445076290	286
P-2EPJ288	3666445076283	288
P-3EPJ288	3666445076276	288
P-4EPJ288	3666445076269	288
P-2EPJ290	3666445076252	290
P-3EPJ290	3666445076245	290
P-4EPJ290	3666445076238	290
P-2EPJ302	3666445076221	302
P-3EPJ302	3666445076214	302
P-4EPJ302	3666445076207	302
P-2EPJ314	3666445076191	314
P-3EPJ314	3666445076184	314
P-4EPJ314	3666445076177	314
P-2EPJ316	3666445076160	316
P-3EPJ316	3666445076153	316
P-4EPJ316	3666445076146	316
P-2EPJ336	3666445076139	336
P-3EPJ336	3666445076122	336
P-4EPJ336	3666445076115	336
P-2EPJ346	3666445076108	346
P-3EPJ346	3666445076092	346
P-4EPJ346	3666445076085	346
P-2EPJ348	3666445076078	348
P-3EPJ348	3666445076061	348
P-4EPJ348	3666445076054	348
P-2EPJ376	3666445076047	376
P-3EPJ376	3666445076030	376
P-4EPJ376	3666445076023	376
P-2EPJ388	3666445076016	388
P-3EPJ388	3666445076009	388
P-4EPJ388	3666445075996	388
P-2EPJ416	3666445075989	416
P-3EPJ416	3666445075972	416
P-4EPJ416	3666445075965	416
P-2EPJ436	3666445075958	436
P-3EPJ436	3666445075941	436
P-4EPJ436	3666445075934	436
P-2EPJ456	3666445075927	456
P-3EPJ456	3666445075910	456
P-4EPJ456	3666445075903	456
P-2EPJ486	3666445075897	486
P-3EPJ486	3666445075880	486
P-4EPJ486	3666445075873	486



Your expert in DRIVE BELT TECHNOLOGY

CMW Power Transmission designs, manufactures and distributes rubber and polyurethane drive belts in wide variety of industrial and agricultural applications to become your favourite power transmission brand.

CMW Power Transmission SAS

21 Avenue de l'Industrie, 69960 Corbas, France
+33 4 28 29 29 82 | **email** info@cmwpt.com