



DRIVE DESIGN  
AND TECHNICAL MANUAL

**BANDED NARROW  
WEDGE V-BELTS**

**DRIVE BELT  
TECHNOLOGY .**

## SECTION 1.2.2 | BANDED V-BELTS | RUBBER BELTS

DIN 2211 - ISO 4183 - ISO 5290 / IP22 RMA-MPTA

### BANDED NARROW WEDGE V-BELTS SPZ, SPA, SPB, SPC AND 3V, 5V, 8V

#### FEATURES

Featuring a special high strength cover band, this belt allows one homogenous and compact 'belt' drive. The wrapping cover's specific industrial fabric provides protection against abrasion and adds the needed grip.

Constant length M-S

Meets antistatic requirements from ISO 1813

Available up to 25 ribs depending on section.

Our banded classical v-belts are composed of multiple belts, allowing for a perfectly connected structure, thus, enabling the belts to effectively solve problems. These problems include but are not limited to: wobbling, smacking and turning over in one single belt operation.



Our banded classical wrapped v-belts can be used on numerous agricultural or industrial applications. Please contact us directly to discuss your application specific belt requirements.

#### STRUCTURE DETAILS

##### Insulation Filler

This filler offers great adhesion between the cords and the rubber base.

##### Tensile cord

Stiff special Polyester tensile members are well aligned and specifically treated during the impregnation process to achieve high-strength. It results in transmission forces and even supports occasional shocks.


##### Rubber base

Thanks to its fiber loading, the rubber base provides great transverse rigidity as needed.

##### Wrapping cover


This is a specific industrial fabric to provide perfect protection against abrasion and needed grip.

#### Dimensions



ISO 4184	SPZ	SPA	SPB	SPC
Section WxH (mm)	10,5x10	13,6x12,3	17x16,5	22x21
Belt Weight per rib per meter (Kg/m)	0,12	0,185	0,265	0,495
Min. pulley diameter (mm)	82	115	165	253
Max flexing frequency (s-1)	70	70	70	70
Max belt speed (m/s)	30	30	30	30
Min. Length (mm)	1346	1650	1700	1700
Max. Length (mm)	5000	3550	13000	13000
Length Conversion (mm)	La-Li+63	La-Li+78	La-Li+105	La-Li+132
Max. Ribs per belt	30	20	25	20

La: outside Length Li: Inside Length



RMA/MPTA	3V/9J	5V/15J	8V/25J
Section WxH (mm)	9,7x9,7	15,7x15,7	25,4x25,4
Pitch distance (mm)	10,3	17,5	28,6
Belt Weight per rib per meter (Kg/m)	0,109	0,261	0,695
Min. pulley diameter (mm)	75	185	320
Max flexing frequency (s-1)	70	70	70
Max belt speed (m/s)	30	30	30
Min. Length (mm)	1346 (53")	1700 (67")	2600 (102")
Max. Length (mm)	5000 (197")	13000 (512")	18000 (709")
Length Conversion (mm)	La-Li+63	La-Li+98	La-Li+157
Max. Ribs per belt	30	25	17

La: outside Length Li: Inside Length

1.2.2 BANDED NARROW WEDGE V-BELTS

Applications



Agriculture



Mining & Quarrying



Pulp & Paper

Marking

ISO

CMW CMW CMW	ANTI-STATIC HEAT & OIL RESISTANT	M = S	3 / SPA 1850	batch code/worker code
	ANTI-STATIC HEAT & OIL RESISTANT	M = S	3 / SPA 1850	batch code/worker code
	ANTI-STATIC HEAT & OIL RESISTANT	M = S	3 / SPA 1850	batch code/worker code


RMA

CMW CMW CMW	ANTI-STATIC HEAT & OIL RESISTANT	M = S	3 / 3V 510 - 9NJ 1270	batch code/worker code
	ANTI-STATIC HEAT & OIL RESISTANT	M = S	3 / 3V 510 - 9NJ 1270	batch code/worker code
	ANTI-STATIC HEAT & OIL RESISTANT	M = S	3 / 3V 510 - 9NJ 1270	batch code/worker code


Product Codification

<b>Example</b>	<b>P-12/SPC12100</b> means	<b>P</b>	<b>12/</b>	<b>SPC</b>	<b>12100</b>
		Performance line	Number of ribs	Section SPC / 22x18mm	12100mm in Lw
<b>Example</b>	<b>P-6/5V455</b> means	<b>P</b>	<b>6/</b>	<b>5V</b>	<b>455</b>
		Performance line	Number of ribs	Section 5V / 15,7x15,7mm	45,5 inches in La

1.2.2 BANDED NARROW WEDGE V-BELTS



SPZ



SPA


Standard Belt Range

CMW Product code	GTIN (EAN) code	Datum Length Ld (mm)
P-30/SPZ1250	3666445089092	1250
P-30/SPZ1400	3666445089085	1400
P-30/SPZ1500	3666445089078	1500
P-30/SPZ1600	3666445089061	1600
P-30/SPZ1700	3666445089054	1700
P-30/SPZ1800	3666445089047	1800
P-30/SPZ1900	3666445089030	1900
P-30/SPZ2000	3666445089023	2000
P-30/SPZ2120	3666445089016	2120
P-30/SPZ2240	3666445089009	2240
P-30/SPZ2262	3666445088996	2262
P-30/SPZ2287	3666445088989	2287
P-30/SPZ2360	3666445088972	2360
P-30/SPZ2500	3666445088965	2500
P-30/SPZ2540	3666445088958	2540
P-30/SPZ2650	3666445088941	2650
P-30/SPZ2800	3666445088934	2800
P-30/SPZ3000	3666445088927	3000
P-30/SPZ3150	3666445088910	3150
P-30/SPZ3350	3666445088903	3350
P-30/SPZ3550	3666445088897	3550


Standard Belt Range

CMW Product code	GTIN (EAN) code	Datum Length Ld (mm)
P-20/SPA1250	3666445088880	1250
P-20/SPA1400	3666445088873	1400
P-20/SPA1500	3666445088866	1500
P-20/SPA1600	3666445088859	1600
P-20/SPA1700	3666445088842	1700
P-20/SPA1800	3666445088835	1800
P-20/SPA1900	3666445088828	1900
P-20/SPA2000	3666445088811	2000
P-20/SPA2120	3666445088804	2120
P-20/SPA2240	3666445088798	2240
P-20/SPA2360	3666445088781	2360
P-20/SPA2500	3666445088774	2500
P-20/SPA2650	3666445088767	2650
P-20/SPA2800	3666445088750	2800
P-20/SPA2832	3666445088743	2832
P-20/SPA3000	3666445088736	3000
P-20/SPA3150	3666445088729	3150
P-20/SPA3350	3666445088712	3350
P-20/SPA3550	3666445088705	3550
P-20/SPA3750	3666445088699	3750
P-20/SPA4000	3666445088682	4000
P-20/SPA4250	3666445088675	4250
P-20/SPA4500	3666445088668	4500

1.2.2 BANDED NARROW WEDGE V-BELTS



SPB



SPC


Standard Belt Range

CMW Product code	GTIN (EAN) code	Datum Length Ld (mm)
P-18/SPB2000	3666445088651	2000
P-18/SPB2120	3666445088644	2120
P-18/SPB2240	3666445088637	2240
P-18/SPB2360	3666445088620	2360
P-18/SPB2400	3666445088613	2400
P-25/SPB2500	3666445088606	2500
P-25/SPB2650	3666445088590	2650
P-25/SPB2800	3666445088583	2800
P-25/SPB3000	3666445088576	3000
P-25/SPB3150	3666445088569	3150
P-25/SPB3350	3666445088552	3350
P-25/SPB3550	3666445088545	3550
P-25/SPB3750	3666445088538	3750
P-25/SPB4000	3666445088521	4000
P-25/SPB4250	3666445088514	4250
P-25/SPB4500	3666445088507	4500
P-25/SPB4750	3666445088491	4750
P-25/SPB5000	3666445088484	5000
P-25/SPB5300	3666445088477	5300
P-25/SPB5600	3666445088460	5600
P-25/SPB6000	3666445088453	6000
P-25/SPB6300	3666445088446	6300
P-25/SPB6700	3666445088439	6700
P-25/SPB7100	3666445088422	7100
P-25/SPB7500	3666445088415	7500
P-25/SPB8000	3666445088408	8000


Standard Belt Range

CMW Product code	GTIN (EAN) code	Datum Length Ld (mm)
P-20/SPC3000	3666445088392	3000
P-20/SPC3150	3666445088385	3150
P-20/SPC3350	3666445088378	3350
P-20/SPC3550	3666445088361	3550
P-20/SPC3750	3666445088354	3750
P-20/SPC4000	3666445088347	4000
P-20/SPC4250	3666445088330	4250
P-20/SPC4500	3666445088323	4500
P-20/SPC4750	3666445088316	4750
P-20/SPC5000	3666445088309	5000
P-20/SPC5300	3666445088293	5300
P-20/SPC5600	3666445088286	5600
P-20/SPC6000	3666445088279	6000
P-20/SPC6300	3666445088262	6300
P-20/SPC6700	3666445088255	6700
P-20/SPC7100	3666445088248	7100
P-20/SPC7500	3666445088231	7500
P-20/SPC8000	3666445088224	8000
P-20/SPC8500	3666445088217	8500
P-20/SPC9000	3666445088200	9000
P-20/SPC9500	3666445088194	9500
P-20/SPC10000	3666445088187	10000
P-20/SPC10600	3666445088170	10600
P-20/SPC11200	3666445088163	11200
P-20/SPC11800	3666445088156	11800
P-20/SPC12500	3666445088149	12500

1.2.2 BANDED NARROW WEDGE V-BELTS



3V/9J



5V/15N


Standard Belt Range

CMW Product code	GTIN (EAN) code	Datum Length Ld (mm)
P-30/3V500	3666445088132	1220
P-30/3V530	3666445088125	1300
P-30/3V560	3666445088118	1383
P-30/3V600	3666445088101	1483
P-30/3V630	3666445088095	1563
P-30/3V670	3666445088088	1663
P-30/3V710	3666445088071	1763
P-30/3V750	3666445088064	1863
P-30/3V800	3666445088057	1993
P-30/3V850	3666445088040	2123
P-30/3V900	3666445088033	2243
P-30/3V950	3666445088026	2373
P-30/3V1000	3666445088019	2503
P-30/3V1060	3666445088002	2653
P-30/3V1120	3666445087999	2803
P-30/3V1180	3666445087982	2963
P-30/3V1250	3666445087975	3133
P-30/3V1320	3666445087968	3313
P-30/3V1400	3666445087951	3513

Standard Belt Range

CMW Product code	GTIN (EAN) code	Datum Length Ld (mm)
P-18/5V560	3666445087944	1322
P-18/5V600	3666445087937	1427
P-18/5V630	3666445087920	1502
P-18/5V670	3666445087913	1602
P-18/5V710	3666445087906	1707
P-18/5V750	3666445087890	1807
P-18/5V800	3666445087883	1932
P-18/5V850	3666445087876	2062
P-18/5V900	3666445087869	2187
P-18/5V950	3666445087852	2317
P-18/5V1000	3666445087845	2442
P-18/5V1060	3666445087838	2592
P-18/5V1120	3666445087821	2747
P-18/5V1180	3666445087814	2897
P-18/5V1250	3666445087807	3077
P-18/5V1320	3666445087791	3257
P-18/5V1400	3666445087784	3457
P-18/5V1500	3666445087777	3712
P-18/5V1600	3666445087760	3967
P-18/5V1700	3666445087753	4222
P-18/5V1800	3666445087746	4472
P-18/5V1900	3666445087739	4727
P-18/5V2000	3666445087722	4982
P-18/5V2120	3666445087715	5287
P-18/5V2240	3666445087708	5592
P-18/5V2360	3666445087692	5897

1.2.2 BANDED NARROW WEDGE V-BELTS



8V/25N

Standard Belt Range

CMW Product code	GTIN (EAN) code	Datum Length Ld (mm)
P-18/8V1000	3666445087616	2383
P-18/8V1060	3666445087609	2533
P-18/8V1120	3666445087593	2688
P-18/8V1180	3666445087586	2838
P-18/8V1250	3666445087579	3018
P-18/8V1320	3666445087562	3198
P-18/8V1400	3666445087555	3398
P-18/8V1500	3666445087548	3653
P-18/8V1600	3666445087531	3908
P-18/8V1700	3666445087524	4163
P-18/8V1800	3666445087517	4413
P-18/8V1900	3666445087500	4668
P-18/8V2000	3666445087494	4923
P-18/8V2120	3666445087487	5228
P-18/8V2240	3666445087470	5533
P-18/8V2360	3666445087463	5838
P-25/5V2500	3666445087685	6252
P-25/5V2650	3666445087678	6632
P-25/5V2800	3666445087661	7012
P-25/5V3000	3666445087654	7522
P-25/5V3150	3666445087647	7902
P-25/5V3350	3666445087630	8417
P-25/5V3550	3666445087623	8917
P-25/8V2500	3666445087456	6193
P-25/8V2650	3666445087449	6573
P-25/8V2800	3666445087432	6953
P-25/8V3000	3666445087425	7463
P-25/8V3150	3666445087418	7843
P-25/8V3350	3666445087401	8358
P-25/8V3550	3666445087395	8858
P-25/8V3760	3666445087388	9393
P-25/8V4000	3666445087371	10003
P-25/8V4250	3666445087364	10643
P-25/8V4500	3666445087357	11273
P-25/8V4745	3666445087340	11893

# POWER RATING

## 1.1.2 NARROW WEDGE V BELTS

### Section SPZ/3V

Faster shaft speed	Rated power per belt for small pulley datum diameter [mm]												Additional power per belt for speed ratio				
inch	2.64	2.80	2.95	3.15	3.35	3.54	3.74	3.94	4.41	4.92	5.20	5.51					
mm	67	71	75	80	85	90	95	100	112	125	132	140	1.00-1.05	1.06-1.24	1.25-1.59	>1.59	
r/min	kW												kW				
100	0.12	0.14	0.15	0.17	0.18	0.21	0.23	0.24	0.28	0.33	0.36	0.39		0.01	0.01	0.01	0.01
500	0.49	0.55	0.62	0.70	0.78	0.86	0.94	1.03	1.22	1.43	1.53	1.66	0.01	0.03	0.06	0.06	
720	0.66	0.75	0.84	0.96	1.07	1.19	1.30	1.41	1.68	1.97	2.13	2.30	0.01	0.05	0.09	0.10	
800	0.71	0.82	0.92	1.05	1.18	1.30	1.43	1.54	1.85	2.16	2.33	2.53	0.01	0.05	0.10	0.11	
900	0.79	0.90	1.02	1.16	1.30	1.44	1.58	1.72	2.04	2.40	2.59	2.81	0.01	0.06	0.11	0.12	
960	0.83	0.95	1.07	1.22	1.37	1.52	1.66	1.81	2.16	2.54	2.74	2.97	0.02	0.08	0.12	0.13	
1 000	0.85	0.98	1.11	1.26	1.41	1.58	1.73	1.88	2.25	2.64	2.84	3.08	0.02	0.08	0.12	0.14	
1 100	0.93	1.06	1.20	1.37	1.53	1.71	1.88	2.04	2.44	2.86	3.09	3.35	0.02	0.09	0.13	0.15	
1 200	0.99	1.14	1.29	1.47	1.65	1.84	2.02	2.20	2.62	3.09	3.33	3.61	0.02	0.09	0.14	0.16	
1 300	1.06	1.22	1.38	1.58	1.77	1.97	2.16	2.35	2.82	3.30	3.56	3.87	0.02	0.10	0.15	0.18	
1 400	1.12	1.30	1.46	1.67	1.89	2.10	2.30	2.51	3.00	3.52	3.80	4.11	0.02	0.11	0.16	0.19	
1 440	1.14	1.32	1.50	1.72	1.93	2.15	2.35	2.57	3.07	3.61	3.90	4.21	0.02	0.11	0.17	0.19	
1 500	1.19	1.37	1.54	1.77	2.00	2.21	2.44	2.66	3.18	3.74	4.03	4.36	0.02	0.11	0.18	0.21	
1 600	1.24	1.44	1.63	1.87	2.11	2.34	2.57	2.81	3.36	3.94	4.26	4.61	0.03	0.12	0.19	0.22	
1 700	1.31	1.51	1.72	1.97	2.21	2.46	2.71	2.95	3.53	4.15	4.48	4.85	0.03	0.13	0.21	0.24	
1 800	1.36	1.58	1.79	2.05	2.32	2.58	2.84	3.10	3.70	4.35	4.70	5.09	0.03	0.13	0.22	0.25	
1 900	1.43	1.64	1.87	2.15	2.42	2.70	2.97	3.24	3.88	4.55	4.91	5.31	0.03	0.14	0.23	0.26	
2 000	1.48	1.72	1.94	2.24	2.53	2.81	3.10	3.38	4.04	4.74	5.12	5.54	0.03	0.15	0.24	0.28	
2 100	1.53	1.78	2.02	2.32	2.62	2.93	3.22	3.51	4.20	4.94	5.32	5.76	0.03	0.15	0.25	0.29	
2 200	1.59	1.85	2.10	2.41	2.72	3.03	3.34	3.65	4.36	5.12	5.52	5.97	0.03	0.16	0.26	0.30	
2 300	1.64	1.91	2.17	2.49	2.82	3.14	3.47	3.78	4.53	5.30	5.72	6.19	0.05	0.17	0.27	0.31	
2 400	1.70	1.97	2.25	2.58	2.92	3.25	3.57	3.91	4.68	5.49	5.91	6.39	0.05	0.17	0.29	0.33	
2 500	1.74	2.03	2.31	2.67	3.01	3.36	3.69	4.03	4.83	5.66	6.10	6.59	0.05	0.18	0.30	0.35	
2 600	1.79	2.08	2.38	2.74	3.10	3.46	3.81	4.16	4.97	5.83	6.27	6.78	0.05	0.19	0.31	0.36	
2 700	1.84	2.15	2.45	2.82	3.20	3.56	3.92	4.28	5.12	5.99	6.46	6.97	0.05	0.19	0.32	0.37	
2 800	1.89	2.20	2.52	2.91	3.28	3.66	4.03	4.40	5.26	6.16	6.63	7.15	0.05	0.21	0.33	0.39	
2 880	1.92	2.25	2.57	2.96	3.35	3.74	4.11	4.49	5.37	6.29	6.76	7.30	0.06	0.22	0.35	0.40	
2 900	1.93	2.26	2.58	2.98	3.37	3.76	4.14	4.51	5.40	6.32	6.79	7.33	0.06	0.22	0.35	0.40	
3 000	1.98	2.31	2.65	3.06	3.46	3.86	4.24	4.63	5.53	6.47	6.97	7.51	0.06	0.23	0.36	0.41	
3 100	2.02	2.37	2.71	3.12	3.53	3.94	4.34	4.74	5.66	6.62	7.12	7.67	0.06	0.23	0.37	0.43	
3 200	2.06	2.42	2.76	3.20	3.62	4.04	4.45	4.85	5.79	6.77	7.27	7.83	0.06	0.24	0.38	0.44	
3 300	2.11	2.47	2.83	3.26	3.69	4.13	4.55	4.96	5.92	6.91	7.42	7.98	0.06	0.25	0.39	0.45	
3 400	2.15	2.52	2.88	3.34	3.78	4.21	4.64	5.05	6.04	7.04	7.56	8.13	0.06	0.25	0.41	0.46	
3 500	2.19	2.57	2.94	3.40	3.86	4.30	4.73	5.16	6.16	7.17	7.70	8.27	0.07	0.26	0.42	0.49	
3 600	2.22	2.61	2.99	3.47	3.92	4.37	4.83	5.26	6.26	7.30	7.83	8.40	0.07	0.27	0.43	0.50	
3 700	2.27	2.66	3.05	3.53	4.00	4.46	4.91	5.36	6.37	7.42	7.95	8.53	0.07	0.27	0.44	0.51	
3 800	2.30	2.70	3.10	3.59	4.07	4.54	5.00	5.44	6.48	7.54	8.07	8.65	0.07	0.28	0.45	0.52	
3 900	2.34	2.75	3.15	3.65	4.14	4.61	5.08	5.54	6.59	7.65	8.19	8.76	0.07	0.29	0.46	0.54	
4 000	2.38	2.79	3.21	3.70	4.20	4.69	5.16	5.63	6.69	7.75	8.28	8.87	0.07	0.29	0.48	0.55	
4 200	2.44	2.87	3.29	3.82	4.33	4.83	5.31	5.79	6.87	7.95	8.48	9.06	0.08	0.31	0.50	0.58	
4 400	2.49	2.95	3.39	3.92	4.45	4.96	5.45	5.94	7.03	8.12	8.65	9.21	0.08	0.32	0.53	0.60	
4 600	2.56	3.01	3.47	4.02	4.56	5.08	5.58	6.08	7.18	8.26	8.79	9.34	0.08	0.35	0.55	0.64	
4 800	2.60	3.08	3.54	4.11	4.67	5.19	5.71	6.21	7.32	8.39	8.91	9.44	0.09	0.36	0.57	0.66	
5 000	2.66	3.14	3.62	4.19	4.75	5.29	5.82	6.32	7.43	8.49	8.99	9.50	0.09	0.37	0.59	0.69	
5 200	2.69	3.20	3.68	4.27	4.84	5.39	5.91	6.42	7.53	8.56	9.05	9.53	0.09	0.39	0.62	0.66	
5 400	2.73	3.24	3.74	4.33	4.91	5.46	5.99	6.50	7.60	8.61	9.07		0.10	0.40	0.65	0.69	
5 600	2.76	3.28	3.78	4.40	4.98	5.54	6.07	6.57	7.66	8.63			0.10	0.41	0.67	0.71	
5 800	2.79	3.32	3.82	4.44	5.03	5.59	6.12	6.63	7.69				0.10	0.43	0.69	0.80	
6 000	2.81	3.35	3.87	4.48	5.08	5.64	6.17	6.66	7.71				0.10	0.44	0.71	0.83	
6 200	2.83	3.37	3.89	4.51	5.11	5.67	6.20	6.69					0.12	0.45	0.75	0.85	
6 400	2.83	3.38	3.91	4.55	5.14	5.69	6.22	6.70					0.12	0.48	0.77	0.89	
6 600	2.84	3.39	3.93	4.56	5.15	5.70	6.22						0.12	0.49	0.79	0.91	
6 800		3.39	3.93	4.57	5.15								0.13	0.51	0.81	0.94	



# POWER RATING

## 1.1.2 NARROW WEDGE V BELTS

### Section SPA

Faster shaft speed r/min	Rated power per belt for small pulley datum diameter [mm]												Additional power per belt for speed ratio				
	90	95	100	106	112	118	125	132	140	150	160	180	200	1.00-1.05	1.06-1.24	1.25-1.59	>1.59
	kW												kW				
100	0.27	0.30	0.33	0.38	0.41	0.45	0.50	0.54	0.59	0.66	0.72	0.85	0.97	0.01	0.02	0.03	0.03
200	0.49	0.55	0.62	0.69	0.77	0.84	0.93	1.02	1.11	1.23	1.35	1.60	1.84	0.01	0.04	0.05	0.06
300	0.69	0.78	0.87	0.98	1.09	1.20	1.33	1.45	1.60	1.77	1.95	2.31	2.66	0.01	0.05	0.09	0.10
400	0.87	0.99	1.11	1.25	1.40	1.54	1.71	1.87	2.06	2.30	2.53	2.99	3.45	0.02	0.08	0.12	0.13
500	1.05	1.20	1.34	1.52	1.70	1.87	2.07	2.28	2.52	2.80	3.09	3.65	4.22	0.02	0.10	0.15	0.16
600	1.22	1.39	1.57	1.78	1.99	2.19	2.43	2.68	2.95	3.29	3.63	4.30	4.97	0.03	0.12	0.17	0.19
700	1.38	1.58	1.78	2.02	2.27	2.51	2.79	3.06	3.38	3.77	4.16	4.94	5.69	0.03	0.14	0.21	0.23
800	1.53	1.76	1.99	2.27	2.54	2.81	3.12	3.43	3.79	4.23	4.68	5.55	6.40	0.03	0.15	0.24	0.26
900	1.68	1.94	2.19	2.49	2.80	3.10	3.46	3.80	4.20	4.69	5.18	6.15	7.11	0.04	0.17	0.26	0.29
960	1.77	2.04	2.31	2.64	2.96	3.27	3.65	4.02	4.44	4.96	5.48	6.50	7.52	0.04	0.18	0.28	0.31
1000	1.83	2.11	2.39	2.72	3.06	3.39	3.78	4.16	4.60	5.14	5.67	6.74	7.79	0.04	0.19	0.29	0.32
1100	1.97	2.28	2.58	2.95	3.32	3.67	4.09	4.51	4.99	5.57	6.16	7.31	8.45	0.05	0.22	0.32	0.36
1200	2.11	2.44	2.78	3.16	3.56	3.95	4.41	4.85	5.37	6.00	6.63	7.87	9.09	0.05	0.23	0.36	0.39
1300	2.24	2.59	2.95	3.38	3.80	4.22	4.71	5.19	5.73	6.42	7.10	8.42	9.72	0.06	0.25	0.38	0.42
1400	2.37	2.75	3.13	3.59	4.04	4.48	5.00	5.52	6.10	6.83	7.54	8.95	10.34	0.06	0.27	0.41	0.45
1440	2.42	2.81	3.20	3.66	4.13	4.59	5.12	5.65	6.24	6.99	7.72	9.16	10.57	0.06	0.28	0.42	0.46
1500	2.49	2.89	3.30	3.79	4.27	4.74	5.29	5.84	6.46	7.23	7.98	9.47	10.93	0.06	0.29	0.44	0.49
1600	2.61	3.05	3.47	3.99	4.49	4.99	5.57	6.16	6.80	7.61	8.41	9.98	11.50	0.08	0.31	0.48	0.52
1700	2.73	3.19	3.64	4.17	4.71	5.24	5.85	6.46	7.15	7.99	8.83	10.48	12.06	0.08	0.32	0.50	0.55
1800	2.84	3.33	3.79	4.36	4.92	5.48	6.12	6.76	7.47	8.36	9.23	10.95	12.60	0.09	0.35	0.53	0.58
1900	2.96	3.46	3.95	4.55	5.13	5.71	6.38	7.05	7.80	8.73	9.63	11.40	13.12	0.09	0.37	0.56	0.62
2000	3.06	3.59	4.10	4.72	5.34	5.94	6.64	7.33	8.11	9.07	10.02	11.86	13.62	0.10	0.39	0.58	0.65
2100	3.16	3.70	4.24	4.89	5.53	6.16	6.89	7.60	8.41	9.42	10.39	12.29	14.09	0.10	0.41	0.62	0.68
2200	3.26	3.83	4.40	5.05	5.72	6.37	7.13	7.87	8.72	9.74	10.75	12.70	14.56	0.10	0.42	0.65	0.71
2300	3.36	3.94	4.53	5.22	5.91	6.59	7.37	8.13	9.00	10.07	11.10	13.10	14.99	0.11	0.44	0.68	0.75
2400	3.46	4.06	4.67	5.38	6.09	6.78	7.59	8.38	9.28	10.37	11.43	13.48	15.40	0.11	0.46	0.70	0.78
2500	3.54	4.17	4.80	5.53	6.26	6.99	7.81	8.63	9.55	10.66	11.75	13.83	15.79	0.12	0.49	0.73	0.81
2600	3.63	4.28	4.91	5.68	6.43	7.17	8.02	8.87	9.81	10.95	12.06	14.18	16.16	0.12	0.51	0.77	0.84
2700	3.70	4.37	5.03	5.82	6.60	7.35	8.23	9.09	10.05	11.22	12.36	14.50	16.49	0.13	0.52	0.79	0.87
2800	3.78	4.47	5.15	5.96	6.75	7.53	8.42	9.31	10.29	11.48	12.64	14.81	16.80	0.13	0.54	0.82	0.91
2880	3.84	4.55	5.24	6.06	6.87	7.67	8.58	9.47	10.47	11.67	12.84	15.03	17.03	0.13	0.56	0.84	0.94
2900	3.86	4.57	5.26	6.09	6.90	7.70	8.62	9.51	10.52	11.73	12.90	15.10	17.10	0.13	0.56	0.85	0.94
3000	3.93	4.65	5.37	6.21	7.04	7.86	8.80	9.71	10.74	11.97	13.14	15.36	17.36	0.14	0.58	0.89	0.97
3100	4.00	4.74	5.46	6.34	7.18	8.02	8.97	9.90	10.94	12.18	13.38	15.60	17.58	0.14	0.59	0.91	1.00
3200	4.05	4.82	5.56	6.45	7.32	8.16	9.14	10.09	11.13	12.39	13.60	15.82	17.79	0.15	0.62	0.94	1.04
3300	4.11	4.89	5.66	6.56	7.44	8.31	9.30	10.25	11.32	12.58	13.80	16.02	17.96	0.15	0.64	0.97	1.07
3400	4.17	4.96	5.75	6.66	7.56	8.45	9.44	10.41	11.48	12.77	13.99	16.20	18.10	0.16	0.66	0.99	1.10
3500	4.22	5.03	5.82	6.76	7.68	8.56	9.58	10.56	11.64	12.94	14.15	16.35	18.21	0.16	0.68	1.03	1.14
3600	4.27	5.09	5.90	6.85	7.78	8.68	9.71	10.70	11.79	13.09	14.30	16.48	18.30	0.16	0.69	1.06	1.18
3700	4.31	5.15	5.97	6.93	7.87	8.79	9.83	10.83	11.92	13.22	14.44	16.59	18.34	0.17	0.71	1.09	1.21
3800	4.34	5.19	6.04	7.02	7.97	8.90	9.95	10.95	12.05	13.35	14.55	16.66	18.35	0.17	0.73	1.11	1.24
3900	4.38	5.25	6.09	7.08	8.06	8.99	10.04	11.06	12.16	13.46	14.64	16.72		0.18	0.76	1.14	1.27
4000	4.41	5.29	6.15	7.15	8.13	9.07	10.13	11.16	12.26	13.54	14.72	16.75		0.18	0.78	1.18	1.31
4100	4.44	5.32	6.20	7.21	8.20	9.15	10.22	11.23	12.33	13.62	14.79	16.75		0.19	0.79	1.21	1.34
4200	4.46	5.36	6.24	7.27	8.26	9.22	10.29	11.31	12.41	13.67	14.82			0.19	0.81	1.23	1.37
4300	4.47	5.39	6.27	7.31	8.32	9.28	10.35	11.37	12.46	13.72	14.84			0.19	0.83	1.26	1.40
4400	4.48	5.41	6.31	7.35	8.36	9.33	10.40	11.42	12.51	13.74				0.21	0.85	1.30	1.44
4500	4.49	5.42	6.33	7.39	8.40	9.36	10.44	11.45	12.53	13.75				0.21	0.87	1.32	1.47
4600	4.49	5.43	6.35	7.41	8.42	9.40	10.47	11.48	12.54					0.22	0.89	1.35	1.50
4700		5.44	6.36	7.43	8.45	9.42	10.49	11.49						0.22	0.91	1.38	1.53
4800		5.44	6.37	7.44	8.46	9.43	10.50							0.23	0.93	1.41	1.57
4900				7.44	8.47	9.43								0.23	0.95	1.44	1.60

# POWER RATING

## 1.1.2 NARROW WEDGE V BELTS

### Section SPB/5V

Faster shaft speed	Rated power per belt for small pulley datum diameter [mm]													Additional power per belt for speed ratio			
inch	5.51	5.91	6.30	6.70	7.09	7.48	7.87	8.35	8.82	9.29	9.84	11.02	12.40				
mm	140	150	160	170	180	190	200	212	224	236	250	280	315	1.00-1.05	1.06-1.24	1.25-1.59	>1.59
r/min	kW													kW			
100	0.78	0.87	0.97	1.07	1.17	1.26	1.36	1.48	1.60	1.72	1.86	2.14	2.47	0.01	0.03	0.05	0.05
200	1.41	1.61	1.79	1.99	2.17	2.37	2.55	2.78	2.99	3.22	3.48	4.03	4.67	0.02	0.08	0.10	0.11
300	2.01	2.29	2.57	2.84	3.12	3.39	3.66	3.99	4.31	4.63	5.01	5.81	6.74	0.03	0.11	0.15	0.16
400	2.57	2.94	3.29	3.65	4.02	4.37	4.73	5.15	5.57	5.99	6.48	7.53	8.72	0.03	0.14	0.21	0.22
500	3.10	3.55	4.00	4.44	4.88	5.31	5.76	6.27	6.79	7.30	7.91	9.17	10.64	0.04	0.18	0.25	0.27
600	3.62	4.15	4.68	5.19	5.71	6.23	6.74	7.35	7.97	8.58	9.28	10.77	12.47	0.05	0.22	0.30	0.32
700	4.11	4.72	5.32	5.93	6.52	7.12	7.70	8.40	9.10	9.80	10.61	12.30	14.26	0.06	0.25	0.36	0.38
720	4.21	4.84	5.45	6.07	6.67	7.29	7.89	8.61	9.33	10.04	10.86	12.60	14.60	0.06	0.26	0.37	0.39
800	4.59	5.28	5.96	6.63	7.30	7.97	8.63	9.43	10.21	10.98	11.89	13.79	15.96	0.08	0.29	0.41	0.43
900	5.05	5.81	6.57	7.32	8.07	8.80	9.54	10.41	11.28	12.14	13.13	15.22	17.59	0.09	0.32	0.45	0.49
960	5.32	6.12	6.92	7.72	8.51	9.29	10.07	10.98	11.90	12.81	13.86	16.05	18.54	0.09	0.35	0.49	0.52
1000	5.50	6.34	7.16	7.98	8.80	9.61	10.41	11.36	12.31	13.24	14.32	16.59	19.16	0.09	0.36	0.51	0.54
1100	5.93	6.84	7.74	8.63	9.51	10.39	11.25	12.29	13.31	14.32	15.48	17.91	20.65	0.10	0.40	0.56	0.59
1200	6.35	7.32	8.29	9.26	10.21	11.15	12.07	13.18	14.27	15.35	16.59	19.17	22.05	0.11	0.43	0.60	0.65
1300	6.75	7.80	8.83	9.86	10.88	11.88	12.86	14.04	15.20	16.34	17.65	20.36	23.37	0.12	0.46	0.66	0.70
1400	7.14	8.25	9.35	10.44	11.51	12.58	13.63	14.86	16.08	17.28	18.65	21.49	24.61	0.13	0.51	0.71	0.76
1440	7.29	8.43	9.56	10.67	11.77	12.85	13.92	15.18	16.43	17.65	19.04	21.92	25.08	0.13	0.52	0.73	0.78
1500	7.52	8.69	9.86	11.01	12.14	13.25	14.35	15.66	16.93	18.19	19.61	22.55	25.75	0.14	0.54	0.76	0.81
1600	7.87	9.12	10.35	11.55	12.73	13.90	15.06	16.41	17.73	19.04	20.51	23.53	26.79	0.15	0.57	0.81	0.86
1700	8.23	9.53	10.80	12.06	13.31	14.53	15.72	17.13	18.50	19.84	21.36	24.44	27.73	0.15	0.62	0.86	0.92
1800	8.55	9.91	11.25	12.56	13.85	15.11	16.35	17.81	19.22	20.60	22.15	25.28	28.57	0.16	0.65	0.91	0.97
1900	8.88	10.28	11.67	13.04	14.36	15.67	16.96	18.45	19.89	21.30	22.87	26.03	29.29	0.17	0.68	0.96	1.03
2000	9.18	10.64	12.07	13.49	14.86	16.20	17.52	19.04	20.52	21.95	23.54	26.70	29.88	0.18	0.72	1.02	1.08
2100	9.46	10.97	12.46	13.91	15.33	16.71	18.05	19.60	21.10	22.54	24.15	27.28	30.37	0.19	0.76	1.06	1.13
2200	9.73	11.30	12.82	14.31	15.76	17.17	18.53	20.11	21.63	23.08	24.68	27.77	30.72	0.21	0.79	1.11	1.19
2300	9.99	11.60	13.17	14.69	16.17	17.59	18.99	20.58	22.11	23.55	25.14	28.16	30.94	0.21	0.83	1.17	1.24
2400	10.23	11.87	13.48	15.03	16.53	17.99	19.40	21.01	22.53	23.97	25.53	28.45	31.02	0.22	0.86	1.22	1.30
2500	10.44	12.13	13.77	15.36	16.88	18.35	19.76	21.37	22.90	24.31	25.84	28.63	30.96	0.23	0.90	1.26	1.35
2600	10.65	12.38	14.04	15.65	17.19	18.67	20.09	21.70	23.20	24.59	26.08	28.71		0.24	0.94	1.32	1.40
2700	10.83	12.59	14.29	15.91	17.47	18.95	20.37	21.97	23.45	24.81	26.23			0.25	0.97	1.37	1.46
2800	11.01	12.79	14.50	16.15	17.71	19.20	20.61	22.18	23.63	24.95	26.31			0.26	1.00	1.41	1.51
2880	11.12	12.93	14.66	16.31	17.88	19.36	20.77	22.32	23.74	25.01				0.26	1.04	1.46	1.56
2900	11.16	12.96	14.70	16.35	17.92	19.41	20.80	22.35	23.76	25.01				0.27	1.05	1.47	1.57
3000	11.29	13.12	14.86	16.52	18.09	19.57	20.94	22.45	23.81					0.27	1.08	1.52	1.62
3100	11.39	13.25	15.00	16.66	18.23	19.69	21.04	22.12						0.28	1.11	1.57	1.67
3200	11.49	13.35	15.12	16.77	18.33	19.76	21.08							0.29	1.16	1.62	1.73
3300	11.57	13.44	15.20	16.85	18.38	19.79								0.30	1.19	1.67	1.78
3400	11.61	13.49	15.25	16.89	18.40									0.31	1.22	1.72	1.84
3500	11.64	13.52	15.28	16.89										0.32	1.26	1.77	1.89
3600	11.65	13.53												0.32	1.30	1.83	1.94

# POWER RATING

## 1.1.2 NARROW WEDGE V BELTS

### Section SPC

Faster shaft speed r/min	Rated power per belt for small pulley datum diameter [mm]																Additional power per belt for speed ratio				
	224	236	250	265	280	300	315	335	355	375	400	425	450	475	500	530	560	1.00-1.05	1.06-1.24	1.25-1.59	>1.59
	kW																kW				
<b>100</b>	2,30	2,52	2,78	3,06	3,33	3,69	3,96	4,33	4,69	5,05	5,50	5,94	6,38	6,83	7,27	7,80	8,32	0,03	0,13	0,23	0,29
<b>200</b>	4,16	4,58	5,08	5,59	6,12	6,81	7,33	8,01	8,70	9,39	10,23	11,07	11,90	12,74	13,56	14,56	15,54	0,05	0,26	0,46	0,58
<b>300</b>	5,85	6,47	7,18	7,94	8,70	9,71	10,45	11,45	12,43	13,41	14,64	15,85	17,06	18,26	19,45	20,88	22,28	0,09	0,39	0,69	0,86
<b>400</b>	7,43	8,23	9,16	10,15	11,13	12,43	13,40	14,69	15,97	17,24	18,81	20,38	21,93	23,48	25,00	26,83	28,63	0,11	0,52	0,92	1,16
<b>500</b>	8,92	9,90	11,04	12,24	13,44	15,02	16,21	17,78	19,33	20,88	22,79	24,68	26,56	28,41	30,25	32,44	0,14	0,65	0,65	1,16	1,45
<b>600</b>	10,34	11,48	12,82	14,23	15,64	17,51	18,89	20,73	22,54	24,33	26,56	28,76	30,93	33,08	35,21	37,71	40,19	0,17	0,78	1,38	1,74
<b>700</b>	11,67	12,99	14,52	16,14	17,74	19,86	21,44	23,52	25,59	27,63	30,14	32,63	35,07	37,48	39,84	42,63	45,37	0,19	0,91	1,61	2,02
<b>720</b>	11,93	13,28	14,84	16,50	18,14	20,33	21,93	24,07	26,18	28,26	30,83	33,37	35,87	38,32	40,73	43,57	46,35	0,21	0,94	1,66	2,08
<b>800</b>	12,95	14,42	16,14	17,95	19,74	22,12	23,88	26,19	28,48	30,75	33,52	36,26	38,93	41,57	44,15	47,17	50,11	0,23	1,04	1,85	2,31
<b>900</b>	14,16	15,79	17,67	19,67	21,65	24,26	26,18	28,72	31,22	33,69	36,70	39,66	42,54	45,36	48,10	51,31	54,40	0,25	1,17	2,07	2,60
<b>960</b>	14,85	16,57	18,55	20,66	22,74	25,49	27,51	30,18	32,79	35,36	38,50	41,57	44,56	47,48	50,31	53,58	56,73	0,27	1,24	2,21	2,78
<b>1 000</b>	15,30	17,07	19,14	21,31	23,46	26,28	28,37	31,10	33,79	36,44	39,66	42,80	45,86	48,82	51,69	55,02	58,19	0,28	1,30	2,30	2,89
<b>1 100</b>	16,38	18,31	20,52	22,85	25,16	28,19	30,42	33,34	36,20	39,00	42,39	45,68	48,87	51,93	54,87	58,24	61,43	0,31	1,43	2,54	3,18
<b>1 200</b>	17,40	19,45	21,82	24,31	26,77	29,98	32,35	35,42	38,43	41,35	44,88	48,29	51,55	54,67	57,64	60,99	64,10	0,33	1,56	2,76	3,47
<b>1 300</b>	18,35	20,53	23,04	25,68	28,27	31,65	34,13	39,75	40,47	43,49	47,13	50,60	53,89	57,01	59,94	63,19	66,15	0,37	1,68	2,99	3,76
<b>1 400</b>	19,25	21,55	24,18	26,95	29,67	33,19	35,76	39,10	42,31	45,41	49,11	52,60	55,88	58,94	61,75	64,83	67,53	0,39	1,81	3,23	4,05
<b>1 440</b>	19,58	21,92	24,61	27,43	30,19	33,77	36,37	39,74	42,99	45,41	49,82	53,31	56,56	59,58	62,35	65,32	67,90	0,40	1,87	3,32	4,16
<b>1 500</b>	20,07	22,47	25,23	28,12	30,94	34,59	37,25	40,67	43,96	47,09	50,80	54,27	57,48	60,42	63,06	65,87		0,42	1,94	3,46	4,33
<b>1 600</b>	20,81	23,33	26,19	29,19	32,11	35,86	38,58	42,07	45,38	48,52	52,21	55,59	58,67	61,42	63,83			0,45	2,07	3,68	4,62
<b>1 700</b>	21,49	24,09	27,06	30,15	33,15	36,98	39,74	43,25	46,58	49,70	53,30	56,54	59,42					0,48	2,20	3,92	4,91
<b>1 800</b>	22,11	24,79	27,84	31,01	34,05	37,95	40,74	44,26	47,54	50,60	54,05	57,11						0,51	2,33	4,15	5,21
<b>1 900</b>	22,64	25,39	28,51	31,74	34,84	38,76	41,55	45,04	48,27	51,21	54,49							0,53	2,46	4,37	5,50
<b>2 000</b>	23,09	25,91	29,08	32,36	35,48	39,41	42,17	45,61	48,72	51,53	54,55							0,56	2,59	4,61	5,78
<b>2 100</b>	23,47	26,34	29,56	32,85	35,99	39,90	42,61	45,94	48,91	51,53								0,59	2,73	4,84	6,07
<b>2 200</b>	23,76	26,67	29,92	33,22	36,34	40,20	42,84	46,04										0,62	2,86	5,07	6,36
<b>2 300</b>	23,98	26,90	30,16	33,46	36,55	40,32	42,87											0,65	2,99	5,30	6,65
<b>2 400</b>	24,09	27,04	30,29	33,57	36,59													0,67	3,12	5,53	6,93
<b>2 500</b>	24,13	27,06	30,30															0,72	3,25	5,76	7,23

# POWER RATING

## 1.1.2 NARROW WEDGE V BELTS

### Section 8V

Faster shaft speed	Rated power per belt for small pulley datum diameter [mm]											Additional power per belt for speed ratio			
	inch	12.50	13.20	14.00	15.00	16.00	17.00	18.00	19.00	20.00	21.20	22.40	1.00-1.05	1.06-1.24	1.25-1.59
mm	318	335	356	381	406	432	457	483	508	538	569				
r/min	kW											kW			
50	2.42	2.66	2.93	3.26	3.60	3.93	4.27	4.59	4.92	5.31	5.70	0.02	0.11	0.18	0.22
100	4.50	4.95	5.46	6.11	6.75	7.39	8.01	8.65	9.28	10.02	10.78	0.04	0.22	0.37	0.45
150	6.44	7.10	7.85	8.79	9.72	10.65	11.57	12.48	13.40	14.49	15.58	0.06	0.31	0.55	0.66
200	8.28	9.15	10.13	11.35	12.57	13.78	14.98	16.18	17.38	18.79	20.22	0.10	0.42	0.72	0.89
250	10.07	11.12	12.33	13.83	15.33	16.80	18.28	19.75	21.21	22.95	24.68	0.12	0.53	0.91	1.10
300	11.78	13.04	14.46	16.23	17.99	19.74	21.48	23.21	24.93	26.98	29.01	0.14	0.64	1.09	1.33
350	13.45	14.89	16.53	18.57	20.58	22.59	24.59	26.57	28.53	30.88	33.20	0.16	0.75	1.27	1.54
400	15.07	16.70	18.54	20.83	23.11	25.37	27.60	29.83	32.03	34.65	37.24	0.18	0.84	1.46	1.77
435	16.17	17.93	19.92	22.39	24.83	27.26	29.67	32.04	34.41	37.22	39.99	0.21	0.92	1.59	1.92
450	16.64	18.45	20.50	23.04	25.56	28.06	30.53	32.98	35.41	38.30	41.15	0.21	0.95	1.64	1.99
485	17.71	19.65	21.84	24.55	27.24	29.89	32.53	35.14	37.72	40.78	43.80	0.23	1.03	1.76	2.15
500	18.17	20.15	22.40	25.19	27.94	30.67	33.37	36.05	38.69	41.83	44.92	0.24	1.06	1.81	2.21
550	19.66	21.81	24.25	27.27	30.25	33.20	36.13	39.00	41.85	45.22	48.54	0.26	1.17	2.00	2.43
575	20.38	22.62	25.15	28.29	31.38	34.44	37.47	40.45	43.38	46.86	50.27	0.27	1.22	2.10	2.55
600	21.09	23.41	26.04	29.29	32.49	35.65	38.78	41.86	44.90	48.47	51.99	0.28	1.27	2.18	2.66
650	22.50	24.97	27.78	31.24	34.66	38.03	41.34	44.60	47.81	51.59	55.29	0.30	1.37	2.37	2.87
690	23.59	26.19	29.14	32.77	36.34	39.86	43.32	46.72	50.06	53.97	57.80	0.32	1.46	2.51	3.06
700	23.85	26.49	29.46	33.13	36.75	40.31	43.80	47.24	50.60	54.55	58.41	0.32	1.48	2.55	3.10
725	24.52	27.23	30.29	34.06	37.77	41.42	44.99	48.50	51.95	55.98	59.91	0.33	1.53	2.64	3.21
750	25.16	27.95	31.09	34.97	38.77	42.51	46.17	49.76	53.25	57.37	61.35	0.35	1.59	2.73	3.32
800	26.44	29.37	32.67	36.73	40.72	44.61	48.43	52.14	55.78	60.02	64.11	0.38	1.70	2.92	3.54
850	27.67	30.74	34.19	38.43	42.57	46.62	50.57	54.42	58.16	62.50	66.68	0.40	1.80	3.09	3.76
870	28.14	31.27	34.78	39.09	43.30	47.40	51.40	55.29	59.07	63.44	67.64	0.41	1.85	3.16	3.86
900	28.85	32.05	35.65	40.06	44.34	48.54	52.61	56.56	60.38	64.80	69.03	0.42	1.91	3.27	3.99
950	29.98	33.31	37.04	41.60	46.04	50.35	54.53	58.56	62.46	66.93	71.18	0.44	2.01	3.46	4.20
1 000	31.07	34.52	38.38	43.08	47.64	52.06	56.32	60.43	64.37	68.86	73.11	0.46	2.12	3.64	4.43
1 050	32.12	35.67	39.65	44.49	49.15	53.67	58.00	62.14	66.11	70.60	74.79	0.49	2.22	3.82	4.64
1 100	33.10	36.77	40.86	45.80	50.57	55.14	59.53	63.71	67.67	72.12	76.25	0.52	2.33	4.01	4.87
1150	34.05	37.81	41.99	47.04	51.89	56.53	60.93	65.11	69.06	73.44	77.45	0.54	2.44	4.18	5.09
1160	34.24	38.01	42.21	47.28	52.14	56.79	61.20	65.38	69.30	73.68	77.65	0.54	2.45	4.22	5.13
1 200	34.94	38.78	43.06	48.20	53.10	57.78	62.21	66.37	70.24	74.53	78.39	0.56	2.54	4.36	5.31
1 250	35.78	39.70	44.05	49.26	54.23	58.91	63.32	67.44	71.25	75.39	79.06	0.58	2.65	4.55	5.53
1 300	36.56	40.55	44.97	50.24	55.23	59.92	64.29	68.34	72.05	76.02	79.44	0.60	2.75	4.73	5.76
1 350	37.28	41.34	45.81	51.13	56.13	60.79	65.11	69.07	72.64	76.40	79.54	0.63	2.86	4.91	5.97
1 400	37.95	42.07	46.58	51.92	56.91	61.54	65.77	69.61	73.02	76.52		0.66	2.97	5.10	6.20
1 425	38.26	42.40	46.93	52.28	57.26	61.85	66.04	69.80	73.12			0.67	3.01	5.18	6.31
1 450	38.57	42.72	47.26	52.61	57.57	62.13	66.27	69.95	73.17			0.68	3.07	5.28	6.42
1 500	39.11	43.31	47.87	53.20	58.13	62.60	66.59	70.10				0.70	3.18	5.45	6.64
1 550	39.60	43.82	48.38	53.70	58.55	62.90	66.74					0.72	3.28	5.64	6.86
1 600	40.02	44.26	48.82	54.08	58.84	63.06						0.75	3.39	5.82	7.08
1 650	40.38	44.61	49.16	54.36	59.00	63.06						0.77	3.50	6.00	7.30
1 700	40.68	44.91	49.41	54.52	59.03							0.80	3.60	6.19	7.53
1 750	40.91	45.11	49.56	54.57								0.82	3.70	6.37	7.74
1800	41.06	45.24	49.63									0.84	3.81	6.54	7.97
1 850	41.15	45.28										0.86	3.92	6.73	8.19
1 900	41.16											0.89	4.03	6.91	8.41



## Your expert in DRIVE BELT TECHNOLOGY

CMW Power Transmission designs, manufactures and distributes rubber and polyurethane drive belts in wide variety of industrial and agricultural applications to become your favourite power transmission brand.

### **CMW Power Transmission SAS**

21 Avenue de l'Industrie, 69960 Corbas, France  
+33 4 28 29 29 82 | **email** [info@cmwpt.com](mailto:info@cmwpt.com)