

## RACCORDI AD INNESTO RAPIDO - serie Tecnopolimero

### PUSH-IN FITTINGS - Technopolymer series

**Caratteristiche tecniche:** Campi di impiego: circuiti pneumatici, oleodinamici e idraulici. Tubi di collegamento: tubi plastici (Rilsan PA11 e PA12 - Poliuretano - Nylon PA6 ). La pressione massima di esercizio e la temperatura sono determinate dalle caratteristiche del tubo impiegato. Pressione massima consigliata: 10 Bar (1 MPa). Temperatura di lavoro: 0°C (275°K), +60°C (333°K). Materiali impiegati: Ottone e Zama nichelati - Tecnopolimero - Pinza inox. Filettatura: Cilindrica con O-Ring UNI-ISO 228/1 - Conica con Teflon UNI-ISO 7/1 - Metrica con O-Ring UNI 5542-65.

**Technical features:** Fields of application: pneumatic and hydraulic systems. Connecting tubes: plastic hoses (Rilsan PA11/12 - Polyurethane - Nylon PA6). The working pressure and working temperature depend on which type of tube is used. Max pressure suggested: 10 Bar (1 MPa). Working temperature: 0°C (273°K), +60°C (333°K). Material used: Nickel-Plated brass and Zama - Technopolymer - Stainless steel pliers. Threads: Parallel thread with O-Ring UNI-ISO 228/1 - Tapered thread with PTFE UNI-ISO 7/1 - Metric thread with O-Ring UNI 5542-65.

Fisso cilindrico con OR  
Fixed straight with OR



Art.	Size • Øe	€
E380/0	M5 4	
E380/0B	M5 6	
E380/0C	M6 4	
E380/0D	M6 6	
E380/1	1/8" 4	
E380/2	1/8" 6	
E380/3	1/8" 8	
E380/3A	1/8" 10	
E380/4	1/4" 4	
E380/5	1/4" 6	
E380/6	1/4" 8	
E380/7	1/4" 10	
E380/7A	1/4" 12	
E380/7B	3/8" 6	
E380/8	3/8" 8	
E380/9	3/8" 10	
E380/9A	3/8" 12	
E380/9E	3/8" 14	
E380/9D	3/8" 16	
E380/9C	1/2" 6	
E380/9B	1/2" 8	
E380/10	1/2" 10	
E380/11	1/2" 12	
E380/12	1/2" 14	
E380/13	1/2" 16	

Fisso conico  
Fixed tapered



E401/3	1/8" 4	
E401/4	1/8" 6	
E401/5	1/8" 8	
E401/5A	1/8" 10	
E401/6	1/4" 4	
E401/7	1/4" 6	
E401/8	1/4" 8	
E401/9	1/4" 10	
E401/10	1/4" 12	
E401/11	3/8" 6	
E401/12	3/8" 8	
E401/13	3/8" 10	
E401/14	3/8" 12	
E401/14A	3/8" 14	
E401/14B	3/8" 16	
E401/15	1/2" 6	
E401/16	1/2" 8	
E401/17	1/2" 10	
E401/18	1/2" 12	
E401/19	1/2" 14	
E401/19A	1/2" 16	

Diritto femmina  
Straight female



Art.	Size • Øe	€
E381/0	M5 4	
E381/1	1/8" 4	
E381/2	1/8" 6	
E381/3	1/8" 8	
E381/4	1/4" 4	
E381/5	1/4" 6	
E381/6	1/4" 8	
E381/7	1/4" 10	
E381/7A	1/4" 12	
E381/8	3/8" 8	
E381/9	3/8" 10	
E381/9A	3/8" 12	
E381/9B	3/8" 14	
E381/9C	3/8" 16	
E381/10	1/2" 6	
E381/11	1/2" 8	
E381/12	1/2" 10	
E381/13	1/2" 12	
E381/14	1/2" 14	
E381/15	1/2" 16	

Intermedio diritto  
Intermediate straight



E382/1	4	
E382/2	6	
E382/3	8	
E382/4	10	
E382/5	12	
E382/6	14	
E382/7	16	

Intermedio ridotto  
Intermediate reduced



E396/1	4 x 6	
E396/1A	4 x 8	
E396/3	6 x 8	
E396/3A	6 x 10	
E396/4	10 x 8	
E396/4A	12 x 8	
E396/5	12 x 10	
E396/6	16 x 12	

Adattatore a spina con OR  
Plug adapter with OR



E393/1	1/8" 4	
E393/2	1/8" 6	
E393/3	1/8" 8	
E393/4	1/4" 6	
E393/5	1/4" 8	
E393/5A	1/4" 10	
E393/6	3/8" 8	
E393/7	3/8" 10	
E393/8	1/2" 12	

**RACCORDI AD INNESTO RAPIDO - serie Tecnopolimero**  
**PUSH-IN FITTINGS - Technopolymer series**

	Art.	Size • Øe		€
		A	B	
Riduzione fissa <i>Fixed reduction</i>  	E397/1	4	6	
	E397/2	4	8	
	E397/3	6	8	
	E397/3A	6	10	
	E397/4	8	10	
	E397/4B	8	12	
	E397/5	10	12	

	Art.	Size • Øe	€
Passalamiera <i>Bulkhead</i>  	E398/1	4	
	E398/2	6	
	E398/3	8	
	E398/4	10	
	E398/5	12	
	E398/6	14	
	E398/7	16	

	Art.	Size • Øe	€
Passalamiera femmina <i>Female bulkhead</i>  	E376/1	M5	4
	E376/2	M5	6
	E376/3	M6	4
	E376/4	M6	6
	E376/5	1/8"	4
	E376/6	1/8"	6
	E376/7	1/8"	8
	E376/8	1/8"	10
	E376/9	1/4"	4
	E376/10	1/4"	6
	E376/11	1/4"	8
	E376/12	1/4"	10
	E376/13	1/4"	12
	E376/14	3/8"	6
	E376/15	3/8"	8
	E376/16	3/8"	10
	E376/17	3/8"	12
	E376/18	1/2"	6
	E376/19	1/2"	8
	E376/20	1/2"	10
	E376/21	1/2"	12

	Art.	Size • Øe	€
Girevole "L" a esagono <i>Swivel elbow hexagon screw</i>  	E384/1	1/8"	4
	E384/2	1/8"	6
	E384/3	1/8"	8
	E384/4	1/4"	4
	E384/5	1/4"	6
	E384/6	1/4"	8

	Art.	Size • Øe	€
Girevole "L" femmina <i>Swivel female elbow</i>  	E385/1	1/8"	4
	E385/2	1/8"	6
	E385/3	1/8"	8
	E385/4	1/4"	4
	E385/5	1/4"	6
	E385/6	1/4"	8
	E385/7	1/4"	10
	E385/7A	1/4"	12
	E385/8	3/8"	8
	E385/9	3/8"	10
E385/10	3/8"	12	

Girevole "L" con OR  
*Swivel elbow with OR*



	Art.	Size • Øe	€
Girevole "L" conico <i>Swivel tapered elbow</i>  	E383/0	M5	4
	E383/0B	M5	6
	E383/0A	M6	4
	E383/0C	M6	6
	E383/1	1/8"	4
	E383/2	1/8"	6
	E383/3	1/8"	8
	E383/3A	1/8"	10
	E383/4	1/4"	4
	E383/5	1/4"	6
	E383/6	1/4"	8
	E383/7	1/4"	10
	E383/7A	1/4"	12
E383/7B	3/8"	6	
E383/8	3/8"	8	
E383/9	3/8"	10	
E383/9A	3/8"	12	
E383/9AA	3/8"	14	
E383/14	3/8"	16	
E383/9C	1/2"	6	
E383/9B	1/2"	8	
E383/10	1/2"	10	
E383/11	1/2"	12	
E383/12	1/2"	14	
E383/13	1/2"	16	

Girevole "L" conico  
*Swivel tapered elbow*



	Art.	Size • Øe	€
Intermedio "L" <i>Intermediate elbow</i>  	E402/2	1/8"	4
	E402/3	1/8"	6
	E402/4	1/8"	8
	E402/5	1/8"	10
	E402/6	1/4"	4
	E402/7	1/4"	6
	E402/8	1/4"	8
	E402/9	1/4"	10
	E402/10	1/4"	12
	E402/10A	3/8"	6
	E402/11	3/8"	8
	E402/12	3/8"	10
	E402/13	3/8"	12
	E402/13C	3/8"	14
	E402/13B	3/8"	16
	E402/14	1/2"	6
	E402/15	1/2"	8
	E402/16	1/2"	10
E402/17	1/2"	12	
E402/17A	1/2"	14	
E402/18	1/2"	16	

Intermedio "L"  
*Intermediate elbow*



	Art.	Size • Øe	€
E386/1		4	
E386/2		6	
E386/3		8	
E386/4		10	
E386/5		12	
E386/6		14	
E386/7		16	

**RACCORDI AD INNESTO RAPIDO - serie Tecnopolimero**  
**PUSH-IN FITTINGS - Technopolymer series**

"L" con codolo  
Elbow with tail



Art.	Size • Øe		€
	A	B	
E383/C1	4	4	
E383/C2	4	6	
E383/C3	6	6	
E383/C4	6	8	
E383/C5	8	8	
E383/C6	8	10	
E383/C7	10	10	
E383/C8	10	12	
E383/C9	12	12	

Girevole "T" centrale con OR  
Swivel central tee with OR



Art.	Size • Øe		€
E388/0	M5	4	
E388/0A	M5	6	
E388/0B	M6	4	
E388/0C	M6	6	
E388/1	1/8"	4	
E388/2	1/8"	6	
E388/3	1/8"	8	
E388/3A	1/8"	10	
E388/4	1/4"	4	
E388/5	1/4"	6	
E388/6	1/4"	8	
E388/7	1/4"	10	
E388/7A	1/4"	12	
E388/7B	3/8"	6	
E388/8	3/8"	8	
E388/9	3/8"	10	
E388/9B	3/8"	12	
E388/9C	3/8"	14	
E388/9D	3/8"	16	
E388/9E	1/2"	6	
E388/9A	1/2"	8	
E388/10	1/2"	10	
E388/11	1/2"	12	
E388/12	1/2"	14	
E388/13	1/2"	16	

Girevole "T" laterale con OR  
Swivel lateral tee with OR



E387/0	M5	4
E387/0A	M5	6
E387/0B	M6	4
E387/0C	M6	6
E387/1	1/8"	4
E387/2	1/8"	6
E387/3	1/8"	8
E387/3A	1/8"	10
E387/4	1/4"	4
E387/5	1/4"	6
E387/6	1/4"	8
E387/7	1/4"	10
E387/7A	1/4"	12
E387/7B	3/8"	6
E387/8	3/8"	8
E387/9	3/8"	10
E387/9A	3/8"	12
E387/9B	3/8"	14
E387/9C	3/8"	16
E387/9D	1/2"	6
E387/9E	1/2"	8
E387/10	1/2"	10
E387/11	1/2"	12
E387/12	1/2"	14
E387/13	1/2"	16

Girevole "T" centrale conico  
Swivel central tapered tee



E400/1	1/8"	4
E400/2	1/8"	6
E400/3	1/8"	8
E400/3A	1/8"	10
E400/4	1/4"	4
E400/6	1/4"	6
E400/7	1/4"	8
E400/8	1/4"	10
E400/8A	1/4"	12
E400/8B	3/8"	6
E400/9	3/8"	8
E400/10	3/8"	10
E400/11	3/8"	12
E400/11A	3/8"	14
E400/11B	3/8"	16
E400/11C	1/2"	6
E400/12	1/2"	8
E400/13	1/2"	10
E400/14	1/2"	12
E400/15	1/2"	14
E400/16	1/2"	16

Girevole "T" laterale conico  
Swivel lateral tapered Tee



E403/1	1/8"	4
E403/2	1/8"	6
E403/3	1/8"	8
E403/3A	1/8"	10
E403/7A	1/4"	12
E403/7B	3/8"	6
E403/4	1/4"	4
E403/5	1/4"	6
E403/6	1/4"	8
E403/7	1/4"	10
E403/8	3/8"	8
E403/9	3/8"	10
E403/9A	3/8"	12
E403/9B	3/8"	14
E403/9C	3/8"	16
E403/9D	1/2"	6
E403/9E	1/2"	8
E403/10	1/2"	10
E403/11	1/2"	12
E403/12	1/2"	14
E403/13	1/2"	16

Intermedio "T"  
Intermediate tee



E390/1	4
E390/2	6
E390/3	8
E390/4	10
E390/5	12
E390/6	14
E390/7	16

**RACCORDI AD INNESTO RAPIDO - serie Tecnopolimero**  
**PUSH-IN FITTINGS - Technopolymer series**

	Art.	Size • Øe		€
		A	B	
Intermedio ridotto a "T" <i>Intermediate reduced tee</i>  	E394/1	4	6	
	E394/2	6	8	
	E394/3	8	10	
	E394/3A	8	12	
	E394/4	10	12	
	E394/5	12	16	
Intermedio "X" <i>Intermediate X</i>  	E392/1	4		
	E392/2	6		
	E392/3	8		
	E392/4	10		
	E392/5	12		

	Art.	Size • Øe		€
		A	B	
Intermedio "Y" <i>Intermediate Y</i>  	E391/1	4	4	
	E391/1A	5	5	
	E391/1B	6	4	
	E391/2	6	6	
	E391/2A	8	6	
	E391/3	8	8	
	E391/3A	10	8	
	E391/4	10	10	
	E391/5	12	12	
	E391/5A	14	14	
	E391/6	16	16	

**RACCORDI AD INNESTO RAPIDO - NPT**  
**PUSH-IN FITTINGS - NPT thread**

Ottone • Brass

Tecnopolimero • Technopolymer

	Art.	Size • Øe		€
Fisso <i>Fixed</i>  	N380/1	N1/8"	4	
	N380/2	N1/8"	6	
	N380/3	N1/8"	8	
	N380/4	N1/4"	4	
	N380/5	N1/4"	6	
	N380/6	N1/4"	8	
	N380/7	N1/4"	10	
	N380/8	N1/4"	12	
	N380/9	N3/8"	10	
	N380/10	N3/8"	12	
	N380/11	N1/2"	12	

	Art.	Size • Øe		€
Girevole "L" <i>Swivel elbow</i>  	N387/1	N1/8"	4	
	N387/2	N1/8"	6	
	N387/3	N1/8"	8	
	N387/4	N1/4"	4	
	N387/5	N1/4"	6	
	N387/6	N1/4"	8	
	N387/7	N1/4"	10	
	N387/8	N1/4"	12	
	N387/9	N3/8"	10	
	N387/10	N3/8"	12	
	N387/11	N1/2"	12	

	Art.	Size • Øe		€
Girevole "T" centrale <i>Swivel central Tee</i>  	N390/1	N1/8"	4	
	N390/2	N1/8"	6	
	N390/3	N1/8"	8	
	N390/4	N1/4"	4	
	N390/5	N1/4"	6	
	N390/6	N1/4"	8	
	N390/7	N1/4"	10	
	N390/8	N1/4"	12	
	N390/9	N3/8"	10	
	N390/10	N3/8"	12	
	N390/11	N1/2"	12	

	Art.	Size • Øe		€
Fisso <i>Fixed</i>  	NE401/1	N1/8"	6.35 (1/4)	
	NE401/2	N1/8"	9.52 (3/8)	
	NE401/3	N1/4"	6.35 (1/4)	
	NE401/4	N1/4"	9.52 (3/8)	
	NE401/5	N1/4"	12,7 (1/2)	
	NE401/6	N3/8"	6.35 (1/4)	
	NE401/7	N3/8"	9.52 (3/8)	
	NE401/8	N3/8"	12,7 (1/2)	
	NE401/9	N1/2"	9.52 (3/8)	
	NE401/10	N1/2"	12,7 (1/2)	

	Art.	Size • Øe		€
Girevole "L" <i>Swivel elbow</i>  	NE402/1	N1/8"	6.35 (1/4)	
	NE402/2	N1/8"	9.52 (3/8)	
	NE402/3	N1/4"	6.35 (1/4)	
	NE402/4	N1/4"	9.52 (3/8)	
	NE402/5	N1/4"	12,7 (1/2)	
	NE402/6	N3/8"	6.35 (1/4)	
	NE402/7	N3/8"	9.52 (3/8)	
	NE402/8	N3/8"	12,7 (1/2)	
	NE402/9	N1/2"	9.52 (3/8)	
	NE402/10	N1/2"	12,7 (1/2)	

	Art.	Size • Øe		€
Girevole "T" centrale <i>Swivel central Tee</i>  	NE400/1	N1/8"	6.35 (1/4)	
	NE400/2	N1/8"	9.52 (3/8)	
	NE400/3	N1/4"	6.35 (1/4)	
	NE400/4	N1/4"	9.52 (3/8)	
	NE400/5	N1/4"	12,7 (1/2)	
	NE400/6	N3/8"	6.35 (1/4)	
	NE400/7	N3/8"	9.52 (3/8)	
	NE400/8	N3/8"	12,7 (1/2)	
	NE400/9	N1/2"	9.52 (3/8)	
	NE400/10	N1/2"	12,7 (1/2)	