

WEDGE BELTS RAW EDGE COGGED




WEDGE BELTS RAW EDGE COGGED

Description

Raw Edge Cogged Wedge Belts are high performance and are designated by letters standing for their cross-section, e.g. SPAX followed by a number e.g. 1600 which specifies the belts pitch length Lp in mm. They enable; resistance to repeated flexing, compact drives, reduced weight, cost savings, small pulley diameters and high drive ratios.

They are manufactured in the cross-sections SPZX, SPAX, SPBX and SPCX in a range of over 300 lengths and are static conductive to ISO1813.

Dunlop V-belts have specially treated jackets to give superior anti-static, heat and oil-resistant properties and are static conductive to ISO1813.



SPZX - SECTION

Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)
SPZX512	525	512	474
SPZX562	575	562	524
SPZX587	600	587	549
SPZX600	613	600	562
SPZX612	625	612	574
SPZX630	643	630	592
SPZX637	650	637	599
SPZX660	673	660	622
SPZX662	675	662	624
SPZX670	683	670	632
SPZX687	700	687	649
SPZX710	723	710	672
SPZX722	735	722	684
SPZX725	738	725	687
SPZX730	743	730	692
SPZX737	750	737	699
SPZX750	763	750	712
SPZX762	775	762	724
SPZX772	785	772	734
SPZX787	800	787	749
SPZX800	813	800	762
SPZX812	825	812	774
SPZX817	830	817	779
SPZX825	838	825	787
SPZX837	850	837	799
SPZX850	863	850	812
SPZX862	875	862	824
SPZX875	888	875	837

Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)
SPZX887	900	887	849
SPZX900	913	900	862
SPZX912	925	912	874
SPZX917	930	917	879
SPZX925	938	925	887
SPZX937	950	937	899
SPZX950	963	950	912
SPZX962	975	962	924
SPZX975	988	975	937
SPZX987	1000	987	949
SPZX1000	1013	1000	962
SPZX1012	1025	1012	974
SPZX1030	1043	1030	992
SPZX1037	1050	1037	999
SPZX1047	1060	1047	1009
SPZX1057	1070	1057	1019
SPZX1060	1073	1060	1022
SPZX1062	1075	1062	1024
SPZX1077	1090	1077	1039
SPZX1080	1093	1080	1042
SPZX1087	1100	1087	1049
SPZX1110	1123	1110	1072
SPZX1112	1125	1112	1074
SPZX1120	1133	1120	1082
SPZX1137	1150	1137	1099
SPZX1140	1153	1140	1102
SPZX1150	1163	1150	1112
SPZX1162	1175	1162	1124

Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)
SPZX1180	1193	1180	1142
SPZX1187	1200	1187	1149
SPZX1202	1215	1202	1164
SPZX1212	1225	1212	1174
SPZX1220	1233	1220	1182
SPZX1237	1250	1237	1199
SPZX1250	1263	1250	1212
SPZX1262	1275	1262	1224
SPZX1270	1283	1270	1232
SPZX1280	1293	1280	1242
SPZX1287	1300	1287	1249
SPZX1312	1325	1312	1274
SPZX1320	1333	1320	1282
SPZX1337	1350	1337	1299
SPZX1340	1353	1340	1302
SPZX1360	1373	1360	1322
SPZX1362	1375	1362	1324
SPZX1387	1400	1387	1349
SPZX1400	1413	1400	1362
SPZX1412	1425	1412	1374
SPZX1420	1433	1420	1382
SPZX1437	1450	1437	1399
SPZX1450	1463	1450	1412
SPZX1462	1475	1462	1424
SPZX1470	1483	1470	1432
SPZX1487	1500	1487	1449
SPZX1500	1513	1500	1462
SPZX1512	1525	1512	1474

WEDGE BELTS RAW EDGE COGGED



SPZX - SECTION continued

Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)	Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)	Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)
SPZX1520	1533	1520	1482	SPZX1850	1863	1850	1812	SPZX2410	2423	2410	2372
SPZX1537	1550	1537	1499	SPZX1900	1913	1900	1862	SPZX2500	2513	2500	2462
SPZX1550	1563	1550	1512	SPZX1950	1963	1950	1912	SPZX2540	2553	2540	2502
SPZX1560	1573	1560	1522	SPZX2000	2013	2000	1962	SPZX2650	2663	2650	2612
SPZX1587	1600	1587	1549	SPZX2030	2043	2030	1992	SPZX2690	2703	2690	2652
SPZX1600	1613	1600	1562	SPZX2040	2053	2040	2002	SPZX2800	2813	2800	2762
SPZX1612	1625	1612	1574	SPZX2080	2093	2080	2042	SPZX2840	2853	2840	2802
SPZX1650	1663	1650	1612	SPZX2120	2133	2120	2082	SPZX3000	3013	3000	2962
SPZX1662	1675	1662	1624	SPZX2160	2173	2160	2122	SPZX3150	3163	3150	3112
SPZX1700	1713	1700	1662	SPZX2200	2213	2200	2162	SPZX3170	3183	3170	3132
SPZX1750	1763	1750	1712	SPZX2240	2253	2240	2202	SPZX3350	3363	3350	3312
SPZX1762	1775	1762	1724	SPZX2280	2293	2280	2242	SPZX3550	3563	3550	3512
SPZX1800	1813	1800	1762	SPZX2360	2373	2360	2322				

SPAX - SECTION

Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)	Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)	Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)
SPAX667	685	667	622	SPAX1057	1075	1057	1012	SPAX1400	1418	1400	1355
SPAX682	700	682	637	SPAX1060	1078	1060	1015	SPAX1407	1425	1407	1362
SPAX732	750	732	687	SPAX1082	1100	1082	1037	SPAX1420	1438	1420	1375
SPAX750	768	750	705	SPAX1090	1108	1090	1045	SPAX1425	1443	1425	1380
SPAX757	775	757	712	SPAX1107	1125	1107	1062	SPAX1432	1450	1432	1387
SPAX775	793	775	730	SPAX1120	1138	1120	1075	SPAX1442	1460	1442	1397
SPAX782	800	782	737	SPAX1132	1150	1132	1087	SPAX1450	1468	1450	1405
SPAX800	818	800	755	SPAX1142	1160	1142	1097	SPAX1457	1475	1457	1412
SPAX807	825	807	762	SPAX1150	1168	1150	1105	SPAX1462	1480	1462	1417
SPAX825	843	825	780	SPAX1157	1175	1157	1112	SPAX1482	1500	1482	1437
SPAX832	850	832	787	SPAX1170	1188	1170	1125	SPAX1500	1518	1500	1455
SPAX850	868	850	805	SPAX1172	1190	1172	1127	SPAX1507	1525	1507	1462
SPAX857	875	857	812	SPAX1180	1198	1180	1135	SPAX1522	1540	1522	1477
SPAX882	900	882	837	SPAX1182	1200	1182	1137	SPAX1532	1550	1532	1487
SPAX900	918	900	855	SPAX1207	1225	1207	1162	SPAX1550	1568	1550	1505
SPAX907	925	907	862	SPAX1232	1250	1232	1187	SPAX1557	1575	1557	1512
SPAX925	943	925	880	SPAX1250	1268	1250	1205	SPAX1575	1593	1575	1530
SPAX932	950	932	887	SPAX1257	1275	1257	1212	SPAX1582	1600	1582	1537
SPAX950	968	950	905	SPAX1272	1290	1272	1227	SPAX1600	1618	1600	1555
SPAX957	975	957	912	SPAX1280	1298	1280	1235	SPAX1607	1625	1607	1562
SPAX969	987	969	924	SPAX1282	1300	1282	1237	SPAX1632	1650	1632	1587
SPAX975	993	975	930	SPAX1307	1325	1307	1262	SPAX1650	1668	1650	1605
SPAX982	1000	982	937	SPAX1320	1338	1320	1275	SPAX1682	1700	1682	1637
SPAX1000	1018	1000	955	SPAX1332	1350	1332	1287	SPAX1700	1718	1700	1655
SPAX1007	1025	1007	962	SPAX1357	1375	1357	1312	SPAX1732	1750	1732	1687
SPAX1030	1048	1030	985	SPAX1360	1378	1360	1315	SPAX1750	1768	1750	1705
SPAX1032	1050	1032	987	SPAX1382	1400	1382	1337	SPAX1757	1775	1757	1712

WEDGE BELTS RAW EDGE COGGED



SPAX - SECTION continued

Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)	Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)	Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)
SPAX1782	1800	1782	1737	SPAX2160	2178	2160	2115	SPAX2720	2738	2720	2675
SPAX1800	1818	1800	1755	SPAX2180	2198	2180	2135	SPAX2730	2748	2730	2685
SPAX1832	1850	1832	1787	SPAX2240	2258	2240	2195	SPAX2732	2750	2732	2687
SPAX1850	1868	1850	1805	SPAX2282	2300	2282	2237	SPAX2782	2800	2782	2737
SPAX1900	1918	1900	1855	SPAX2300	2318	2300	2255	SPAX2800	2818	2800	2755
SPAX1932	1950	1932	1887	SPAX2360	2378	2360	2315	SPAX2900	2918	2900	2855
SPAX1950	1968	1950	1905	SPAX2432	2450	2432	2387	SPAX3000	3018	3000	2955
SPAX1957	1975	1957	1912	SPAX2482	2500	2482	2437	SPAX3150	3168	3150	3105
SPAX1982	2000	1982	1937	SPAX2500	2518	2500	2455	SPAX3350	3368	3350	3305
SPAX2000	2018	2000	1955	SPAX2532	2550	2532	2487	SPAX3550	3568	3550	3505
SPAX2032	2050	2032	1987	SPAX2580	2598	2580	2535	SPAX3750	3768	3750	3705
SPAX2057	2075	2057	2012	SPAX2607	2625	2607	2562	SPAX4000	4018	4000	3955
SPAX2060	2078	2060	2015	SPAX2632	2650	2632	2587	SPAX4250	4268	4250	4205
SPAX2082	2100	2082	2037	SPAX2650	2668	2650	2605	SPAX4500	4518	4500	4455
SPAX2120	2138	2120	2075	SPAX2682	2700	2682	2637				

SPBX - SECTION

Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)	Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)	Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)
SPBX1000	1022	1000	940	SPBX2150	2172	2150	2090	SPBX4500	4522	4500	4440
SPBX1060	1082	1060	1000	SPBX2240	2262	2240	2180	SPBX4750	4772	4750	4690
SPBX1120	1142	1120	1060	SPBX2280	2302	2280	2220	SPBX5000	5022	5000	4940
SPBX1180	1202	1180	1120	SPBX2360	2382	2360	2300				
SPBX1250	1272	1250	1190	SPBX2410	2432	2410	2350				
SPBX1260	1282	1260	1200	SPBX2500	2522	2500	2440				
SPBX1320	1342	1320	1260	SPBX2530	2552	2530	2470				
SPBX1340	1362	1340	1280	SPBX2650	2672	2650	2590				
SPBX1400	1422	1400	1340	SPBX2680	2702	2680	2620				
SPBX1410	1432	1410	1350	SPBX2800	2822	2800	2740				
SPBX1450	1472	1450	1390	SPBX2840	2862	2840	2780				
SPBX1500	1522	1500	1440	SPBX2900	2922	2900	2840				
SPBX1510	1532	1510	1450	SPBX2990	3012	2990	2930				
SPBX1550	1572	1550	1490	SPBX3000	3022	3000	2940				
SPBX1590	1612	1590	1530	SPBX3080	3102	3080	3020				
SPBX1600	1622	1600	1540	SPBX3150	3172	3150	3090				
SPBX1650	1672	1650	1590	SPBX3170	3192	3170	3110				
SPBX1690	1712	1690	1630	SPBX3250	3272	3250	3190				
SPBX1700	1722	1700	1640	SPBX3340	3362	3340	3280				
SPBX1800	1822	1800	1740	SPBX3350	3372	3350	3290				
SPBX1850	1872	1850	1790	SPBX3550	3572	3550	3490				
SPBX1900	1922	1900	1840	SPBX3750	3772	3750	3690				
SPBX1950	1972	1950	1890	SPBX3800	3822	3800	3740				
SPBX2000	2022	2000	1940	SPBX4000	4022	4000	3940				
SPBX2020	2042	2020	1960	SPBX4060	4082	4060	4000				
SPBX2120	2142	2120	2060	SPBX4250	4272	4250	4190				

SPCX - SECTION

Part No	Outside Length (mm)	Pitch Length (mm)	Inside Length (mm)
SPCX2000	2030	2000	1917
SPCX2120	2150	2120	2037
SPCX2240	2270	2240	2157
SPCX2360	2390	2360	2277
SPCX2500	2530	2500	2417
SPCX2650	2680	2650	2567
SPCX2800	2830	2800	2717
SPCX3000	3030	3000	2917
SPCX3150	3180	3150	3067
SPCX3350	3380	3350	3267
SPCX3550	3580	3550	3467
SPCX3750	3780	3750	3667
SPCX4000	4030	4000	3917
SPCX4250	4280	4250	4167
SPCX4500	4530	4500	4417
SPCX4750	4780	4750	4667
SPCX5000	5030	5000	4917