

01


1000V



ALICATES / PLIERS / PINCES / ZANGEN / PINZE / ALICATES / ПЛОСКОГУБЦЫ

TITACROM® BIMAT 1000V

UNIVERSALES / COMBINATION / UNIVERSELLES / KOMBIZANGEN / UNIVERSALE / UNIVERSAIS / КОМБИНИРОВАННЫЕ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)						
76582	165	36	15	10	38	3	2		240		
76583	180	38	14	11	41	3,5	2,2	1,5	280	6	●
76584	200	43	17	12	50	4	2,5	2	330		




TITACROM® BIMAT 1000V IEC 60900 DIN 5746

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

BOCA PLANA / FLAT NOSE / BECS PLATS / FLACHZANGEN / BECCHI PIATTI / PONTAS CHATAS / УТКОНОСЫ



COD.	L (mm)	A (mm)	B (mm)	C (mm)			
76589	160	55	8,5	40	170	6	●




TITACROM® BIMAT 1000V IEC 60900 DIN 5745

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

BOCA REDONDA / ROUND NOSE / BECS RONDOS / RUNDZANGEN / BECCHI TONDI / PONTAS REDONDAS / КРУГЛОГУБЦЫ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)			
76590	160	41	2	10	39	160	6	●



TITACROM® BIMAT 1000V IEC 60900 DIN 5745

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V




01

1000V



TELEFONISTA / LONG NOSE / TÉLÉPHONE / TELEFONZANGEN / TELEFONISTI / TELEFONISTA / СУДЛИННЕННЫМИ НОСАМИ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)						
76591	160	48	12	9,5	2,3	50	2,5	1,6	1	170	6	•
76592	200	70	14	10,5	2,6	80	3,2	2,2	1,5	210		




TITACROM® **BMAT** 1000V | IEC 60900 | DIN 5745

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

TELEFONISTA BOCA CURVA / BENT NOSE PLIERS / TÉLÉPHONE BECS COUDÉS / TELEFONZANGEN GEBOGEN / TELEFONISTI BECCHI PIEGATI / TELEFONISTA PONTAS CURVAS / С ИЗОГНУТЫМИ НОСАМИ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (°)	F (mm)						
76593	160	41	12	9,0	2,7	47	2,5	1,6	1	160	6	•	
76594	200	65	14	11	3,3	70	3,2	2,2	1,5	210			




TITACROM® **BMAT** 1000V | IEC 60900 | DIN 5745

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

CORTE DIAGONAL / DIAGONAL CUTTING PLIERS / COUPANTES DIAGONALES / SEITENSCHNEIDER / TAGLIO LATERALE / CORTE DIAGONAL / УДЛИНЕННЫЕ ТОНКИЕ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)						
76595	160	25	20	10	25	3	2,2	1,5	205	6	•
76596	190	32	26	11	29	3,2	2,5	2	250		



TITACROM® **BMAT** 1000V | DIN 5749 | IEC 60900

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V



Si no encuentra el artículo que necesita, consúltenos en info@egamaster.com o en www.egamaster.com
 If you can't find the item you look for, please ask us in info@egamaster.com or in www.egamaster.com
 Si vous ne trouvez pas l'article que vous desirez, consultez-nous a info@egamaster.com ou a www.egamaster.com




01

1000V



CORTE DIAGONAL REFORZADO / HEAVY DUTY CUTTING NIPPERS / COUPANTES RENFORCEÉS / VERSTÄRKTER SEITENSCHNEIDER / TAGLIO LATERALE RINFORZATO / CORTE DIAGONAL REFORÇADO / УСИЛЕННЫЕ БОКОРЕЗЫ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)						
76597	180	43	21	11	25	3,2	2,5	2	350	6	•
76598	200	48	21	11	21	3,5	2,7	2,2	380	6	•




TITACROM® Bimat

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

CORTE FRONTAL / END CUTTING NIPPER / COUPANTES DEVANT / VORSCHNEIDER / TAGLIO FRONTALE / CORTE FRONTAL / КЛЕЩИ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)						
76599	160	27	9	11	9	3	2,5	2	250	6	•




TITACROM® Bimat

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

CORTE FRONTAL ELECTRICISTA / END CUTTING NIPPER (ELECTRICIAN) / COUPANTES DEVANT ELECTRICIEN / ELEKTRIKER VORSCHNEIDER / TAGLIO FRONTALE PER ELETTRICISTI / CORTE FRONTAL ELETTRICISTA / КЛЕЩИ (ЭЛЕКТРИЧЕСКИЕ)



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)						
76600	160	20	9	11	19	3	2,3	2	250	6	•
76602	200	22	11	14	19	3,5	2,8	2	410	6	•



TITACROM® Bimat

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

Blando / Soft / Tendre
20 Kg/mm²

Medio / Medium / Moyen
75 Kg/mm²

Duro / Hard / Dur
180 Kg/mm²


Cuerda piano / Piano wire / Corde de piano
230 Kg/mm²

01

1000V



■ PELACABLES / WIRESTRIPPER / PINCES À DÉNUDER / ABISOLIERZANGEN / PINZE SPELAFILI / DECAPADORES / КЛЕЩИ ДЛЯ ЗАЧИСТКИ КОНТАКТОВ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	O.D. mm	g	mm	mm
76603	160	44	37	9	21	0,5-6	170	6	•

TITACROM® BIMAT 1000V IEC 60900 I DIN 5743

Modelo registrado / Registered model / Modèle enregistré



CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

■ KITS




COD.	PCS.	A
76604	3	A
76605		B

TITACROM® BIMAT

PCS./UN.	COD.	PCS.
1	76607	180 mm
	76616	160 mm
	76603	

■ MASTERCUT TITACROM® BIMAT 1000V

■ UNIVERSALES / COMBINATION / UNIVERSELLES / KOMBIZANGEN / UNIVERSALE / UNIVERSAIS / КОМБИНИРОВАННЫЕ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	mm	mm	mm	g	mm	mm
76606	165	35	14	10	39	3,5			220		
76607	180	40	16	11	50	4	2,5	2	230	6	•
76609	210	44	19		60	4,5	2,8	2,2	280		



TITACROM® BIMAT 1000V IEC 60900 I DIN 5746

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

○ Blando / Soft / Tendre
20 Kg/mm²

◐ Medio / Medium / Moyen
75 Kg/mm²

◑ Duro / Hard / Dur
180 Kg/mm²


● Cuerda piano / Piano wire / Corde de piano
230 Kg/mm²

Si no encuentra el artículo que necesita, consúltenos en info@egamaster.com o en www.egamaster.com
If you can't find the item you look for, please ask us in info@egamaster.com or in www.egamaster.com
Si vous ne trouvez pas l'article que vous desirez, consultez-nous a info@egamaster.com ou a www.egamaster.com



01

1000V



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)						
76611	235	43	19	13	55	5	3	2,5	380	6	●

TITACROM® BIMAT 1000V | IEC 60900 | DIN 5746


Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V



TELEFONISTA / LONG NOSE / TÉLÉPHONE / TELEFONZANGEN / TELEFONISTI / TELEFONISTA / СУДЛИННЕННЫМИ НОСАМИ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)						
76612	160	55	11	9,5	2,5	46	3	2	1,5	170	6	●
76613	200	75	15		3	70	3,5	2,5	2	210		

TITACROM® BIMAT 1000V | IEC 60900 | DIN 5745


Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V



TELEFONISTA BOCA CURVA / BENT NOSE PLIERS / TÉLÉPHONE BECS COUDÉS / TELEFONZANGEN GEBOGEN / TELEFONISTI BECCHI PIEGATI / TELEFONISTA PONTAS CURVAS / C ИЗОГНУТЫМИ НОСАМИ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (°)	F (mm)						
76614	160	50	13	9,5	3	32	41	3	2	1,5	170	6	●
76615	200	75	14				90	3,5	2,5	2	210		

TITACROM® BIMAT 1000V | DIN 5745 | IEC 60900

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V




01

1000V



CORTE DIAGONAL / DIAGONAL CUTTING PLIERS / COUPANTES DIAGONALES / SEITENSCHNEIDER / TAGLIO LATERALE / CORTE DIAGONAL / УДЛИНЕННЫЕ ТОНКИ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)						
76616	160	37	23	11	35	3	2,5	2	210	6	•
76617	190	40	25		29	3,5	2,7	2,2	250		




TITACROM® Bimat 1000V | DIN 5749 | IEC 60900

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

CORTE DIAGONAL REFORZADO / HEAVY DUTY CUTTING NIPPERS / COUPANTES RENFORCÉS / VERSTÄRKTER SEITENSCHNEIDER / TAGLIO LATERALE RINFORZATO / CORTE DIAGONAL REFORÇADO / УСИЛЕННЫЕ БОКОРЕЗЫ



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)						
76618	180	40	21	12	24	3,5	2,7	2,2	350	6	•
76619	200				22	4	3	2,5	380		



TITACROM® Bimat 1000V | DIN 5749 | IEC 60900

Modelo registrado / Registered model / Modèle enregistré

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Cr-V

ALICATE DE PRESIÓN / PRESSURE PLIER / PINCE DE PRÉHENSION / KLEMMZANGE / PINZA A PRESSIONE / ALICATE TIPO UNIVERSAL ISOLADO / СЖИМАЮЩИЕ КЛЕЩИ

COD.	L (mm)	
73248	150	90



1000V | IEC 60900

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Para el montaje y bloqueo de contadores / For meter assembly and meter blocking / Conçue pour le montage et le verrouillage des compteurs

ALICATES AISLANTES CON ZONA DE CORTE / INSULATING COMPOSITE CUTTING PLIERS / PINCES ISOLANTES AVEC ZONE DE COUPE / ARBEITSKOPFBESCHICHTETE ZANGEN / PINZE ISOLATI CON ZONA DI TAGLIO / ALICATE DE CORTA ISOLADO EM COMPOSITE / ИЗОЛИРОВАННЫЕ КОМПОЗИТНЫЕ ПЛОСКОГУБЦЫ

UNIVERSALES / COMBINATION / UNIVERSELLES / KOMBIZANGEN / UNIVERSALE / UNIVERSAIS / КОМБИНИРОВАННЫЕ

COD.	L (mm)		
76544	200	16	170



1000V | IEC 60900

BOCAS SEMI-REDONDAS / HALF ROUND NOSE / TÊTES DEMI-RONDES / LANGBECK-FLACHZANGE / ВЕСЧИ MEZZI TONDI / BOCAS SEMI-REDONDAS / ЗАКРУГЛЕННЫЕ ГУБКИ

COD.	L (mm)		
76549	210	16	110



1000V | IEC 60900

Blando / Soft / Tendre
20 Kg/mm²

Medio / Medium / Moyen
75 Kg/mm²

Duro / Hard / Dur
180 Kg/mm²

Cuerda piano / Piano wire / Corde de piano
230 Kg/mm²

Si no encuentra el artículo que necesita, consúltenos en info@egamaster.com o en www.egamaster.com
If you can't find the item you look for, please ask us in info@egamaster.com or in www.egamaster.com
Si vous ne trouvez pas l'article que vous desirez, consultez-nous a info@egamaster.com ou a www.egamaster.com



01

1000V



BOCA PLANA / FLAT NOSE / BECS PLATS / FLACHZANGEN / BECCHI PIATTI / PONTAS CHATAS / УТКОНОСЫ

COD.	L (mm)	Max Cu-Ni	g
76692	190	16	110

1000V I IEC 60900



CORTACABLES / CABLE-CUTTER / COUPE CÂBLES / KABELSCHNEIDER / TAGLIACAVI / CORTA-CABOS / КАБЕЛЕРЕЗ

COD.	L (mm)	Max Cu-Ni	g
76539	190	16	165

1000V I IEC 60900



GRAPA / INSULATING CLAMP / AGRAFE / KLEMMZANGE ISOLIERT / MORSETTO ISOLATO / GRAMPO ISOLADO / ИЗОЛИРОВАННЫЕ КЛЕЩИ

COD.	L (mm)	Capacidad de agarre (mm) / Clamping capacity (mm) / Capacité d'adhérence (mm)	g
73249	150	15	76

1000V I IEC 60900



CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Para sujeción de las mantas aislantes / For holding insulating mats in place / Pour fixer des nappes isolantes

ELECTRICIDAD / ELECTRICIAN TOOLS / OUTILLAGE D'ÉLECTRICIEN / ELEKTRIKERMESSEER / FERRAMENTI PER ELETTRICISTI / ELECTRICIDADE / ИНСТРУМЕНТ ДЛЯ ЭЛЕКТРИКА

ALICATE PARA UNIÓN DE CABLES AISLADOS Y NO AISLADOS / PLIER FOR CABLE LINKS INSULATED & NON INSULATED / PINCE POUR UNION DE CABLES ISOLES ET NON ISOLES / ZANGE FÜR ISOLIERTE UND NICHT ISOLIERTE KABELSCHUHE / PINZE PER UNIRE CAVI ISOLATI E NON ISOLATI / ALICATE PARA UNIÃO DE CABOS ISOLADOS E NÃO ISOLADOS / КЛЕЩИ ДЛЯ ИЗОЛИРОВАННЫХ И НЕИЗОЛИРОВАННЫХ КОНТАКТОВ

COD.	L (mm)	CAP. (mm ²)	g		
73257	230	0,75-6	250	6	•



TIJERAS / SCISSORS / CISEAUX / SCHERE / CESCOIE / TESOIRA / НОЖНИЦЫ

COD.	L (mm)	g	
79057	160	98	•

1000V I IEC 60900



COD.	L (mm)	g	
79058	160	98	•

1000V I IEC 60900



CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Muesca pequeña / Small breach / Petite brèche

COD.	L (mm)	g	
79059	160	98	•

1000V I IEC 60900



CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Muesca grande / Big breach / Grande brèche