

01

1000V



■ LLAVES / WRENCHES / CLÉS / SCHLÜSSEL / CHIAVI / CHAVES / КЛЮЧИ

■ FIJA DE UNA BOCA / SINGLE ENDED OPEN JAW SPANNER / À FOURCHE / EINMAULSCHLÜSSEL / FISSE SEMPLICE / FIXA DE UMA BOCA / ОДНОРОЖКОВЫЙ КЛЮЧ

■ MM



COD.	AF mm	L (mm)	g		
73086	5,5	90	15		
73060	6	90	15		
73061	7	100	20		
73062	8	105	20		
73063	9	120	25		
73064	10	125	30		
73065	11	133	35		
73066	12	142	45		
73067	13	142	45	10	
73068	14	142	55		
73069	15	164	60		
73070	16	164	60		
73071	17	165	70		
73072	18	176	80		
73073	19	176	95		
73074	20	201	100		
73075	21	201	185		
73076	22	226	150		
73078	23	226	160		
73077	24	246	185		
73079	27	246	230	5	
73080	28	266	270		
73081	29	266	300		
73082	30	266	350		
73083	32	281	370		

△ 1000V | IEC 60900

■ INCH



COD.	AF inch	L (mm)	g		
73043	1/4	90	15		
73044	9/32	110	30		
73045	5/16	110	30		
73046	3/8	127	40		
73047	7/16	135	45		
73048	1/2	147	55	10	
73049	9/16	147	75		
73050	5/8	166	100		
73051	11/16	166	120		
73052	3/4	176	130		
73053	13/16	176	180		
73054	7/8	200	190		
73055	15/16	226	220	5	
79483	1	250	350		
79484	1.1/8	266	450		
79485	1.1/4	281	450		

△ 1000V | IEC 60900

■ KIT DEMO 6 LLAVES / 6 SPANNER DEMO KIT / KIT DÉMO. 6 CLÉS / DEMOKIT 6 SCHLÜSSEL / KIT 6 CHIAVI DI DIMOSTRAZIONE / KIT DEMO 6 CHAVES / ДЕМО НАБОР ИЗ 6 КЛЮЧЕЙ

COD.	g
69342	300

COD. PCS.	mm
61727	Aerospacial / Aeroespacial
38092	INOX
73062	1000V
70172	Cu-Be
70684	Al-Bron
71669	Titanio / Titanium



01

1000V



LLAVE DE ESTRELLA ACODADA UNA BOCA / OFFSET RING WRENCH / CLÉ POLYGONALE CONTRE-COUDÉE / GEKRÖPFTE RINGSCHLÜSSEL / CHIAVE POLIGONALE AD UNA BOCCA / CHAVE DE LUNETAS INCLINADA / КЛЮЧ ИЗОГНУТАЯ ЗВЕЗДОЧКА

■ MM



COD.	AF mm	L (mm)	g		
73090	6	140			
73091	7	145	50		
73092	8	150	55		
73093	9	155	75		
73094	10	160	80		
73095	11	170	90		
73096	12	180	100		
73097	13	180	105		
73098	14	190	130		
73099	15	200	140	10	
73100	16	200	150		
73101	17	210	160		
73102	18	210	210		
73103	19	220	230		
73105	21	240	280		
73106	22	250	300		
73107	23	260	320		
73108	24	260	350		
73109	26	300	550		
73110	27	310	600		
73111	28	310	600		
73112	29	310	600		
73113	30	310	600		
73114	32	330	650	5	
73115	36	350	1100		
73116	38	350	1100		
73117	41	380	1150		
73118	42	400	1200		
73119	46	440	1200		
73104	50	460	1300		

▲ 1000V | IEC 60900

■ INCH



COD.	AF inch	L (mm)	g		
73347	1/4	140	50		
73348	5/16	150	75		
73349	3/8	160	85		
73350	7/16	170	95		
73351	1/2	180	125		
73352	9/16	190	165	10	
73353	5/8	200	190		
73354	11/16	220	210		
73355	3/4	220	250		
73356	13/16	240	320		
73357	7/8	250	340		
73358	15/16	260	390		
73359	1	270	450		
73360	1.1/16	280	500	5	
73361	1.1/8	290	550		
73363	1.1/4	305	600		

▲ 1000V | IEC 60900

Si no encuentra el artículo que necesita, consúltenos en [info@egamaster.com](mailto:info@egamaster.com) o en [www.egamaster.com](http://www.egamaster.com)  
 If you can't find the item you look for, please ask us in [info@egamaster.com](mailto:info@egamaster.com) or in [www.egamaster.com](http://www.egamaster.com)  
 Si vous ne trouvez pas l'article que vous desirez, consultez-nous à [info@egamaster.com](mailto:info@egamaster.com) ou à [www.egamaster.com](http://www.egamaster.com)



01

1000V



**LLAVE DE ESTRELLA DE CARRACA PLANA / RING RATCHET / POLYGONALE À CLIQUET / KNARRE RINGSCHÜSSEL / CHIAVE POLIGONALE PIATTA CON CRICCO / CHAVE DE LUNETA COM ROQUETE PLANA / ЗВЕЗДОЧКА С ТРЕЩЕТКОЙ**

■ MM



COD.	AF mm	L (mm)	A (mm)	B (mm)	g		
73145	10	136	25	13	60		
79423	11	140	26	14	65		
79424	12	147	29	15	75		
73147	13	152	31		95		
79425	14	160	32	16		6	•
79426	15	165	34		120		
79427	16	170	36	17	135		
73150	17	190	38		150		
79428	18	190	38		175		
73152	19	210	39	18	190		

⚠ 1000V | IEC 60900

■ INCH




COD.	AF inch	L (mm)	A (mm)	B (mm)	g		
79429	9/16	165	32	16	103		
79430	3/4	205	39	18	209	6	•
79431	7/8	235	47	20	289		

⚠ 1000V | IEC 60900

**LLAVE DE ESTRELLA INCLINADA UNA BOCA / ANGLE RING WRENCH / CLÉ POLYGONALE DROITE / GEBOGEN RINGSCHLÜSSEL / CHIAVE A STELLA INCLINATA / CHAVE LUA / КЛЮЧ ЗВЕЗДОЧКА ИЗОГНУТАЯ**


■ MM



COD.	AF mm	L (mm)	g		
73120	8	90	25		
73121	9	100	30		
73122	10	110	40		
73123	11	115	50		
73124	12	125	60		
73125	13	135	80		
73126	14	140	95		
73127	15	145	110		
73128	16	150	125		
73129	17	160	135		
73130	18	170	145		
73131	19	175	175		
73133	21	185	210		
73134	22	195	240		
73135	23	210	250		
73136	24	230	275		

⚠ 1000V | IEC 60900

■ INCH



COD.	AF inch	L (mm)	g		
73160	5/16	90	25		
73189	3/8	110	40		
73190	7/16	115	50		
73191	1/2	135	80		
73192	9/16	140	95		
73198	5/8	150	125		10
73199	11/16	170	145		•
73200	3/4	175	175		
73201	7/8	195	240		
73202	15/16	230	275		
79486	1	245	290		
79487	1.1/8	300	460		5
79488	1.1/4	320	600		

⚠ 1000V | IEC 60900

01

1000V


**LLAVES DE PIPA ABIERTAS / ANGLED OPEN SOCKETS / CLÉS À PIPE / PFEIFFENKOPFSCHLÜSSEL / CHIAVI A PIPA APERTE / CHAVE DE CACHIMBO ABERTAS / ГОЛОВКА С РУКОЯТКОЙ ПОД 90 ГРАДУСОВ**

MM

COD.	AP mm	L (mm)	g		
73203	8	110	45		
73204	9		60		
73205	10	125	85		
73206	11	135	100		
73207	12	145	130		
73208	13	155	160		
73209	14	165	185		
73210	15	170	220	5	
73211	16	175	230		
73212	17	180	280		
73213	18	190	330		
73214	19	195	430		
73215	20	210	460		
73216	21	220	500		
73217	22	240	650		
73218	23	260	700		
73219	24	270	750		
73220	25		800		
73221	26	290	1000		
73222	27	300	1100	1	
73223	28	320	1150		
73224	29	330	1300		
73225	30				
73226	32	350	1150		



1000V IEC 60900

**LLAVE DE TUBO MANGO EN T / T HANDLE WRENCH / CLÉ EN T / T-GRIFF SCHLÜSSEL / CHIAVE A TUBO CON IMPUGNATURA A T / CHAVES T TUBOLARES / ГОЛОВКА С РУКОЯТКОЙ Т**

MM

COD.	AP mm	L (mm)	g		
73170	6	125	70		
73171	7		85		
73172	8		95		
73173	9		120		
73174	10		140		
73175	11	135	175		
73176	12		185		
73177	13		220		
73178	14		260		
73179	15		275	10	
73180	16		290		
73181	17		300		
73182	18		330		
73183	19	150	360		
73184	20		370		
73185	21		420		
73186	22	135	430		
73187	23		440		
73188	24	150	450		



1000V IEC 60900

Si no encuentra el artículo que necesita, consúltenos en [info@egamaster.com](mailto:info@egamaster.com) o en [www.egamaster.com](http://www.egamaster.com)  
 If you can't find the item you look for, please ask us in [info@egamaster.com](mailto:info@egamaster.com) or in [www.egamaster.com](http://www.egamaster.com)  
 Si vous ne trouvez pas l'article que vous desirez, consultez-nous à [info@egamaster.com](mailto:info@egamaster.com) ou à [www.egamaster.com](http://www.egamaster.com)

01

1000V



■ EN CRUZ / CROSS RIM WRENCH / CLÉ EN CROIX / KREUZSCHLÜSSEL / CHIAVE A CROCE / CHAVE DE CRUZETA / КРЕСТООБРАЗНЫЙ КЛЮЧ

COD.	AF mm	g		
73165	6-8-10-12	280		
73167	8-10-12-14	330	6	•

⚠ 1000V | IEC 60900



■ LLAVES HEXAGONALES / HEXAGONAL KEYS / CLÉS MÂLES / WINKELSCHRAUBENDREHER / CHIAVI ESAGONALI / CHAVES HEXAGONAIS / ШЕСТИГРАННЫЕ КЛЮЧИ

■ MM



COD.	AF mm	g		
73155	3	16		
73156	4	30		
73157	5	42	10	•
73158	6	55		
73159	8	100		

⚠ 1000V | IEC 60900

■ INCH



COD.	AF inch	g		
73025	1/8	20		
73026	3/16	30		
73027	7/32	50	10	•
73028	15/64	55		
73037	5/16	100		

⚠ 1000V | IEC 60900

■ SERIE LARGA / LONG SOCKET / SÉRIE LONGUE / LANGE SERIE / SERIE LUNGA / SERIE LONGA / ВЫСОКАЯ СЕРИЯ

■ MM



COD.	AF mm	L (mm)	g		
79388	1,5	65	3		
79389	2	80	5		
79394	2,5	90	6		
79370	3	100	15		
79371	4	110	25	10	•
79372	5	125	35		
79373	6	145	50		
79374	8	165	90		
79375	10	185	160		
79376	12	205	300		

⚠ 1000V | IEC 60900

■ INCH



COD.	AF inch	L (mm)	g		
79377	1/8	100	15		
79378	9/64	105	18		
79379	5/32	110	20		
79380	3/16	130	30		
79381	7/32	130	40		
79382	1/4	140	60	10	•
79383	5/16	155	90		
79384	3/8	175	150		
79385	7/16	195	250		
79386	1/2	215	400		
79387	5/8	255	400		

⚠ 1000V | IEC 60900

01

1000V



**LLAVES HEXAGONALES EN T / T HEXAGONAL KEYS / CLÉS MÂLES EN T / T-INBUSSCHLÜSSEL / CHIAVI ESAGONALI A T / CHAVES HEXAGONAIS EM T / T-ОБРАЗНЫЕ КЛЮЧИ ДЛЯ ШЕСТИГРАННИКОВ**

MM

COD.	AF mm	L (mm)	g		
79390	5	120 x 90	185	10	●
79391	6		245		
79392	8		325		
79393	10				



1000V I IEC 60900

**APRIETE CONTROLADO / CONTROLLED TIGHTENING / SERRAGE CONTROLÉ / KONTROLLIERTES ANZIEHEN / CONTROLLO DI SERRAGGIO / APERTO CONTROLADO / КОНТРОЛИРУЕМАЯ ЗАТЯЖКА**

**LLAVE DINAMOMÉTRICA / TORQUE WRENCH / CLÉ DYNAMOMÉTRIQUE / DREHMOMENT-SCHRAUBENSCHLÜSSEL / CHIAVE DINAMOMETRICA / CHAVE DINAMOMÉTRICA / ДИНАМОМЕТРИЧЕСКИЕ КЛЮЧИ**

COD.	AF inch	N.m	Lb.in	L (mm)	Kg	
79433	3/8	5-25	44,2-211	370	1,1	1



1000V I IEC 60900

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Precisión / Accuracy / Précision 4%

COD.	AF inch	N.m	L (mm)	g	
75034	3/8	10-50	300	850	1
75024		20-100	400	1000	



1000V I IEC 60900

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Precisión / Accuracy / Précision 4%

COD.	AF inch	N.m	Lb.ft	L (mm)	Kg	
79435	1/2	20-200	15-150	500	1,4	1



1000V I IEC 60900

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Precisión / Accuracy / Précision 4%

**DESTORNILLADOR DINAMOMETRICO / TORQUE SCREWDRIVER / TOURNEVIS DYNAMOMÉTRIQUE / DREHMOMENT SCHRAUBENDREHER / CACCIAVITE DINAMOMETRICO / CHAVE DE FENDAS DINAMOMÉTRICA / ОТВЕРТКА С УСТАНОВКОЙ МОМЕНТА ЗАТЯГИВАНИЯ**

COD.	inch	N.m	Lb.in	L (mm)	g	
79891	1/4	-	10-50	210	445	1
79889		1-6				
79890		0.5-4.5				



1000V I IEC 60900

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Certificado de calibración / Calibration certificate / Certificat de calibrage ●  
 Precisión / Accuracy / Précision +/-6%

Si no encuentra el artículo que necesita, consúltenos en [info@egamaster.com](mailto:info@egamaster.com) o en [www.egamaster.com](http://www.egamaster.com)  
 If you can't find the item you look for, please ask us in [info@egamaster.com](mailto:info@egamaster.com) or in [www.egamaster.com](http://www.egamaster.com)  
 Si vous ne trouvez pas l'article que vous desirez, consultez-nous a [info@egamaster.com](mailto:info@egamaster.com) ou a [www.egamaster.com](http://www.egamaster.com)

