

05

**ANTICHISPA  
NON-SPARKING  
ANTIDÉFLAGRANT  
FUNKENFREI  
ANTISCINTILLA  
ANTI-DEFLAGRANTE  
ИСКРБЕЗОПАСНЫЙ**



■ SET

■ 1/2"

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74263	Cu-Be	1/2	9	74452, 74453, 74454, 74456, 74459, 74461, 74464, 74466	10-11-12-14-17-19-22-24	-	1,4
35810				74504, 74505, 74506, 74509, 74510, 74511, 74514, 74515			

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Mango acodado / Offset handle / Manche contre coudé 230 mm, 400 g (72410)

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74264	Al-Bron	1/2	9	74479, 74480, 74481, 74483, 74486, 74488, 74491, 74493	10-11-12-14-17-19-22-24	-	1,4
35819				74522, 74523, 74524, 74527, 74528, 74529, 74532, 74533			

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Mango acodado / Offset handle / Manche contre coudé 230 mm, 400 g (72411)

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74265	Cu-Be	1/2	12	74450, 74452, 74453, 74454, 74456, 74459, 74461, 74464, 74466, 74469	8-10-11-12-14-17-19-22-24-27	-	2,3
35811				74503, 74504, 74505, 74506, 74509, 74510, 74511, 74514, 74515, 74517			

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Mango articulado / Hinged handle / Manche articulé 230 mm, 330 g (72400)

Carraca / Ratchet / Cliquet 250 mm, 600 g (70375)

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74266	Al-Bron	1/2	12	74477, 74479, 74480, 74481, 74483, 74486, 74488, 74491, 74493, 74496	8-10-11-12-14-17-19-22-24-27	-	2,3
35820				74521, 74522, 74523, 74524, 74527, 74528, 74529, 74532, 74533, 74535			

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Mango articulado / Hinged handle / Manche articulé 230 mm, 330 g (72401)

Carraca / Ratchet / Cliquet 250 mm, 600 g (71272)

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74267	Cu-Be	1/2	16	74452, 74453, 74454, 74456, 74459, 74461, 74464, 74466, 74469, 74472, 74473	10-11-12-14-17-19-22-24-27- 30-32	-	4,5
35812				74504, 74505, 74506, 74509, 74510, 74511, 74514, 74515, 74517, 77790, 74519			

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Alargadera / Extension / Rallonge 125-250 mm (70385)

Berbiquí / Speeder handle / Vilebrequin 390 mm (72416)

Mango corredizo en T / Sliding T handle / Poignée coulissante 250 mm (70378)

Carraca / Ratchet / Cliquet 250 mm (70375)



**Cu-Be** Cobre berilio / Beryllium copper / Cuivre beryllium / Kupfer beryllium / Koper beryllium / Rame-berillio / Сплав Медь Бериллий  
**Al-Bron** Aluminio bronze / Aluminium bronze / Alliage aluminium-bronze / Alliage aluminium-bronze / Aluminium brons / Aluminio bronzo / Сплав Алюминий Бронза

05

**ANTICHISPA  
NON-SPARKING  
ANTIDÉFLAGRANT  
FUNKENFREI  
ANTISCINTILLA  
ANTI-DEFLAGRANTE  
ИСКРБЕЗОПАСНЫЙ**



1/2"

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74268				74479, 74480, 74481, 74483, 74486, 74488, 74491, 74493, 74496, 74499, 74500	10-11-12-14-17-19-22-24-27-30-32	-	
35821	Al-Bron	1/2	16	74522, 74523, 74524, 74527, 74528, 74529, 74532, 74533, 74535, 77791, 74537	-	3/8"-7/16"-1/2"-5/8"-11/16"-3/4"-7/8"-15/16"-1.1/16"-1.3/16"-1.1/4"	4,5

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Alargadera / Extension / Rallonge	125-250 mm (71281)
Berbiquí / Speeder handle / Vilebrequin	390 mm (72417)
Mango corredizo en T / Sliding T handle / Poignée coulissante	250 mm (71274)
Carraca / Ratchet / Cliquet	250 mm (71272)

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74269				74452, 74453, 74454, 74455, 74456, 74457, 74458, 74459, 74460, 74461, 74462, 74463, 74464, 74465, 74466, 74469, 74472, 74473	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32	-	
35813	Cu-Be	1/2	24	74502, 74503, 74504, 74505, 74506, 74507, 74508, 74509, 74510, 74511, 74512, 74513, 74514, 74515, 74516, 74517, 77790, 74519	-	1/4"-5/16"-3/8"-7/16"-1/2"-19/32"-5/8"-11/16"-9/16"-3/4"-25/32"-13/16"-7/8"-1"-15/16"-1.1/16"-1.3/16"-1.1/4"	5,5

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Articulación universal / Universal Joint / Cardan Universel	80 mm (70372)
Alargadera / Extension / Rallonge	125-250 mm (70385)
Berbiquí / Speeder handle / Vilebrequin	390 mm (72416)
Mango corredizo en T / Sliding T handle / Poignée coulissante	250 mm (70378)
Carraca / Ratchet / Cliquet	250 mm (70375)

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74270				74479, 74480, 74481, 74482, 74483, 74484, 74485, 74486, 74487, 74488, 74489, 74490, 74491, 74492, 74493, 74496, 74499, 74500	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32	-	
35822	Al-Bron	1/2	24	74520, 74521, 74522, 74523, 74524, 74525, 74526, 74527, 74528, 74529, 74530, 74531, 74532, 74533, 74534, 74535, 77791, 74537	-	1/4"-5/16"-3/8"-7/16"-1/2"-19/32"-5/8"-11/16"-9/16"-3/4"-25/32"-13/16"-7/8"-1"-15/16"-1.1/16"-1.3/16"-1.1/4"	5,5

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Articulación universal / Universal Joint / Cardan Universel	80 mm (71269)
Alargadera / Extension / Rallonge	125-250 mm (71281)
Berbiquí / Speeder handle / Vilebrequin	390 mm (72417)
Mango corredizo en T / Sliding T handle / Poignée coulissante	250 mm (71274)
Carraca / Ratchet / Cliquet	250 mm (71272)



**Cu-Be** Cobre berilio / Beryllium copper / Cuivre beryllium / Kupfer beryllium / Koper beryllium / Rame-berillio / Сплав Медь Бериллий  
**Al-Bron** Aluminio bronze / Aluminium bronze / Alliage aluminium-bronze / Alliage aluminium-bronze / Aluminium brons / Aluminio bronzo / Сплав Алюминий Бронза

Si no encuentra el artículo que necesita, consúltenos en [info@egamaster.com](mailto:info@egamaster.com) o en [www.egamaster.com](http://www.egamaster.com)  
 If you can't find the item you look for, please ask us in [info@egamaster.com](mailto:info@egamaster.com) or in [www.egamaster.com](http://www.egamaster.com)  
 Si vous ne trouvez pas l'article que vous desirez, consultez-nous a [info@egamaster.com](mailto:info@egamaster.com) ou a [www.egamaster.com](http://www.egamaster.com)

**EGA Master**  
ART IN INNOVATION

213

05

**ANTICHISPA  
NON-SPARKING  
ANTIDÉFLAGRANT  
FUNKENFREI  
ANTISCINTILLA  
ANTI-DEFLAGRANTE  
ИСКРБЕЗОПАСНЫЙ**



1/2"

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74271				74452, 74453, 74454, 74455, 74456, 74457, 74458, 74459, 74460, 74461, 74462, 74463, 74464, 74465, 74466, 74468, 74469, 74470, 74472, 74473	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32	-	
35814	Cu-Be	1/2	27	74502, 74503, 74504, 74505, 74506, 74507, 74508, 74509, 74510, 74511, 74512, 74513, 74514, 35854, 74515, 74516, 74517, 74518, 77790, 74519	-	1/4"-5/16"-3/8"-7/16"-1/2"-19/32"-5/8"-11/16"-9/16"-3/4"-25/32"-13/16"-7/8"-29/32"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	6,0



ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES	
Punta plana con vaso / Flat bit socket / Embout fente á douille	13 x 2 mm (73709)
Articulación universal / Universal Joint / Cardan Universel	80 mm (70372)
Alargadera / Extension / Rallonge	125-250 mm (70385)
Berbiquí / Speeder handle / Vilebrequin	390 mm (72416)
Mango corredizo en T / Sliding T handle / Poignée coulissante	250 mm (70378)
Carraca / Ratchet / Cliquet	250 mm (70375)

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74272				74479, 74480, 74481, 74482, 74483, 74484, 74485, 74486, 74487, 74488, 74489, 74490, 74491, 74492, 74493, 74495, 74496, 74497, 74499, 74500	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32	-	
35823	Al-Bron	1/2	27	74520, 74521, 74522, 74523, 74524, 74525, 74526, 74527, 74528, 74529, 74530, 74531, 74532, 35855, 74533, 74534, 74535, 74536, 77791, 74537	-	1/4"-5/16"-3/8"-7/16"-1/2"-19/32"-5/8"-11/16"-9/16"-3/4"-25/32"-13/16"-7/8"-29/32"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	6,0

ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES	
Punta plana con vaso / Flat bit socket / Embout fente á douille	13 x 2 mm (73710)
Articulación universal / Universal Joint / Cardan Universel	80 mm (71269)
Alargadera / Extension / Rallonge	125-250 mm (71281)
Berbiquí / Speeder handle / Vilebrequin	390 mm (72417)
Mango corredizo en T / Sliding T handle / Poignée coulissante	250 mm (71274)
Carraca / Ratchet / Cliquet	250 mm (71272)

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74273				74450, 74451, 74452, 74453, 74454, 74455, 74456, 74457, 74458, 74459, 74460, 74461, 74462, 74463, 74464, 74465, 74466, 74468, 74469, 74470, 74472, 74473	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32	-	
35815	Cu-Be	1/2	31	74503, 35850, 74504, 74505, 74506, 74507, 74508, 74509, 74510, 35852, 74511, 74512, 74513, 74514, 35854, 74515, 74516, 74517, 74518, 77790, 74519	-	5/16"-11/32"-3/8"-7/16"-1/4"-1/2"-9/16"-19/32"-5/8"-11/16"-23/32"-3/4"-25/32"-13/16"-7/8"-29/32"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	6,5



ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES	
Vaso para bujías / Spark plug socket / Douille á bougie	13/16"
Punta plana con vaso / Flat bit socket / Embout fente á douille	13 x 2 mm (73709)
Mango acodado / Offset handle / Manche contre coudé	230 mm, 400 g (72410)
Articulación universal / Universal Joint / Cardan Universel	80 mm (70372)
Alargadera / Extension / Rallonge	125-250 mm (70385)
Berbiquí / Speeder handle / Vilebrequin	390 mm (72416)
Mango corredizo en T / Sliding T handle / Poignée coulissante	250 mm (70378)
Carraca / Ratchet / Cliquet	250 mm (70375)

**Cu-Be** Cobre berilio / Beryllium copper / Cuivre beryllium / Kupfer beryllium / Koper beryllium / Rame-berillio / Сплав Медь Бериллий  
**Al-Bron** Aluminio bronce / Aluminium bronze / Alliage aluminium-bronze / Alliage aluminium-bronze / Aluminium brons / Aluminio bronzo / Сплав Алюминий Бронза

05

**ANTICHISPA  
NON-SPARKING  
ANTIDÉFLAGRANT  
FUNKENFREI  
ANTISCINTILLA  
ANTI-DEFLAGRANTE  
ИСКРБЕЗОПАСНЫЙ**



1/2"

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74274				74477, 74478, 74479, 74480, 74481, 74482, 74483, 74484, 74485, 74486, 74487, 74488, 74489, 74490, 74491, 74492, 74493, 74495, 74496, 74497, 74499, 74500	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32		
35824	Al-Bron	1/2	31	74521, 35851, 74522, 74523, 74524, 74525, 74526, 74527, 74528, 35853, 74529, 74530, 74531, 74532, 35855, 74533, 74534, 74535, 74536, 77791, 74537	-	5/16"-11/32"-3/8"-7/16"-1/4"-1/2"-9/16"-19/32"-5/8"-11/16"-23/32"-3/4"-25/32"-13/16"-7/8"-29/32"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	6,5

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Vaso para bujías / Spark plug socket / Douille à bougie	13/16"
Punta plana con vaso / Flat bit socket / Embout fente à douille	13 x 2 mm (73710)
Mango acodado / Offset handle / Manche contre coudé	230 mm, 400 g (72411)
Articulación universal / Universal Joint / Cardan Universel	80 mm (71269)
Alargadera / Extension / Rallonge	125-250 mm (71281)
Berbiquí / Speeder handle / Vilebrequin	390 mm (72417)
Mango corredizo en T / Sliding T handle / Poignée coulissante	250 mm (71274)
Carraca / Ratchet / Cliquet	250 mm (71272)

3/4"

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74275				75740, 74538, 74540, 74541, 74542, 75750, 74543, 75752, 74544, 74545, 74546	21-24-27-30-32-34-36-38-41-46-50		
35816	Cu-Be	3/4	14	75756, 75760, 75764, 75768, 75770, 74557, 74558, 74559, 74561, 74564, 74566	-	13/16"-15/16"-1-1/16"-1.3/16"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"	8,5

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Alargadera / Extension / Rallonge	200 mm (70387)
Mango corredizo en T / Sliding T handle / Poignée coulissante	400 mm
Carraca / Ratchet / Cliquet	320 mm (70376)

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74276				75741, 74547, 74549, 74550, 74551, 75751, 74552, 75753, 74553, 74554, 74555	21-24-27-30-32-34-36-38-41-46-50		
35825	Al-Bron	3/4	14	75757, 75761, 75765, 75769, 75771, 74568, 74569, 74570, 74572, 74575, 74577	-	13/16"-15/16"-1-1/16"-1.3/16"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"	8,5

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Alargadera / Extension / Rallonge	200 mm (71283)
Mango corredizo en T / Sliding T handle / Poignée coulissante	400 mm
Carraca / Ratchet / Cliquet	320 mm (71273)



**Cu-Be** Cobre berilio / Beryllium copper / Cuivre beryllium / Kupfer beryllium / Koper beryllium / Rame-berillio / Сплав Медь Бериллий  
**Al-Bron** Aluminio bronze / Aluminium bronze / Alliage aluminium-bronze / Alliage aluminium-bronze / Aluminium brons / Aluminio bronzo / Сплав Алюминий Бронза

Si no encuentra el artículo que necesita, consúltenos en [info@egamaster.com](mailto:info@egamaster.com) o en [www.egamaster.com](http://www.egamaster.com)  
 If you can't find the item you look for, please ask us in [info@egamaster.com](mailto:info@egamaster.com) or in [www.egamaster.com](http://www.egamaster.com)  
 Si vous ne trouvez pas l'article que vous desirez, consultez-nous a [info@egamaster.com](mailto:info@egamaster.com) ou a [www.egamaster.com](http://www.egamaster.com)



05

**ANTICHISPA  
NON-SPARKING  
ANTIDÉFLAGRANT  
FUNKENFREI  
ANTISCINTILLA  
ANTI-DEFLAGRANTE  
ИСКРБЕЗОПАСНЫЙ**



3/4"

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74277				75740, 75742, 74538, 74539, 74540, 75744, 75746, 74541, 75748, 74542, 75750, 74543, 75752, 74544, 74545, 74546	21-22-23-24-26-27-28-29-30-31-32-34-36-38-41-46-50	-	
35817	Cu-Be	3/4	20	75754, 75756, 75758, 75760, 75762, 75764, 75766, 35856, 75768, 35858, 75770, 74557, 74558, 74559, 74561, 74564, 74566	-	3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.5/32"-1.3/16"-1.7/32"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"	8,5



**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Alargadera / Extension / Rallonge	200 mm (70387)
Mango corredizo en T / Sliding T handle / Poignée coulissante	400 mm
Carraca / Ratchet / Cliquet	320 mm (70376)

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74278				75741, 75743, 74547, 74548, 74549, 75745, 75747, 74550, 75749, 74551, 75751, 74552, 75753, 74553, 74554, 74555	21-22-23-24-26-27-28-29-30-31-32-34-36-38-41-46-50	-	
35826	Al-Bron	3/4	20	75755, 75757, 75759, 75761, 75763, 75765, 75767, 35857, 75769, 35859, 75771, 74568, 74569, 74570, 74572, 74575, 74577	-	3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.5/32"-1.3/16"-1.7/32"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"	8,5

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Alargadera / Extension / Rallonge	200 mm (71283)
Mango corredizo en T / Sliding T handle / Poignée coulissante	400 mm
Carraca / Ratchet / Cliquet	320 mm (71273)

1"

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74279				74541, 75748, 74542, 75750, 74543, 75752, 74544, 74545, 74546, 77822, 77824	30-31-32-34-36-38-41-46-50-55-60-65-70-75-80	-	
35818	Cu-Be	1	18	75766, 75768, 75770, 74557, 74558, 74559, 74561, 74564, 74566	-	1.1/8"-1.3/16"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"-2.1/4"-2.3/8"-2.9/16"-2.3/4"-2.15/16"-3.1/8"	18

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Articulación flexible / Flexible joint / Articulation universelle	120 mm (72396)
Alargadera / Extension / Rallonge	200 mm (70387)
Mango corredizo en T / Sliding T handle / Poignée coulissante	400 mm



COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74280				74550, 75749, 74551, 75751, 74552, 75753, 74553, 74554, 74555, 77823, 77825	30-31-32-34-36-38-41-46-50-55-60-65-70-75-80	-	
35827	Al-Bron	1	18	75767, 75769, 75771, 74568, 74569, 74570, 74572, 74575, 74577	-	1.1/8"-1.3/16"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"-2.1/4"-2.3/8"-2.9/16"-2.3/4"-2.15/16"-3.1/8"	18

**ESPECIFICACIONES TÉCNICAS / TECHNICAL SPECIFICATION / DÉTAILS TECHNIQUES**

Articulación flexible / Flexible joint / Articulation universelle	120 mm (72397)
Alargadera / Extension / Rallonge	200 mm (71283)
Mango corredizo en T / Sliding T handle / Poignée coulissante	400 mm

**Cu-Be** Cobre berilio / Beryllium copper / Cuivre beryllium / Kupfer beryllium / Koper beryllium / Rame-berillio / Сплав Медь Бериллий  
**Al-Bron** Aluminio bronze / Aluminium bronze / Alliage aluminium-bronze / Alliage aluminium-bronze / Aluminium brons / Aluminio bronzo / Сплав Алюминий Бронза