



RODAVIGO, S.A.
RODAMIENTOS VIGO, S.A.

www.rodavigo.net

+34 986 288118
Servicio de Att. al Cliente




Series

S 30 K








series
S 30 K



Housing Size	Breaking loads					
	P55° kN	P90° kN	P120° kN	P150° kN	P180° kN	Pa kN
S 3024 K	700	420	310	280	350	220
S 3026 K	750	450	340	300	370	240
S 3028 K	900	540	400	370	460	300
S 3030 K	1050	630	470	430	530	345
S 3032K	1050	630	470	430	530	345
S 3034 K	1630	950	720	640	800	520
S 3036K	2100	1000	760	680	850	550
S 3038 K	2400	1150	850	760	950	620
S 3040 K	2700	1300	1000	880	1100	710
S 3044 K	3200	1600	1100	1000	1300	840
S 3048 K	4000	1900	1400	1300	1600	1000
S 3052 K	4200	2000	1500	1400	1700	1100
S 3056 K	4700	2300	1700	1500	1900	1200

series
S 30 K


Da	HOUSING NO	DIMENSIONS											LOCATION RING	ADAPTER NO	BEARING NO	FELT STRIP	Kg
		A	A1	Ca	Dc	H	H1	H2	J	L	N	N1					
110	S 3024 K	110	150	56	180	215	112	40	320	380	36	28	1 FRB 10/180	H 3024	23024 K	FS 460	20
115	S 3026 K	120	160	62	200	239	125	45	350	410	36	28	1 FRB 10/200	H 3026	23026 K	FS 460	24
125	S 3028 K	120	170	63	210	260	140	45	350	410	36	28	1 FRB 10/210	H 3028	23028 K	FS 510	30
135	S 3030 K	130	180	66	225	286	150	50	380	445	36	28	1 FRB 10/225	H 3030	23030 K	FS 510	40
140	S 3032K	130	190	70	240	297	150	50	390	460	36	28	1 FRB 10/240	H 3032	23032 K	FS 680	41
150	S 3034 K	160	205	77	260	318	160	60	450	530	48	35	1 FRB 10/260	H 3034	23034 K	FS 680	55
160	S 3036 K	160	210	84	280	338	170	60	470	550	48	35	1 FRB 10/280	H 3036	23036 K	FS 680	62
170	S 3038 K	160	220	85	290	348	170	60	470	550	48	35	1 FRB 10/290	H 3038	23038 K	FS 680	70
180	S 3040 K	170	235	92	310	366	180	60	515	610	48	35	1 FRB 10/310	H 3040	23040 K	FS 680	80
200	S 3044 K	190	255	100	340	401	200	70	580	690	50	42	1 FRB 10/340	H 3044	23044 K	FS 950	105
220	S 3048 K	200	265	102	360	422	210	75	610	720	50	42	1 FRB 10/360	H 3048	23048 K	FS 950	125
240	S 3052 K	220	285	114	400	472	240	80	680	820	70	48	1 FRB 10/400	H 3052	23052 K	FS 1120	160
260	S 3056 K	230	295	116	420	495	250	80	720	860	70	48	1 FRB 10/420	H 3056	23056 K	FS 1120	180