



**RODAVIGO, S.A.**  
RODAMIENTOS VIGO, S.A.

[www.rodavigo.net](http://www.rodavigo.net)

**+34 986 288118**  
Servicio de Att. al Cliente



# *Series*

## **SD 600**





**series**  
**SD 600**



**P55°**



**P90°**



**P120°**



**P150°**






**P180°**



**Pa**

Housing Size	Breaking loads					
	P55° kN	P90° kN	P120° kN	P150° kN	P180° kN	P <sub>a</sub> kN
SD 630	3000	1530	1150	960	1250	900
SD 632	3700	1900	1400	1300	1600	1000
SD 634	4200	2000	1500	1400	1700	1050
SD 636	4000	2150	1600	1450	1800	1120
SD 638	4900	2300	1700	1500	1900	1200
SD 640	8000	3100	2350	2000	2500	1450
SD 644	8400	4000	2950	2400	2550	1700
SD 648	8700	4600	3300	2650	2900	1920
SD 652	9600	5000	3750	3300	3100	2100

**series  
SD 600**


Da	HOUSING NO	DIMENSIONS											LOCATING RING	FELT STRIP	BEARING NO	ADAPTERNO	Kg	
		A	A1	Ca	Dc	H	H1	H2	J	J1	L	N						N1
135	SD 630	260	280	118	320	380	190	60	540	150	650	50	36	FRB 10/320	4 FS 510	22330 K	H 2330	118
140	SD 632	280	290	124	340	400	200	65	570	160	700	55	40	FRB 10/340	4 FS 680	22332 K	H 2332	136
150	SD 634	290	300	130	360	420	210	65	610	170	740	55	40	FRB 10/360	4 FS 680	22334 K	H 2334	170
160	SD 636	310	320	136	380	450	225	70	640	180	780	62	42	FRB 10/380	4 FS 680	22336 K	H 2336	194
170	SD 638	320	330	142	400	475	240	70	680	190	820	62	42	FRB 10/400	4 FS 680	22338 K	H 2338	216
180	SD 640	340	350	148	420	500	250	85	710	200	860	65	45	FRB 10/420	4 FS 680	22340 K	H 2340	258
200	SD 644	350	360	155	460	550	280	85	770	210	920	65	45	FRB 10/460	4 FS 950	22344 K	H 2344	323
220	SD 648	380	390	165	500	590	300	100	830	230	990	77	52	FRB 10/500	4 FS 950	22348 K	H 2348	404
240	SD 652	400	410	175	540	640	325	100	890	250	1060	77	52	FRB 10/540	4 FS 1120	22352 K	H 2352	480



**HCB<sup>®</sup>**  
**BEARING HOUSINGS**