



HAND TORCHES

Heavy Duty Gas Cutting Torches

Features and Benefits

- Tip mixing system
- Precisely balanced
- Heavy ribbed round handle
- Internal tip nut
- Easy grip gas valves

Each cutting torch is built to the highest standards, then stringently tested to ensure a safe, long life operation. Designed for the professional for use in industries such as metal fabrication, shipyards, salvage, construction and other general purpose uses.



Hand torches



Ergonomics

Precisely balanced, long lasting hand torches

- **Tip mixing system**
The triple-seat nozzle mixing system assures greater safety and reduces the risk of flashback and backfire.

- **Precisely balanced**
Each torch is designed to provide ease of use in any application.

- **Heavy ribbed round handle**
Provides good ventilation and a sure handed grip on the torch.

- **Internal tip nut**
Protects threads in torch head.

- **Easy grip gas valves**
Allows gloved hands to quickly and accurately set preheat flame.

SILVER-CUT Series

- **Lightweight and compact**, well balanced hand cutting torch
- **Chrome plated tubes**
- **Triangular tube configuration**, for extra strengths



SILVER-CUT K250	
Torch length	495 mm
Weight	1.0 kg
Cutting capacity	Max. 250 mm
Torch head angle	90°
Fuel gas type	Any medium pressure fuel gas

Types	Connection	Stock #
SILVER-CUT K250	G3/8 RH-LH	80496
SILVER-CUT K250 9/16	9/16" RH-LH	80495

MK Series

- Expertly crafted in Japan
- Robust, heavy duty hand cutting torch
- Three stainless steel tubes, provides strengths and durability while keeping gases separated to mix safely in the cutting nozzle
- Cutting oxygen lever with lock function. (excl. MK-36)
- Die forged head, increased strengths and service life

MK-150



MK-150	
Torch length	466 mm
Weight	0.9 kg
Cutting capacity	Max. 150 mm
Torch head angle	90°
Torch connection	G3/8 RH-LH
Fuel gas type	Any medium pressure fuel gas
Types	
MK-150	80497

MK-250



MK-250			
Torch length	525 mm (standard, 90° head)		
Weight	1.5 kg		
Cutting capacity	Max. 250 mm		
Fuel gas type	Any medium pressure fuel gas		
Types	Torch angle	Connection	Stock #
MK-250-75D	75°	G1/4, G3/8	80503
MK-250-90D	90°	G3/8, G3/8	80504
MK-250-180D	180°	G3/8, G3/8	DA2228

MK-300



MK-300	
Torch lengths	661 mm (standard, 90° head)
Weight	1.55 kg
Cutting capacity	Max. 300 mm
Torch head angle	75° and 90°
Torch connection	G1/4RH, G3/8LH
Fuel gas type	Any medium pressure fuel gas

Types	Torch angle	Stock #
MK-300-75D	75°	80507
MK-300-90D	90°	80508

Hand torches

MK-36



MK-36

Torch length	915mm
Weight	1.5 kg
Cutting capacity	Max. 200 mm
Torch head angle	75° and 90°
Torch connection	G3/8 RH-LH
Fuel gas type	Any medium pressure fuel gas

Types	Torch angle	Stock #
MK-36 75D	75°	DA212825
MK-36 90D	90°	-

Hand Torch Accessory

- Dual roller guide

Enables stable cutting. Equipped with two smooth rollers and a tip holder.

	Stock #
Dual roller guide	80515



- Circle bar with center pin

Attachment to dual roller guide, for circular cutting using any hand torch. Cutting diameter adjustable up to Ø 550 mm.

	Stock #
Circle bar with center pin	80516

