

Insert Bearing Units (contents)

Technical section

1 Structure and features	7
2 Unit number	10
3 Types	13
4 Selection of unit	30
5 Life of bearing	33
6 Bearing load	38
7 Allowable rotational speed	45
8 Operating temperature and bearing specifications	46
9 Strength of housing	47
10 Design of shaft and base	52
11 Tolerances and internal clearance	57
12 Materials	62
13 Performance	64
14 Handling	66

Supplementary table

1 Simplified chart of insert bearing unit combinations	258
2 Tightening torques of mounting bolts for housing and cast iron cover	260
3 Tightening torques of set screws for inner ring and eccentric locking collar	261
4 Tightening torques of adapter lock nuts (reference)	261
5 Machining dimensions of holes for housing dowel pins ...	262
6 Shaft tolerances (deviation from nominal dimensions) ...	264
7 Housing bore tolerances (deviation from nominal dimensions)	266
8 SI units and conversion factors	268
9 Inch/millimeter conversion	272
10 Mechanical properties of metal materials (reference)	273
11 Steel hardness conversion	274

Technical section

Technical
section

Pillow block type



Square-flanged type



Rhombic-flanged type



Round-flanged type with spigot joint



Pressed steel housing type



Take-up type



Cartridge type



Hanger type



Rubber clamping ring/ anti vibration ring



Insert bearings for units



Parts and accessories

Parts and
accessories

Example of application

Example of
application

Supplementary table

Supple-
mentary
table

Insert Bearing Units**Contents****Technical section****1 Structure and features**

1.1 Structure	7
1.2 Features	8

2 Unit number 10**3 Types**

3.1 Type list	13
3.2 Types and features	15
3.3 Unit for special use	28

4 Selection of unit

4.1 Outline of selection	30
4.2 Selection of type and specifications	31
4.3 Selection from a maintenance standpoint	32

5 Life of bearing

5.1 Basic rating life and basic rating load	33
5.2 Calculation of rating life	33
5.3 Grease life	37

6 Bearing load

6.1 Loads applied to bearing	38
6.2 Distribution of load to bearing	40
6.3 Dynamic equivalent load	40
6.4 Basic static load rating and static equivalent load	41
6.5 Example of applied calculation	42

7 Allowable rotational speed

7.1 Allowable rotational speed	45
7.2 Correction of allowable rotational speed by fitting	46

8 Operating temperature and bearing specifications

8.1 Operating temperature range	46
---------------------------------------	----

8.2 Operating temperature and internal clearance of bearing	46
---	----

9 Strength of housing

9.1 Strength of cast iron housing	47
9.2 Strength of steel housing	51
9.3 Strength of stainless steel housing	51
9.4 Strength of "compact" series housing	51

10 Design of shaft and base

10.1 Design of shaft	52
10.2 Design of base	55
10.3 Machining dimensions of holes for housing dowel pins	56

11 Tolerances and internal clearance

11.1 Tolerances of bearing	57
11.2 Tolerances of housing	59
11.3 Bearing internal clearance	61

12 Materials

12.1 Materials of bearing	62
12.2 Materials of housing	62
12.3 Materials of parts and accessories	63

13 Performance

13.1 Friction torque of bearing	64
13.2 Increase in temperature of bearing	64
13.3 Dustproof and waterproof performance ...	65

14 Handling

14.1 Installation	66
14.2 Test run inspection	69
14.3 Periodic inspection	70
14.4 Supply of grease	70
14.5 Replacing bearing	73

Unit specification table

15 Specification tables of insert bearing units	75
1 Pillow block type	
Pillow block type	78
Thick section pillow block type	94
Tapped-base pillow block type	98
Higher centerheight pillow block type	100
Light duty pillow block type	102
“Compact” series pillow block type	104
Stainless-series pillow block type	106
2 Square-flanged type	
Square-flanged type	112
Square-flanged type with spigot joint	130
Stainless-series square-flanged type	134
3 Rhombic-flanged type	
Rhombic-flanged type	136
Adjustable rhombic-flanged type	152
Three-bolt flange type	154
Light duty rhombic-flanged type	156
“Compact” series rhombic-flanged type	158
Stainless-series rhombic-flanged type	160
4 Round-flanged type with spigot joint	
Round-flanged type	164
Stainless-series round-flanged type	174
5 Pressed steel housing type	
Pressed steel pillow block type	176
Pressed steel round-flanged type	178
Pressed steel rhombic-flanged type	180
Pressed steel triangle-flanged type	182
6 Take-up type	
Take-up type	184
Stainless-series take-up type	198
Section steel frame take-up type	200
Channel steel frame take-up type	202
Pressed steel frame take-up type	208
7 Other units	
Cartridge type	212
Hanger type	218
Rubber clamping ring type (Anti vibration ring type)	220
8 Insert bearings for units	
222	
9 Adapter assemblies	
242	

Parts and accessories

16 Parts and accessories	
16.1 Part No. of pressed steel covers	246
16.2 Part No. of cast iron covers	247
16.3 Part No. of stainless covers	248
16.4 Part No. of rubber coated covers	248
16.5 Nominal number and dimensions of grease nipples and reducing socket	249
16.6 Nominal number and dimensions of Allen key wrench	249
17 Example of application	250
18 Supplementary table (contents)	257
1 Simplified chart of insert bearing unit combinations	258
2 Tightening torques of mounting bolts for housing and cast iron cover	260
3 Tightening torques of set screws for inner ring and eccentric locking collar	261
4 Tightening torques of adapter lock nuts (reference)	261
5 Machining dimensions of holes for housing dowel pins	262
6 Shaft tolerances (deviation from nominal dimensions)	264
7 Housing bore tolerances (deviation from nominal dimensions)	266
8 SI units and conversion factors	268
9 Inch/millimeter conversion	272
10 Mechanical properties of metal materials (reference)	273
11 Steel hardness conversion	274

15 Specification tables of insert bearing units

15 Specification tables of insert bearing units

1 Pillow block type

Pillow block type

UCP (d 12 ~ 140)	78
NAP (d 12 ~ 75)	84
NAPK (d 12 ~ 75)	86
UKP (d ₁ 20 ~ 125)	88

Thick section pillow block type

UCIP (d 40 ~ 140)	94
UKIP (d ₁ 35 ~ 125)	96

Tapped-base pillow block type

UCPA (d 12 ~ 50)	98
------------------------	----

Higher centerheight pillow block type

UCPH (d 12 ~ 50)	100
------------------------	-----

Light duty pillow block type

BLP (d 12 ~ 40)	102
ALP (d 12 ~ 40)	102

“Compact” series pillow block type

UP (d 10 ~ 30)	104
----------------------	-----

Stainless-series pillow block type

UCSP-S6 (d 12 ~ 65)	106
UCSPA-S6 (d 12 ~ 50)	108
USP-S6 (d 10 ~ 30)	110

2 Square-flanged type

Square-flanged type

UCF (d 12 ~ 140)	112
UCF-E (d 12 ~ 85)	118
NANF (d 12 ~ 60)	122
UKF (d ₁ 20 ~ 125)	124

Square-flanged type with spigot joint

UCFS (d 25 ~ 140)	130
UKFS (d ₁ 20 ~ 125)	132

Stainless-series square-flanged type

UCSF-S6 (d 20 ~ 65)	134
---------------------------	-----

3 Rhombic flanged type

Rhombic-flanged type

UCFL (d 12 ~ 120)	136
UCFL-E (d 12 ~ 85)	142
NANFL (d 12 ~ 55)	146
UKFL (d ₁ 20 ~ 110)	148

Adjustable rhombic-flanged type

UCFA (d 12 ~ 55)	152
------------------------	-----

Three-bolt flange type

UCFB (d 12 ~ 50)	154
------------------------	-----

Light duty rhombic-flanged type

BLF (d 12 ~ 35)	156
ALF (d 12 ~ 35)	156

“Compact” series rhombic-flanged type

UFL (d 8 ~ 30)	158
----------------------	-----

Stainless-series rhombic-flanged type

UCSFL-S6 (d 12 ~ 50)	160
USFL-S6 (d 10 ~ 30)	162

4 Round-flanged type with spigot joint

Round-flanged type with spigot joint

UCFC (d 12 ~ 100)	164
UCFCX-E (d 25 ~ 100)	168
UKFC (d ₁ 20 ~ 90)	170

Stainless-series round-flanged type with spigot joint

UCSFC-S6 (d 20 ~ 40)	174
----------------------------	-----

5 Pressed steel housing type

Pressed steel pillow block type

SBPP (d 12 ~ 30)	176
SAPP (d 12 ~ 30)	176

Pressed steel round-flanged type

SBPF (d 12 ~ 35)	178
SAPF (d 12 ~ 35)	178

Pressed steel rhombic-flanged type

SBPFL (d 12 ~ 35)	180
SAPFL (d 12 ~ 35)	180

Pressed steel triangle-flanged type

SBPFT (d 12 ~ 35)	182
-------------------------	-----

6 Take-up type

Take-up type

UCT (d 12 ~ 140)	184
UCT-E (d 12 ~ 85)	190
UKT (d ₁ 20 ~ 125)	194

Stainless-series take-up type

UCST-S6 (d 20 ~ 50)	198
---------------------------	-----

Section steel frame take-up type

UCTH (d 12 ~ 65)	200
------------------------	-----

Channel steel frame take-up type

UCTL (d 20 ~ 45)	202
UCTU (d 40 ~ 90)	204

Pressed steel frame take-up type

SBPTH (d 12 ~ 25)	208
SBNPTH (d 12 ~ 25)	210

7 Other units

Cartridge type

UCC (d 12 ~ 140)	212
UKC (d_1 20 ~ 125)	216

Hanger type

UCHA (d 12 ~ 75)	218
---------------------------	-----

Rubber clamping ring/ anti vibration ring type

RU-M series (d 20 ~ 30)	220
----------------------------------	-----

8 Insert bearings for units

Cylindrical bore (with set screws)

UC, SB, SU (d 8 ~ 140)	222
---------------------------------	-----

(Stainless-series)

Cylindrical bore (with set screws)

UC-S6, SU-S6 (d 10 ~ 65).....	228
----------------------------------	-----

Cylindrical bore

(with eccentric locking collar)

SA, SA-F, NA (d 12 ~ 75).....	230
----------------------------------	-----

Tapered bore (with adapter)

UK (d_1 20 ~ 125).....	234
---------------------------	-----

Cylindrical bore (with set screws)

Cylindrical outside surface

ER, RB (d 12 ~ 60)	240
-----------------------------	-----

9 Adapter assemblies

H2300X (d_1 20 ~ 125).....	242
-------------------------------	-----

Supplementary table (contents)

1	Simplified chart of insert bearing unit combinations	258
2	Tightening torques of mounting bolts for housing and cast iron cover.....	260
3	Tightening torques of set screws for inner ring and eccentric locking collar.....	261
4	Tightening torques of adapter lock nuts (reference)	261
5	Machining dimensions of holes for housing dowel pins	262
6	Shaft tolerances (deviation from nominal dimensions)	264
7	Housing bore tolerances (deviation from nominal dimensions)	266
8	SI units and conversion factors	268
9	Inch/millimeter conversion	272
10	Mechanical properties of metal materials (reference).....	273
11	Steel hardness conversion.....	274