


PIN TYPE MCB LOCKOUTS



This Lockout Safety Pin In/Out Miniature Circuit Breaker Lockout ensures ease of operation and is extremely effective – it features inwards/outwards facing pins and push-button for both ease of installation and de-installation.

PIN - IN

features inward facing pins and push-button for easy installation and de-installation

PIN-OUT

features outward facing pins and push-button for easy installation and de-installation

PIN-OUT-WIDE

features outward facing pins and is excellent for locking out wider Miniature Circuit Breakers

Features

- Safe and effective method of locking out Miniature Circuit Breakers
- Available with Pin In, Pin Out or Pin Out Wide
- All are operated by push-button, no tools required
- Single safety padlock hole with single padlock required to secure the device

The OSHA standard for The Control of Hazardous Energy (Lockout/Tagout): Title 29 (CFR) Part 1910.147

PRODUCT DESCRIPTION	PRODUCT CODE
PIN-IN TYPE MCB LOCKOUT	LM-PI-CBL
PIN-OUT TYPE MCB LOCKOUT	LM-PO-CBL
PIN-OUT-WIDE TYPE MCB LOCKOUT	LM-POW-CBL



Pin In



Pin Out



Pin Out Wide



Your Lockout / Tagout Expert

www.lotomaster.eu

MCB / FUSE LOCKOUT SET

These MCB lockouts, made from durable plastic, will lockout most of the miniature circuit breakers. The fuse lockout fits most of fuse holders. Lockout devices for molded case circuit breakers are also available. Also available in the set is the large circuit breaker lockout which is easy to use and install.



LM-MCL1




LM-FL



LM-MCL2



LM-LCL



LM-MCL3

The OSHA standard for The Control of Hazardous Energy (Lockout/Tagout): Title 29 (CFR) Part 1910.147

PRODUCT DESCRIPTION

PRODUCT CODE

MCB / FUSE LOCKOUT

LM-MCBFL



CIRCUIT BREAKER LOCKOUTS



Your Lockout / Tagout Expert

www.lotomaster.eu

TIE BAR LOCKOUT

The OSHA standard for The Control of Hazardous Energy (Lockout/Tagout): Title 29 (CFR) Part 1910.147



Miniature Breaker Lockouts require NO TOOLS to install! "Tie Bar" style lockouts use a convenient thumb wheel. Lockouts are available for single and multi-pole breakers. Recommended to lock with LOTOMASTER De-Electric padlock with shackle diameter up to 9/32". Lockouts are made of glass-filled nylon.

PRODUCT DESCRIPTION

PRODUCT CODE

Tie Bar Lockout

LM-TBLO



CIRCUIT BREAKER LOCKOUTS



Your Lockout / Tagout Expert

www.lotomaster.eu

CLAMP ON BREAKER LOCKOUTS

Clamp-on breaker lockouts are easy to install using thumbscrew design - no screwdrivers needed! Simply tighten lockout securely onto switch tongue, pull cover over thumbscrew and lock cover to prevent clamp from being loosened. Accepts lock shackles up to 9/32" in diameter. Made of rugged polypropylene and impact modified nylon. Cleats are included for use with breakers with long, sliding switch throws.


FOR SINGLE POLE MINIATURE CIRCUIT BREAKERS



LM-SP-CBL



FOR LARGE BREAKERS



LM-CO-CBL

The OSHA standard for The Control of Hazardous Energy (Lockout/Tagout): Title 29 (CFR) Part 1910.147

PRODUCT DESCRIPTION	PRODUCT CODE
Single Pole Circuit Breaker Lockout	LM-SP-CBL
Clamp on Circuit Breaker Lockout	LM-CO-CBL



Your Lockout / Tagout Expert

www.lotomaster.eu