06

PEDESTRIAN BARRIERS

New system specific for the protection of pedestrians and resistant to forklift movements with different load types.

Sistema di profili antiurto specifico per la protezione delle aree pedonali dai carrelli in movimento con diverse portate di carico.

Systèm bumper, spécifique pour protéger les zones piétonnes contre les mouvements des chariots.

Sistema específico de perfiles antichoque para la protección de zonas peatonales de carros en movimiento con diferentes capacidades de carga.



PEDESTRIAN 90

HAND RAIL	PED 90	PED 90 LINK	PED 90 GL REF
Light Load	Light Load	Heavy Load	Heavy Load
Height: 1100 mm	Height: 1100 mm	Height: 1100 mm	Height: 1100 mm
Standard Module: 250 - 1500 mm (250 Increments)	Standard Module: 250 - 1500 mm (250 Increments)	Standard Module: 500 - 2000 mm (250 Increments)	Standard Module: 750 - 2000 mm (250 Increments)
Corner: Available	Corner: Available	Fixing: Included	Fixing: Included
Fixing: Included	Fixing: Included	Colour:	Colour:
Colour:	Colour:		

LINK 120

LINK 120/1	LINK 120/2	LINK 120/3
Heavy Load	Heavy Load	Heavy Load
Height: 1100 mm	Height: 1100 mm	Height: 1100 mm
Standard Module: 500 - 2000 mm (250 Increments)	Standard Module: 500 - 2000 mm (250 Increments)	Standard Module: 500 - 2000 mm (250 Increments)
Fixing: Included	Fixing: Included	Fixing: Included
Colour:	Colour:	Colour:

PEDESTRIAN 150

PED 150

Heavy Load

Height	1100 mm
Standard Module	250 - 2000 mm (250 Increments)
Corner	Available
Fixing	Included
Colour	

PED 150 TL

Heavy Load

Height	1100 mm
Standard Module	750 - 2000 mm (250 Increments)
Corner	Available
Fixing	Included
Colour	

PED 150 G

NEW

Heavy Load

Height	1100 mm
Standard Module	750 - 2000 mm (250 Increments)
Corner	Available
Fixing	Included
Colour	

LINK 150

LINK 150/1



Heavy Load

Height	1100 mm
Standard Module	500 - 2000 mm (250 Increments)
Corner	External Available
Fixing	Included
Colour	

LINK 150/2



Heavy Load

Height	1100 mm
Standard Module	500 - 2000 mm (250 Increments)
Corner	External Available
Fixing	Included
Colour	

PEDESTRIAN 150 LINK

PED 150 LINK

Heavy Load

Height	1100, 1500, 2000, 2500, 3000 mm
Standard Module	500 - 2000 mm (250 Increments)
Corner	External Available
Fixing	Included
Colour	

CHOOSE THE HEIGHT YOU NEED!

Pedestrian Barriers

PIN

PED 150 PIN

Heavy Load

Height	1100 mm
Standard Module	500 - 2500 mm (250 Increments)
Fixing	Included
Colour	

PED 200 PIN

Heavy Load

Height	1100 mm
Standard Module	500 - 2000 mm (250 Increments)
Fixing	Included
Colour	

SHOCK ABSORBER PAD



INCLUDED



BFLEX MODULAR

SHOCK ABSORBER PAD

INCLUDED

BFLEX.FRONT/2
Modular

Heavy Load

Height	1100 mm
Standard Module	750 - 2000 mm (250 increments)
Fixing	Included
Colour	

BFLEX.COM/2
Modular

Heavy Load

Height	1100 mm
Standard Module	750 - 2000 mm (250 increments)
Corner	Available
Fixing	Included
Colour	