

CODE SYMBOLS

CODE	DESCRIPTION	PAGE
A		
AR	Roller thrust bearing	138
ARNB	Precision combined bearing with adjustable preload using roller thrust bearings	178
ARNBT	Combined bearing ARNB with screw locations	178
ARZ	Roller thrust bearing with retained plate	138
AX	Needle thrust bearing	138
AXNA	Precision combined bearing of small dimensions, with adjustable preload using needle thrust bearings	178
AXNAT	Combined bearing AXNA with screw locations	178
AXNB	Precision combined bearing with adjustable preload using needle thrust bearings	178
AXNBT	Combined bearing AXNB with screw locations	178
AXZ	Needle thrust bearing with retained plate	138
B		
...B6	Convex outer diameter for RNA 11000 series	117
BIC	Cylindrical inner ring with lubrication hole for full complement needle bearings RNA series	206
	Cylindrical inner ring with lubrication hole for RNAB series	135
BICG	Wide cylindrical inner ring with lubrication holes for full complement needle bearings RNA series 2000 and 3000	206
BK	Caged needle bush, closed-end	54
BK...RS	Caged needle bush, closed-end with one seal	54
BR	Needle roller with round ends	196
BP	Needle roller with flat ends	196
C		
...C2, C3, C4, C5	Radial play different from standard play for complete bearings with thick inner and outer ring	221
CP	Plate for needle thrust bearing, roller thrust bearing (light series) and combined bearing	138
CPN	Plate for combined bearing machine-tool quality	138
CPR	Plate for roller thrust bearing AR (heavy series)	138
D		
DH	Sealing rings	190
DL	Full complement needle bush, open	54
DLF	Full complement needle bush, closed-end	54
E		
...EE	Seal incorporated on two sides	117
...EEM	Metal seals incorporated on two sides	117
F		
FC	Drawn cup needle roller clutch, regular series, multi-roller per stainless steel spring	79
FCB	Drawn cup needle roller clutch and bearing assembly, regular series, multi-roller per stainless steel spring	79
FCL-K	Drawn cup needle roller clutch, light series, single roller per stainless steel spring	79
FCBL-K	Drawn cup needle roller clutch and bearing assembly , light series, single roller per stainless steel spring	79
FCS	Drawn cup needle roller clutch, light series, single roller per stainless steel spring	79
FC-K	Drawn cup needle roller clutch, light series, single roller per stainless steel spring	79
FCBN-K	Drawn cup needle roller clutch and bearing assembly, light series, multi-roller per stainless steel spring	79



CODE	DESCRIPTION	PAGE
F		
FG	Needle cam follower with convex outer ring	117
FGL	Needle cam follower FG with cylindrical outer ring	117
FG...EE	Needle cam follower with convex outer ring with two seals	117
FGL...EE	Needle cam follower FG with cylindrical outer ring with two seals	117
FG...EEM	Needle cam follower with convex outer ring with two metallic shields	117
FGL...EEM	Needle cam follower FG with cylindrical outer ring with two metallic shields	117
FGU	Full complement roller cam follower with convex outer ring	117
FGU...MM	Full complement roller cam follower with convex outer ring and metallic shields	117
FGUL	Full complement roller cam follower with cylindrical outer ring	117
FGUL...MM	Full complement roller cam follower with cylindrical outer ring and metallic shields	117
FP	Small needle cam follower with convex outer ring	117
FPL	Small needle cam follower with cylindrical outer ring	117
G		
GC	Needle cam follower with stud, convex outer ring	117
GC...EE	Needle cam follower with stud, convex outer ring with two seals	117
GCL	Needle cam follower with stud, cylindrical outer ring	117
GCL...EE	Needle cam follower with stud, cylindrical outer ring with two seals	117
GC...EEM	Needle cam follower with stud, convex outer ring with two metallic shields	117
GCL...EEM	Needle cam follower with stud, cylindrical outer ring with two metallic shields	117
GCR	Needle cam follower with eccentric stud, convex outer ring	117
GCR...EE	Needle cam follower GC...EE with eccentric stud	117
GCRL	Needle cam follower with eccentric stud and cylindrical outer ring	117
GCRL...EE	Needle cam follower GCL...EE with eccentric stud	117
GCR...EEM	Needle cam follower GC...EEM with eccentric stud	117
GCRL...EEM	Needle cam follower GCL...EEM with eccentric stud	117
GPU	Roller cam follower with stud, convex outer ring	117
GCUL	Roller cam follower with cylindrical outer ring	117
GCUR	Roller cam follower with eccentric stud, convex outer ring	117
GCURL	Roller cam follower with eccentric stud, cylindrical outer ring	117
H		
HK	Caged needle bush, open, according to ISO tolerances	54
HK...RS	Caged needle bush, open, with one seal	54
HK...2RS	Caged needle bush, open, with two seals	54
I		
IM	Inner rings 19000 and 20600 series for machine-tool quality precision combined bearings	206
J		
JR	Inner ring for bushes and bearings without lubrication hole	206
JR...JS1	Inner ring for bushes and bearings with lubrication hole	206
JRZ...JS1	Inner ring for bushes and bearings with lubrication hole, without chamfer on the raceway	206
N		
NA	Full complement needle bearings with inner ring	104
NK	Caged needle bearings without inner ring	92
NKS	Caged needle bearings without inner ring	92



CODE	DESCRIPTION	PAGE
NKJ	Caged needle bearing with inner ring	92
NKJS	Caged needle bearing with inner ring	92
NUKR...2SK	Full complement roller cam follower , with shields, profiled outer ring	117
NUKRE...2SK	Full complement roller cam follower , with shields, profiled outer ring, with eccentric stud	117
NUTR	Full complement roller wheels with convex outer ring	117
NUTR...DZ	Full complement roller wheels with cylindrical outer ring	117
P		
...P6, P5, P4	Precision tolerance codes for thick inner and outer ring	219
K		
K	Needle cage with single-row	38
K...ZW	Needle cage with double-row	38
K...TN	Molded cage of reinforced engineered polymer, with single-row	38
R		
...R6	Convex inner ring raceway	104
RAX 400	Needle combined bearing with needle thrust cage	156
RAX 500	Needle combined bearing with roller thrust cage	156
RAX 700	Needle combined bearing with thin outer ring, open	156
RAXF 700	Needle combined bearing with thin outer ring, closed-end	156
RAXN 400, 500	Needle combined bearing, machine-tool quality	156
RAXNPZ 400, RAXNZ 500	Needle combined bearing RAXN 400 RAXN 500 with retained thrust plate	156
RAXPZ 400	Needle combined bearing RAX 400 with retained thrust plate	156
RAXZ 500	Needle combined bearing RAX 500 with retained thrust plate	156
RNA	Full complement needle bearing without inner ring	104
RNAB	Cam follower 11000 series, convex outer diameter greater than B6	117
RNA...B6	Cam follower 11.000 series, convex outer diameter	117
RNAL	Cam follower 11.000 series, cylindrical outer diameter	117
...RS	Seals for needle bushes HK and BK	54
T		
...TB	Radial play or diameter under needles selected from lower half of standard tolerance	104
...TC	Radial play or diameter under needles selected from upper half of standard tolerance	104
...TN	Molded cage of reinforced engineered polymer	38



Notes

Notes

■ Nadella S.r.l.

Via Melette, 16
20128 Milano
Tel. +39 02.27.093.297
Fax +39 02.25.51.768
customer.service@nadella.it
www.nadella.it

■ Nadella GmbH

Rudolf-Diesel-Straße 28
71154 Nufringen
Tel. +49 (0)70 32 95 40-0
Fax +49 (0)70 32 95 40-25
info@nadella.de
www.nadella.de

■ Nadella Inc.

4884 Hawkins Road
Jackson, MI 49201 - USA
Toll Free +1 866 828 0611
Fax +1 (517) 764 0806
info@nadella.com
www.nadella.com

■ Nadella Office Shanghai

728 German Centre, 88 Keyuan Road
Pudong Shanghai 201203
Tel. +86 21 2898 6196
Tel. +86 21 2898 6199
info@nadella.cn.com
www.nadella.cn.com

NADELLA WORLDWIDE ORGANISATION

Europe:

- Austria
- Czech Republic
- Denmark
- Finland
- France
- Germany
- Hungary
- Italy
- Netherlands
- Norway
- Poland
- Romania
- Slovakia
- Slovenia
- Spain
- Sweden
- Switzerland
- Turkey
- United Kingdom



- Head office
- Branches and distributors