


Workshop Accessories

A range of products no workshop should be without. From the complete range of FRL air treatment, to a variety of blowguns. Includes a range of HVLP compliant spray guns, suitable for most light and medium viscosity spray applications.





Air Tools

Air Tool
Accessories

Nitrogen Inflation
Equipment

Tyre Inflation
Equipment

Tyre Care

Workshop
Accessories



Plastic Blowgun

FEATURES

Ergonomically designed handle, for comfort in use
Supplied in blister pack

| PART NUMBER | MAXIMUM SUPPLY PRESSURE | AIR INLET | AIR FLOW |
|-------------|-------------------------|-----------|---------------------|
| BG5002 | 10 bar / 140 psi | Rp 1/4 | 270 l/min / 9.3 cfm |



Plastic Blowgun (9" extension)

FEATURES

Ergonomically designed handle, for comfort in use
Supplied in blister pack
Valve allows trigger-adjustable airflow
Nozzle can be cut and bent to suit application

| PART NUMBER | MAXIMUM SUPPLY PRESSURE | AIR INLET | AIR FLOW |
|-------------|-------------------------|-----------|---------------------|
| BG5007 | 10 bar / 140 psi | Rp 1/4 | 270 l/min / 9.3 cfm |



Standard Safety Nozzle Blowgun

FEATURES

Ergonomically designed handle, for comfort in use
Innovative nozzle design ensures that the airflow cannot be blocked
Valve allows trigger-adjustable airflow

| PART NUMBER | MAXIMUM SUPPLY PRESSURE | AIR INLET | AIR FLOW @ 8 bar |
|-------------|-------------------------|-----------|---------------------|
| BG5004 | 10 bar / 140 psi | Rp 1/4 | 9.3 cfm / 270 l/min |



Safety Aircurtain Blowgun

Safety Aircurtain Blowgun with low noise level meets OSHA standard.

FEATURES

Ergonomically designed handle, for comfort in use
Safety Aircurtain provides a curtain of air
Valve allows trigger-adjustable airflow
Safety Aircurtain Nozzle Style

| PART NUMBER | MAXIMUM SUPPLY PRESSURE | AIR INLET | AIR FLOW @ 8 bar | SOUND @ 8 BAR |
|-------------|-------------------------|-----------|----------------------|---------------|
| BG5005 | 10 bar / 140 psi | Rp 1/4 | 20.5 cfm / 580 l/min | < 78.0 dB |



Air Tools

Air Tool Accessories

Nitrogen Inflation Equipment

Tyre Inflation Equipment

Tyre Care

Workshop Accessories

Hose

Hose Fittings

Couplings & Adaptors

Low Noise Safety Blowgun



Low Noise Safety blowgun meets OSHA standard.

FEATURES

| | |
|---|--|
| Ergonomically designed handle, for comfort in use | Guaranteed long service life |
| Valve allows trigger-adjustable airflow | Robust and impact resistant material |
| Innovative nozzle design ensures that the airflow cannot be blocked | Guaranteed leak-free valve system, even after millions of operations |

| PART NUMBER | MAXIMUM SUPPLY PRESSURE | AIR INLET | AIR FLOW @ 8 bar | NOISE @ 8 bar |
|-------------|-------------------------|-----------|---------------------|---------------|
| BG5006 | 16 bar / 232 psi | Rp 1/4 | 9.8 cfm / 280 l/min | <78.0 dB |

TURBO Nozzle Safety Blowgun



TURBO Nozzle Safety Blowgun increases air flow by 100%.

FEATURES

| | |
|---|--|
| Ergonomically designed handle, for comfort in use | Guaranteed long service life |
| Valve allows trigger-adjustable airflow | Robust and impact resistant material |
| Innovative nozzle design ensures that the airflow cannot be blocked | Guaranteed leak-free valve system, even after millions of operations |

| PART NUMBER | MAXIMUM SUPPLY PRESSURE | AIR INLET | AIR FLOW @ 8 bar | NOISE @ 8 bar |
|-------------|-------------------------|-----------|----------------------|---------------|
| BG5008 | 16 bar / 232 psi | Rp 1/4 | 13.4 cfm / 380 l/min | <90.0 dB |

2 Bar Auto Safety Blowgun



2 bar automatic pressure reduction, low noise level (meets OSHA standard). Conforms to HSE requirements. Air inlet automatically reduced to 2 bar.

FEATURES

| | |
|---|--|
| Ergonomically designed handle, for comfort in use | Guaranteed long service life |
| Valve allows trigger-adjustable airflow | Robust and impact resistant material |
| Innovative nozzle design ensures that the airflow cannot be blocked | Guaranteed leak-free valve system, even after millions of operations |

| PART NUMBER | MAXIMUM SUPPLY PRESSURE | AIR INLET | AIR FLOW @ 8 bar | NOISE @ 8 bar |
|-------------|-------------------------|-----------|---------------------|---------------|
| BG5009 | 16 bar / 232 psi | Rp 1/4 | 4.9 cfm / 140 l/min | <82.0 dB |

Pistol Grip Blowgun



This Pistol Grip Blowgun is manufactured from high quality die-cast alloy, giving the tool a long trouble-free life.

FEATURES

| | |
|---|-------------------------------|
| Robust and compact design | Supplied in blister pack |
| Extensive, easy to fit with additional nozzle range | Conical & Safety nozzle style |

| PART NUMBER | MAXIMUM SUPPLY PRESSURE | AIR INLET | AIR FLOW |
|-------------|-------------------------|-----------|----------------------|
| BG405 | 10 bar / 140 psi | Rp 1/4 | 11.2 cfm / 320 l/min |

Air Tools

Air Tool Accessories

Nitrogen Inflation Equipment

Tyre Inflation Equipment

Tyre Care

Workshop Accessories

Hose

Hose Fittings

Couplings & Adaptors

Palm Blowguns

Manufactured from high quality die-cast alloy, giving the tool a long trouble free life.

FEATURES

| | |
|---|--------------------------|
| Robust and compact design | Supplied in blister pack |
| Extensive, easy to fit with additional nozzle range | |

| PART NUMBER | MAXIMUM SUPPLY PRESSURE | AIR FLOW | NOZZLE STYLE |
|-------------|-------------------------|----------------------|------------------|
| BG105 | 14 bar / 200 psi | 14.8 l/min / 5.3 cfm | Conical |
| BG106 | 14 bar / 200 psi | 14.8 l/min / 5.3 cfm | Safety |
| BG605 | 10 bar / 140 psi | 240 l/min / 8.9 cfm | Conical & Safety |



Blowgun Nozzles

A comprehensive range of threaded (1/8 in inlet), easy to fit, interchangeable nozzles to cater for all blowgun applications.

| PART NUMBER | NOZZLE TYPE |
|-------------|--------------|
| BGN4088 | Conical |
| BGN461 | Safety |
| BGN466 | 9" Extension |



AirVac

The PCL AirVac is an ideal addition to any toolbox. Includes vacuum and blow functions, complete with numerous attachments to keep your workspace clean and free of debris.

FEATURES

| | |
|--------------------------------|---|
| Dust bag and extension tube | 1 extension nozzle |
| 3 different nozzle attachments | Body and canister material: Aluminium and plastic |

| PART NUMBER | AIR CONSUMPTION (cfm) |
|-------------|-----------------------|
| AV301 | 3.6 cfm / 100 l/min |



Air Tools

Air Tool Accessories

Nitrogen Inflation Equipment

Tyre Inflation Equipment

Tyre Care

Workshop Accessories

Hose

Hose Fittings

Couplings & Adaptors

HVLP Suction Spray Gun



PCL's HVLP Suction Spray Gun utilises a precision engineered brass air cap, stainless steel fluid nozzle and needle - providing a premium quality paint finish. This newly developed "compliant" spray gun offers high transfer efficiency, lower material consumption and is environmentally friendly.

FEATURES

Suitable for water based paints
1.7 mm fluid nozzle

1 litre aluminium cup

| PART NUMBER | AIR CONSUMPTION | MAXIMUM WORKING PRESSURE |
|-------------|-------------------|--------------------------|
| SG01P | 6 cfm / 170 l/min | 50 psi / 3.4 bar |

HVLP Gravity Spray Gun



PCL's HVLP Gravity Spray Gun utilises a precision engineered brass air cap, stainless steel fluid nozzle and needle - providing a premium quality paint finish. This newly developed "compliant" spray gun offers high transfer efficiency, lower material consumption and is environmentally friendly.

FEATURES

Suitable for water based paints
1.4 mm fluid nozzle

0.6 litre plastic cup

| PART NUMBER | AIR CONSUMPTION | MAXIMUM WORKING PRESSURE |
|-------------|---------------------|--------------------------|
| SG02P | 5.5 cfm / 156 l/min | 50 psi / 3.4 bar |

'Economy' Suction Spray Gun



This new suction spray gun has been added to PCL's economy range of products that are designed for those looking for a fit for purpose product that doesn't cost the earth. Material is lightweight aluminium and the product is supplied with a 1.5 mm nozzle as standard. Suitable for light viscosity painting applications.

FEATURES

Tank capacity: 0.75 litre
Nozzle size: 1.5 mm

Pattern width: 140-180 mm

Body and canister material: Aluminium

| PART NUMBER | AIR CONSUMPTION | OPERATING PRESSURE |
|-------------|-----------------------------|---------------------|
| SG01L | 4.2-7.1 cfm / 120-201 l/min | 3-4 bar / 43-58 psi |

'Economy' Gravity Spray Gun



This new gravity spray gun has been added to PCL's economy range of products that are designed for those looking for a fit for purpose product that doesn't cost the earth. Material is lightweight aluminium and the product is supplied with a 1.5 mm nozzle as standard. Suitable for light viscosity painting applications.

FEATURES

Tank capacity: 0.61 litre
Nozzle size: 1.5 mm

Pattern width: 120-250 mm

Body and canister material: Aluminium and plastic

| PART NUMBER | AIR CONSUMPTION | OPERATING PRESSURE |
|-------------|-----------------------------|---------------------|
| SG02L | 4.2-7.1 cfm / 120-201 l/min | 3-4 bar / 43-58 psi |

Air Tools

Air Tool Accessories

Nitrogen Inflation Equipment

Tyre Inflation Equipment

Tyre Care

Workshop Accessories

Hose

Hose Fittings

Couplings & Adaptors

Brake Bleeders

PCL Brake bleeders are used for bleeding and refilling the brake systems of all types of vehicles, quickly and cleanly by a single person. Available with a replenishment system.

FEATURES

| | |
|---------------------------------|---|
| Simple, single person operation | Does not require specialised brake reservoir caps |
| Quick, clean and efficient | Draws fluid from the bleed nipple enabling either bleeding or full replacement of fluid in system |

| PART NUMBER | SUPPLIED WITH | MAXIMUM WORKING PRESSURE | AIR CONSUMPTION @ 8 bar | AIR INLET |
|-------------|----------------------|--------------------------|-------------------------|-----------|
| BB143102 | | 6-12 bar / 87-174 psi | 6.4 cfm / 180 l/min | Rp 1/4 |
| BB143112 | Replenishment system | 6-12 bar / 87-174 psi | 6.4 cfm / 180 l/min | Rp 1/4 |



Body Gun with Extension Probe

PCL Body Guns are suitable for both water-based and oil-based fluids and are designed to be user-friendly and easy to operate. The fluid flow is adjustable and easily regulated with the trigger. The ergonomic handle never cools during use.

FEATURES

| | |
|--------------------------------------|--|
| User friendly design | Guaranteed long service life |
| Robust and impact resistant material | Guaranteed leak-free valve system, even after millions of operations |

| PART NUMBER | MAXIMUM WORKING PRESSURE | AIR CONSUMPTION @ 8 bar WITH NOZZLE | AIR CONSUMPTION @ 8 bar WITH HOSE | AIR INLET |
|-------------|--------------------------|-------------------------------------|-----------------------------------|-----------|
| BDY146105 | 16 bar / 232 psi | 13.4 cfm / 380 l/min | 6.4 cfm / 150 l/min | Rp 1/4 |

Also available: **BDY146110** - 900 mm Extension Probe



Cleaning (Paraffin) Gun

Powerful, efficient cleaning guns suitable for most kinds of cleaning agents and so are ideal for degreasing, cleaning and detergent coating purposes, even where aggressive chemicals are used.

FEATURES

| | |
|--------------------------------------|--|
| User friendly design | Guaranteed long service life |
| Robust and impact resistant material | Guaranteed leak-free valve system, even after millions of operations |

| PART NUMBER | NOZZLE LENGTH | CONTAINER | MAXIMUM WORKING PRESSURE | AIR CONSUMPTION @ 8 bar WITH HOSE | AIR INLET |
|-------------|---------------|-----------|--------------------------|-----------------------------------|-----------|
| PSG142130 | 150 mm | 1.2 litre | 12 bar / 174 psi | 3.5 cfm / 100 l/min | Rp 1/4 |



Sandblasting Gun

Efficiently remove rust and ingrained dirt from various surfaces, are lightweight and easily operated with practical refillable 1.2 litre containers.

FEATURES

| | |
|--------------------------------------|--|
| User friendly design | Guaranteed long service life |
| Robust and impact resistant material | Guaranteed leak-free valve system, even after millions of operations |

| PART NUMBER | MAXIMUM WORKING PRESSURE | AIR CONSUMPTION @ 8 bar WITH NOZZLE | AIR INLET |
|-------------|--------------------------|-------------------------------------|-----------|
| SBG145100 | 12 bar / 174 psi | 15.9 cfm / 450 l/min | Rp 1/4 |



Air Tools

Air Tool Accessories

Nitrogen Inflation Equipment

Tyre Inflation Equipment

Tyre Care

Workshop Accessories

Hose

Hose Fittings

Couplings & Adaptors

Oil Extractor

Air Tools



Suitable for removing various types of oils, i.e. hydraulic, cutting and engine oils. Reliable and easily operated and are ideal for changing oil on tractors, cars, boats, motorcycles, garden machinery and other types of engines.

FEATURES

| | |
|---------------------------------|---|
| Simple, single person operation | Oil flow is infinitely adjustable and easily regulated by the trigger |
| Quick, clean and efficient | Ideal for changing oil on tractors / cars / boats |

| PART NUMBER | MAXIMUM WORKING PRESSURE | AIR CONSUMPTION @ 8 bar WITH NOZZLE | AIR INLET |
|-------------|--------------------------|-------------------------------------|-----------|
| OE147160 | 12 bar / 174 psi | 6.4 cfm / 180 l/min | Rp 1/4 |

Underseal Gun

Air Tool Accessories



PCL Underseal Guns are suitable for the treatment and maintenance of cars and other vehicles that are subject to corrosion and stone chipping. Suitable for both water-based and oil-based fluids.

FEATURES

| | |
|---|--|
| User friendly design | Guaranteed long service life |
| Robust and impact resistant material | Guaranteed leak-free valve system, even after millions of operations |
| Suitable for most disposable 1 litre containers | Designed to fit disposable / fillable containers |

| PART NUMBER | MAXIMUM WORKING PRESSURE | AIR CONSUMPTION @ 8 bar WITH NOZZLE | AIR INLET |
|-------------|--------------------------|-------------------------------------|-----------|
| BDY146134 | 16 bar / 232 psi | 13.4 cfm / 380 l/min | Rp 1/4 |

Rad Filler/Water Dispenser

Nitrogen Inflation Equipment



Designed to dispense water in such applications as a radiator or windscreen water bottle filler. The sturdy design incorporates a lever for instant flow and cut-off.

| PART NUMBER | MAXIMUM WORKING PRESSURE | INLET |
|-------------|--------------------------|--------|
| RF104 | 30 bar / 435 psi | Rp 3/8 |

Air & Water Gun

Tyre Inflation Equipment



This functional Air & Water Gun maximises the cleaning capabilities of combined air and water power. It is ideal for washing off, cleaning, degreasing fluids and compounds from vehicles or machines, and can be fitted wherever there is a supply of air and water. This Air & Water Gun features a strong jet which quickly removes dirt and grease without damaging surfaces.

FEATURES

| | |
|---|---|
| Alloy body construction for strength | Water atomised by air pressure |
| Maximum working pressure: 6-10 bar / 87-140 psi | Strong jet quickly removes dirt and grease without damaging the surface |
| Ergonomically designed handle and trigger provides comfort in use | |

| PART NUMBER | AIR INLET | AIR CONSUMPTION | WATER CONNECTION | WATER CONSUMPTION (l/min) |
|-------------|-----------|----------------------|---------------------------|---------------------------|
| AWG03 | Rp 1/4 | 13.4 cfm / 380 l/min | Nipple for water coupling | 4-8 |

Tyre Care

Workshop Accessories

Hose

Hose Fittings

Couplings & Adaptors