**Other Products** 

#### **CHAIN UP INSTANTLY!**

# INSTA --- CHAIN

INSTANT TRACTION AT YOUR COMMAND™



















- Perfect for Ambulances, Fire Trucks, School Buses, Big Rig, Propane, Fuel, Oil, and Hazmat Vehicles. ½ Ton through Class 8 Trucks
- Hardened pewag square link chain provides maximum biting edge contact with the road for superior traction and long life
- Equal Traction in Forward or Reverse Non-Directional square chain links provide equal traction forward and in reverse
- Individually Replaceable Chain Strands means lower cost maintenance because you only replace what's needed, not the whole wheel of chain
- Available in 6 or 12 strand models with steel or anti-spark chain
- Grease-able chain wheels, arm pivots, and ball joints for long service life
- Accepted by ALL state D.O.T.'s to meet chain requirements





**CALL US TODAY FOR** MORE INFORMATION: (800)445-2895





**Other Products** 

#### pewag genuine tote bags

### Great companion for everyday use.



- Quality tote made from tough durable material
- · Reinforced handles for easy carrying
- Full zipper so your parts stay in the tote
- Hundreds of uses over the road, or in the shop
- Available in four convenient sizes
- Displays our logo and "genuine pewag parts"
- See-thru plastic window for stock card or label

#### Tote sizing

Stock No.	Description	Dimensions
6082TB	Mini - Up to 20 lbs	5" x 7" x 7"
6084TB	Small - Up to 40 lbs	10" x 10" x 6"
6086TB	Medium - Up to 55 lbs	10" x 10" x 8"
6088TB	Large - Up to 65 lbs	10" x 10" x 13"









## pewag snox

# s(nox)olution! pewag snox pro and snox suv are the only snow chains that are not mounted, but snoxed!

No rings, no hooks, no re-tensioning - snow chain mounting has never been so easy. How is that possible? The solution lies in the unique technology which is placed in the pewag snox-box. At a certain speed, the pewag snox-system locks the ring - and ideal tensioning of the chain is regulated automatically. When the vehicle stops, the ring is released again and you can simply pull the chain off the tire. For an even quicker removal of the chain, the latest generation of the pewag snox is additionally equipped with the patented quick-release latch system. Ideal for drivers who want to be prepared for all wintery conditions. Always on board, always prepared.









**SUV Mounting Video** 





**New Items** 



### pewag forstgrip

TITANGrip®



#### Competitive edge. New arrangement of grip links

By asymmetrically arranging the studs in the chain mesh, pewag developed the new generation of forestry chains. The innovative stud arrangement increases grip and stability, therefore the chain is particularly well-suited for heavy-duty forestry use on difficult grounds.

#### Product description

pewag forstgrip's chain mesh design provides perfect self-cleaning capabilities. All connections in the chain mesh consist of long lasting welded rings, which allow adaption to the wear of the tire with adjustment elements. pewag forstgrip is available as one or two-field models depending on the tire width. pewag forstgrip is available with or without a tensioning chain in the following diameters:

- •12.5 mm (ring 15 mm): For all forestry machines and grounds.
- •15.5 mm (ring 17 mm): Wide-meshed chain, due to ideal self-cleaning abilities. Suitable for larger machines and soft grounds.





One-field chain





Mounting Video



Two-field edition without tensioning chain

## pewag forstgrip PRO

TITANGrip<sup>®</sup>

### Competitive edge. Simply strong


pewag forstgrip pro is the professional chain of the new forestry chain generation, suitable for extreme use due to asymmetrical arranged studs and forged links.

#### **Product description**

pewag forstgrip pro is the reinforced version of the pewag forstgrip. The innovative square links with asymmetrical welded studs provide stability and resistant to twisting. The asymmetrical forged links provides an optimal entry angle of the link hitting the ground, preserving the soil and increasing grip, pewag forstgrip is available as two, three or four-field models depending on the tire width. pewag forstgrip is available with or without a tensioning chain in the following diameters:

- •10.5 mm (ring 12 mm): For smaller forestry machines and hard grounds.
- •12.5 mm (ring 15 mm): For all forestry machines and hard or frozen grounds.
- •15.5 mm (ring 17 mm): Strong and open-meshed design for soft grounds.







Mounting Video



Two-field edition without tensioning chain







# TIRE CHAINS SOLD HERE

800.445.2895

pewagchain.com





pewagchain.com facebook.com/pewagUSA sales@pewagchain.com





3825 Cincinnati Avenue, Suite D Rocklin, CA 95765 Toll Free: (800) 445-2895 Fax: (916) 408-0575



**USA Manufacturing** 

- \* Pueblo, CO
- **Main Warehouses**
- \* Rocklin, CA
- \* Bolingbrook, IL

#### Satellite Warehouses

- Denver, CO
- · Reno, NV
- Portland, ORCalgary, AB

600 West Crossroads Parkway Bolingbrook, IL 60440 Toll Free: (800) 526-3924 Fax: (630) 759-0788



Catalog No. 814 **Distributed By:** 





facebook.com/pewagUSA