





Pewag Grade 120 Load Binders

- High strength G120 construction for high working load limits.
- Forged steel eye bolt, steel barrel construction and cast handle assembly.
 - High load capacity trapezoidal thread form.
- Hooks and links are heat treated to grade 120 standards.
 - Double acting spring loaded pawls.
- Working load limit, chain size and batch code stamped on the handle with 1/4" tall raised letters.
- Meets NACM specification of 4:1 design safety factor on the working load limit.
- Meets or exceeds US FMCSA and CVSA regulations including CFR parts 392 and 393.



Part Number	WLL=Working Load Limit (LB)	Chain Size (inch)	Dimensions in inches				L= Reach length with hooks		R= Reach length without hooks		T= thread size	Weight ea w/l-hooks (lb)
			A	B	C	D	rmax	rmin	rmax	rmin		
RLB127	5,200 lbs	9/32"	9.3	10"	1.34"	0.787"	29.97"	23.47"	20.4	13.9"	22mm	9 lbs
RLB1210	10,600 lbs	3/8"	14	10"	1.46"	1.02"	32.78"	26.68"	20.31	14.21"	24mm	12 lbs
RLB1213	17,900 lbs	1/2"	14.13	16.93"	1.97"	1.22"	50.87"	38.86"	34.49	22.48"	30mm	15 lbs




Part Number	WLL=Working Load Limit (LB)	Chain Size (inch)	Chain Size (mm)	G=Hook Throat Opening	Weight Per
					20 ft (lb)
TD12720	5,200 lbs	9/32"	7mm	1.02"	20 lbs
TD121020	10,600 lbs	3/8"	10mm	1.22"	37 lbs
TD121320	17,900 lbs	1/2"	13mm	1.54"	65 lbs




Pewag Grade 100 Load Binders

- High strength G100 construction for high working load limits.
- Forged steel eye bolt, steel barrel construction and cast handle assembly.
 - High load capacity trapezoidal thread form.
- Hooks and links are heat treated to Grade 100 standards.
 - Double acting spring loaded pawls.
- Working load limit, chain size and batch code stamped on the handle with 1/4" tall raised letters.
- Meets NACM specification of 4:1 design safety factor on the working load limit.
- Meets or exceeds US FMCSA and CVSA regulations including CFR parts 392 and 393.



Part Number	WLL=Working Load Limit (LB)	Chain Size (inch)	Dimensions in inches				L= Reach length with hooks		R= Reach length without hooks		T= thread size	Weight ea w /Hooks (lb) approx
			A	B	C	D	max	min	max	min		
RLB108	5700 lbs	5/16"	9.3"	10"	1.34"	0.787"	30.8'	24.3'	20.4'	13.9'	22 mm	10 lbs
RLB1010	8800 lbs	3/8"	14"	10"	1.46"	1.02"	32.89'	26.79'	20.31'	14.21'	24mm	12 lbs
RLB1013	15000 lbs	1/2"	14.13"	16.93"	1.97"	1.22"	50.31'	38.3'	34.49'	22.48'	30mm	15 lbs



Part Number	WLL=Working Load Limit (LB)	Chain Size (inch)	Chain Size (mm)	G=Hook Throat Opening	Approx. Weight Per 20ft (lb)
TD10820	5,700 lbs	5/16"	8mm	1.02"	20 lbs
TD101020	8,800 lbs	3/8"	10mm	1.22"	37 lbs
TD101320	15,000 lbs	1/2"	13mm	1.54"	65 lbs



Glacier Transport Chain and Load Binders

Glacier Grade 70 Transport Chain
With Grab Hooks



Glacier Grade 70 Slip Hooks



Glacier Grade 70 Grab Hooks



- Yellow chromate finish.
- Grade 70 meets stringent D.O.T. Regulations.

NOT to be used for overhead lifting!

Pre-Assembled Grade 70 Chain with Grab Hooks

Stock No.	Trade Size	Length (by Feet)	Qty. per Drum	Drum Weight (lbs)	Working Load (lbs)
G7TC-516-16	5/16"	16 Feet	30 Pieces	540 lbs	4,700 lbs
	5/16"	20 Feet	25 Pieces	575 lbs	4,700 lbs
G7TC-516-25	5/16"	25 Feet	25 Pieces	745 lbs	4,700 lbs
G7TC-38-16	3/8"	16 Feet	25 Pieces	700 lbs	6,600 lbs
G7TC-38-20	3/8"	20 Feet	20 Pieces	620 lbs	6,600 lbs
	3/8"	25 Feet	20 Pieces	760 lbs	6,600 lbs
G7TC-12-20	1/2"	20 Feet	10 Pieces	560 lbs	11,300 lbs

Grade 70 Clevis Grab and Slip Hooks

Stock No.	Description	Trade Size	Use with Chain Size	Packaging	Weight (lbs)	Working Load (lbs)
G7CG-516-YC	Grab Hook	5/16"	5/16"	1 Pieces	.6 lbs	4,700 lbs
	Grab Hook	3/8"	3/8"	1 Pieces	1 lbs	6,600 lbs
G7CG-12-YC	Grab Hook	1/2"	1/2"	1 Pieces	2.4 lbs	11,300 lbs
	Slip Hook	5/16"	5/16"	1 Pieces	.9 lbs	4,700 lbs
G7CSL-38-YC	Slip Hook	3/8"	3/8"	1 Pieces	1.5 lbs	6,600 lbs
	Slip Hook	1/2"	1/2"	1 Pieces	2.8 lbs	11,300 lbs

Grade 70 Continuous, Bulk Drum Packaging

Stock No.	Trade Size	Link Diameter	Inside Pitch	Width	Feet Per Drum	Drum Weight	Working Load (lbs)
G7516-DYCASTIM	5/16"	0.343	1.00	0.48	550 Feet	640 lbs	4,700 lbs
	3/8"	0.394	1.26	0.57	400 Feet	596 lbs	6,600 lbs
G742-DYCASTIM	1/2"	0.51	1.70	0.75	200 Feet	476 lbs	11,300 lbs

Lever Load Binder



Ratchet Load Binder



- Powder coat finish.
- All forged parts.
- Full warranty.

NOT to be used for overhead lifting!

Stock Number	Binder Type	Use with Chain Sizes	Standard Packaging	Packaging Weight (lbs)	Working Load (lbs)
LLB-51638	Lever	5/16 - 3/8"	6 Pieces	52 lbs	5,400 lbs
LLB-3812	Lever	3/8 - 1/2"	6 Pieces	78 lbs	9,200 lbs
RLB-14	Ratchet	1/4"	10 Pieces	61 lbs	2,600 lbs
RLB-51638	Ratchet	5/16 - 3/8"	2 Pieces	55 lbs	5,400 lbs
RLB-3812	Ratchet	3/8 - 1/2"	2 Pieces	65 lbs	9,200 lbs