

**FRESADO**  
MILLING



Escuadrado Shoulder milling	Ref.	KS2100	KS3100	KS4100	H101	Medidas Dimensions (mm)							
						l	d	S	r	d1		l1	
	<b>ANHX 100405 PNR-LP</b>	✓	✓			10,00	6,60	6,20	0,50	-	0,85		
	<b>ANHX 100408 PNR-LP</b>	✓	✓			10,00	6,60	6,20	0,80	-	0,60		
	<b>ANHX 100412 PNR-LP</b>	✓	✓			10,00	6,60	6,20	1,20	-	0,30		
	<b>ANHX 100405 PNER-LM</b>	✓	✓	✓		10,00	6,60	6,20	0,50	-	0,85		
	<b>ANHX 100408 PNER-LM</b>	✓	✓	✓		10,00	6,60	6,20	0,80	-	0,60		
	<b>ANHX 100412 PNER-LM</b>	✓	✓	✓		10,00	6,60	6,20	1,20	-	0,30		
	<b>ANHX 100405 PNFR-LN</b>				✓	10,00	6,60	6,20	0,20	-	0,85		
	<b>ANHX 100412 PNFR-LN</b>				✓	10,00	6,60	6,20	1,20	-	0,30		
Portaherramientas   Tool holder pag. 250 - 251													
	<b>ANHX 120604 PNER-LS</b>	✓	✓	✓		12,0	9,0	8,3	0,4	-	1,6		
	<b>ANHX 120608 PNER-LS</b>	✓	✓	✓		12,0	9,0	8,3	0,8	-	1,2		
	<b>ANHX 120616 PNER-LS</b>	✓	✓	✓		12,0	9,0	8,3	1,6	-	0,4		
	<b>ANHX 120604 PNSR-MP</b>	✓		✓		12,0	9,0	8,3	0,4	-	1,6		
<b>ANHX 120608 PNSR-MP</b>	✓		✓		12,0	9,0	8,3	0,8	-	1,2			
<b>ANHX 120616 PNSR-MP</b>	✓		✓		12,0	9,0	8,3	1,6	-	0,4			
Portaherramientas   Tool holder pag. 252 - 253													
	<b>ANHX 160708 PNR-LP</b>	✓	✓			16	11,20	10,80	0,8	-	1,4		
	<b>ANHX 160712 PNR-LP</b>	✓	✓			16	11,20	10,50	1,2	-	1,2		
	<b>ANHX 160708 PNER-MP</b>	✓	✓			16	11,20	10,80	0,8	-	1,4		
	<b>ANHX 160712 PNER-MP</b>	✓	✓			16	11,20	10,50	1,2	-	1,2		
	<b>ANHX 160708 PNFR-LN</b>				✓	16	11,20	10,80	0,8	-	1,4		
	<b>ANHX 160712 PNFR-LN</b>				✓	16	11,20	10,50	1,2	-	1,2		
Portaherramientas   Tool holder pag. 254 - 255													
	<b>ANMX15T608-MG</b>			✓		16,1	10	6,88	0,8	4,65	1,9		
Portaherramientas   Tool holder pag. 256													
	<b>APHT100308PDFR-AL</b>				✓								
	<b>APHT160408PDER-AL</b>				✓	16,5	9,525	4,76	0,8	4,4	-		
	<b>APKT100304PDER-SG</b>	✓				10,5	6,7	3,5	0,4	2,8	-		
	<b>APKT100304PDER-MG</b>	✓		✓		10,5	6,7	3,5	0,4	2,8	-		
	<b>APKT100308PDER-MG</b>	✓		✓		10,5	6,7	3,5	0,4	2,8	-		
	<b>APKT160408PDER-MG</b>	✓				16,3	9,525	5,25	0,8	4,5	-		
	<b>APKT160408PDER-RG</b>	✓		✓		16,3	9,525	5,25	0,8	4,5	-		
	<b>APKT160408PDER-MG</b>	✓		✓		18,5	10,7	5,56	1,6	4,5	-		
	<b>APKT170516PEER-RG</b>	✓		✓		18,5	10,7	5,56	1,6	4,5	-		
Portaherramientas   Tool holder pag. 257 - 258													
	<b>APMT103508PDER-RG</b>	✓		✓		10,64	6,5	3,5	0,8	3,0	-		
	<b>APMT113508PDER-MG</b>	✓		✓		11,0	6,35	3,5	0,8	2,8	-		
	<b>APMT113516PDER-MG</b>			✓		11,0	6,35	3,5	1,6	2,8	-		
	<b>APMT113508PDER-RG</b>	✓		✓		11,0	6,35	3,5	0,8	2,8	-		
	<b>APMT113508PDER-HG</b>			✓		11,0	6,35	3,5	0,8	2,8	-		
	<b>APMT160408PDER-MG</b>	✓		✓		16,5	9,525	4,76	0,8	4,4	-		
	<b>APMT160416PDER-MG</b>			✓		16,5	9,525	4,76	1,6	4,4	-		
	<b>APMT160408PDER-RG</b>	✓		✓		16,5	9,525	4,76	0,8	4,4	-		
	<b>APMT160408PDER-HG</b>	✓		✓		16,5	9,525	4,76	0,8	4,4	-		
	<b>APMT 200408 KS3100</b>		✓			20,0	12,70	4,76	0,8	-	-		
Portaherramientas   Tool holder pag. 260 - 262													
	<b>AXMT123508PEER-RG</b>	✓		✓		12,18	6,93	3,58	0,8	3,4	-		
	<b>AXMT170508PEER-RG</b>			✓		17,50	10,2	5,56	0,8	4,6	-		
	<b>AXMT170516PEER-RG</b>			✓		17,50	10,2	5,56	1,6	4,6	-		
Portaherramientas   Tool holder pag. 263													

















































FRESADO

Escuadrado Shoulder milling	Ref.	KS2100	KS3100	KS4100	H10T	Medidas Dimensions (mm)						
						l	d	S	r	d1		l1
	<b>CPMT090308-MG</b>		✓			9,525	-	3,18	0,8	4,4	-	
	<b>CPMT120408-MG</b>		✓			12,7	-	4,76	0,8	5,5	-	
	<b>JDMT150508R-MG</b>			✓		15,1	9,12	5,0	0,8	4,5	-	
	<b>LNXT 130604 PNER-MP</b>	✓	✓			13	9,8	6,8	0,4	-	0,9	
	<b>LNXT 130604 PNER-MP</b>	✓	✓			13	9,8	6,8	0,8	-	0,9	
Portaherramientas   Tool holder pag. 264												
	<b>LNXT 150608 PNER-MP</b>	✓	✓			15	11	6,35	0,8	-	1,8	
	<b>LNXT 150612 PNER-MP</b>	✓	✓			15	11	6,35	1,2	-	1,8	
	<b>LNXT 150608 PNSR-HP</b>	✓	✓			15	11	6,35	0,8	-	1,8	
Portaherramientas   Tool holder pag. 265												
	<b>SPMG050204-MG</b>			✓		5,0	-	2,38	0,4	2,30	-	
	<b>SPMG060204-MG</b>			✓		6,0	-	2,38	0,4	2,65	-	
	<b>SPMG07T308-MG</b>			✓		7,94	-	3,97	0,8	2,85	-	
	<b>SPMG090408-MG</b>			✓		9,80	-	4,3	0,8	4,05	-	
	<b>SPMG090408-RG</b>			✓		9,80	-	4,3	0,8	4,05	-	
	<b>SPMG110408-MG</b>			✓		11,50	-	4,8	0,8	4,45	-	
	<b>SPMG110408-RG</b>			✓		11,50	-	4,8	0,8	4,45	-	
Portaherramientas   Tool holder pag. 266 / 317 - 318 / 321 - 322												
	<b>TNMU120708PER-MJ</b>	✓	✓			12	-	7,04	1,16	-	9,525	
	<b>TNMU120708PER-NMJ</b>	✓	✓			12	-	7,04	1,16	-	9,525	
	<b>TNMU1207R16PER-MJ</b>	✓	✓			12	-	7,04	-	-	9,525	
Portaherramientas   Tool holder pag. 267												
	<b>TPKR1603PPR-RG</b>			✓		16,5	9,525	3,1	-	2,2	1,423	
	<b>TPMX100408-MG</b>	✓	✓			6,9	-	4	0,8	3	-	
	<b>TPMX150508-MG</b>	✓	✓			10,7	-	5	0,8	4,85	-	
Portaherramientas   Tool holder pag. 268 - 269												
	<b>W39011T308-MG</b>	✓	✓			11	6,9	3,59	0,8	2,8	-	
	<b>W39011T320-MG</b>	✓	✓			11	6,9	3,59	2,0	2,8	-	
	<b>W390180612-SG</b>		✓			15,4	11	6,33	1,2	4,2	-	
Portaherramientas   Tool holder pag. 270 - 271												
	<b>W49008T308-SG</b>			✓		5,6	8,5	3,3	0,8	2,8	1,2	
	<b>W490140408-SG</b>			✓		10,3	13,8	3,9	0,8	4,1	2,0	
Portaherramientas   Tool holder pag. 272												
	<b>WRT070204-RG</b>	✓	✓			4,30	6,4	2,38	0,4	2,2	1,3	
	<b>WRT100308-RG</b>	✓	✓			6,35	9,3	3,4	0,8	2,9	1,8	
Portaherramientas   Tool holder pag. 273												
	<b>XDGX 15M504 PDFR-LN</b>			✓		16	11,20	5	0,4	-	1,5	
	<b>XDGX 15M508 PDFR-LN</b>			✓		16	11,20	5	0,8	-	1,1	
	<b>XDGX 15M512 PDFR-LN</b>			✓		16	11,20	5	1,2	-	0,7	
	<b>XDGX 15M512 PDFR-LN</b>			✓		16	11,20	5	1,6	-	0,4	
	<b>XDGX 15M520 PDFR-LN</b>			✓		16	11,20	5	2,0	-	0,2	
	<b>XDGX 15M532 PDFR-LN</b>			✓		16	11,20	5	3,2	-	0,6	
	<b>XDGX 15M540 PDFR-LN</b>			✓		16	11,20	5	4,0	-	0,5	
	<b>XDGX 15M550 PDFR-LN</b>			✓		16	11,20	5	5,0	-	0,4	
Portaherramientas   Tool holder pag. 274 - 275												
	<b>XDGX 22M708 PDFR-LN</b>			✓		22	13	7	0,8	-	2	
	<b>XDGX 22M716 PDFR-LN</b>			✓		22	13	7	1,6	-	1,2	
	<b>XDGX 22M720 PDFR-LN</b>			✓		22	13	7	2,0	-	0,8	
	<b>XDGX 22M732 PDFR-LN</b>			✓		22	13	7	3,2	-	0,6	
	<b>XDGX 22M740 PDFR-LN</b>			✓		22	13	7	4,0	-	0,9	
	<b>XDGX 22M750 PDFR-LN</b>			✓		22	13	7	5,0	-	0,4	
Portaherramientas   Tool holder pag. 276 - 277												

**FRESADO**  
MILLING























Escuadrado Shoulder milling	Ref.	KS2100	KS3100	KS4100	H10T	Medidas Dimensions (mm)						
						l	d	S	r	d1		l1
	<b>XNHW 120508 PZFR-015045</b>				✓	12,25	4,5	5,4	0,8	4,8	1,5	
	<b>XNHW 120508 PZTR-015045</b>				✓	12,25	4,5	5,4	0,8	4,8	1,5	
	<b>XNHW 120508 PZTR-000080</b>				✓	12,25	8	5,4	0,8	4,8	-	
	<b>XNHW 1205 PZFR-020120</b>				✓	12,25	12	5,4	-	4,8	2,0	
Portaherramientas   Tool holder pag. 278												
	<b>XNMX040304-SG</b>	✓				6,7	-	3,285	0,4	3,15	-	
	<b>XNMX040304-MG</b>	✓				6,7	-	3,285	0,4	3,15	2,0	
	<b>XNMX040308-MG</b>	✓		✓		6,7	-	3,285	0,4	3,15	-	
	<b>XNMX080608-MG</b>	✓		✓		12,53	-	6,5	0,8	4,5	2,0	
	<b>XNMX080608-RG</b>			✓		6,7	-	6,5	0,8	4,5	-	
Portaherramientas   Tool holder pag. 279 - 280												
	<b>XOMT060204-MG</b>	✓				7	4,09	2,45	0,4	2	-	
	<b>XOMT060208-MG</b>	✓		✓		7	4,09	2,45	0,8	2	-	
	<b>XOMT060216-MG</b>			✓		7	4,09	2,45	1,6	2	-	
	<b>XOMT10T308-SG</b>			✓		11,08	6,86	3,8	0,8	3	-	
Portaherramientas   Tool holder pag. 281												
<b>Gran avance</b> High feed milling												
	<b>BNMX0603-SG</b>	✓		✓		9,0	6,38	3,75	-	3,2	-	
	<b>BNMX0603-MG</b>	✓		✓		9,0	6,38	3,75	-	3,2	-	
	<b>BNMX0603-RG</b>	✓		✓		9,0	6,38	3,75	-	3,2	-	
	<b>BNMX0904-MG</b>	✓		✓		11,9	9,18	4,8	-	4,2	-	
Portaherramientas   Tool holder pag. 282 - 283												
	<b>ENMX 0604-ST</b>			✓		-	6	4,21	0,8	-	-	
	<b>ENMX 0604-TR</b>			✓		-	6	4,21	0,8	-	-	
Portaherramientas   Tool holder pag. 284 - 285												
	<b>ENMX 0905-ST</b>	✓		✓		-	9	5,4	-	-	-	
	<b>ENMX 0905-TR</b>			✓		-	9	5,4	-	-	-	
Portaherramientas   Tool holder pag. 286 - 287												
	<b>ISR145</b>	✓		✓		12	7,0	3,0	1,45	3,4	-	
	<b>ISR145-F</b>	✓		✓		12	7,0	3,0	1,45	3,4	-	
	<b>JDMW120420ZDSR-MF</b>	✓		✓		2,5	12,0	4,76	2,0	4,75	-	
	<b>JDMW120420ZDSR-RG</b>	✓		✓		2,5	12,0	4,76	2,0	4,75	-	
	<b>JDMT140520ZDSR-MG</b>			✓		2,8	14,0	5,56	2,0	5,75	-	
Portaherramientas   Tool holder pag. 288												
	<b>LNMX0303-SG</b>	✓		✓		11,59	6,0	4,29	-	2,85	-	
	<b>LNMX0303-MG</b>	✓		✓		11,59	6,0	4,29	-	2,85	-	
Portaherramientas   Tool holder pag. 289												
	<b>LOGX030310-SG</b>			✓		11,9	6,2	3,96	-	3,45	-	
Portaherramientas   Tool holder pag. 290 - 291												
	<b>LPGX0102-SG</b>			✓		6,26	4,19	2,19	1,0	2,2	-	
	<b>LPGX0102-MG</b>			✓		6,26	4,19	2,19	1,0	2,2	-	
Portaherramientas   Tool holder pag. 292												
	<b>SDMT1205ZDSN-MF</b>	✓		✓		12,7	-	5,56	15	4,6	-	
	<b>SDMT1205ZDTN-MG</b>			✓		12,7	-	5,56	15	4,6	-	
	<b>SDMT1205ZDTN-RG</b>			✓		12,7	-	5,56	15	4,6	-	
	<b>SDNW1205ZDTN-RG</b>	✓		✓		12,7	-	5,56	15	4,6	-	
Portaherramientas   Tool holder pag. 293												
	<b>SDMW 120420</b>	✓		✓		12,7	-	4,7	1,9	-	1,4	
Portaherramientas   Tool holder pag. 294												







Gran avance High feed milling	Ref.	KS2100	KS3100	KS4100	H10T	Medidas Dimensions (mm)						
						l	d	S	r	d1		l1
	WNMX09T316-MG	✓		✓		9,525	-	3,97	1,6	3,6	-	
	WNMX09T316-RG	✓		✓		9,525	-	3,97	1,6	3,6	-	
	WNMX130516-MG	✓		✓		12,7	-	6,02	1,6	4,7	-	
Portaherramientas   Tool holder pag. 295												
	WPMW080615ZPSR-MF		✓			8	12,87	6,35	1,5	5,5	-	
	WPMW080615ZPSR-RG		✓			8	12,87	6,35	1,5	5,5	-	
Planeado Face milling												
	HNMX0704-SG			✓		6,8	12,7	4,45	1,2	4,9	1,4	
Portaherramientas   Tool holder pag. 296												
	OFMT05T3TN-MG			✓		12,7	-	3,8	0,6	4,6	-	
	OFMT05T3TN-RG			✓		12,7	-	3,8	0,6	4,6	-	
Portaherramientas   Tool holder pag. 297												
	ONMU080608	✓		✓		20,2	-	5,8	0,8	-	-	
	ONMU080612	✓		✓		20,2	-	5,8	1,2	-	-	
Portaherramientas   Tool holder pag. 298												
	ONMX0505-RG	✓		✓		12,7	12,7	6,4	-	6	-	
	SNMX1205-MG	✓		✓		12,7	1,5	6,4	-	6	-	
	SNMX1205-RG	✓		✓		12,7	1,5	6,4	-	6	-	
Portaherramientas   Tool holder pag. 299												
	PNMU1206ZNN	✓	✓	✓		14	-	5,84	0,8	-	-	
Portaherramientas   Tool holder pag. 300												
	SEET1204AFFN-AL				✓	12,7	-	4,76	0,8	5,5	-	
	SEET1204AFFN-FG	✓				12,7	-	4,76	0,8	5,5	-	
	SEKT1204AFTN-RG			✓		12,7	-	4,76	0,8	5,5	-	
	SEKW1204AFEN		✓			12,7	-	4,76	0,8	5,5	-	
	SEKW1204AFSN-F		✓			12,7	-	4,76	0,8	5,5	-	
	SEKW1204AFTN		✓			12,7	-	4,76	0,8	5,5	-	
Portaherramientas   Tool holder pag. 301												
	SEET13T3AGFN-AL				✓	13,4	1,9	3,97	1,5	4,2	-	
	SEET13T3AGFN-FG	✓				13,4	1,9	3,97	1,5	4,2	-	
	SEMT13T3AGEN-MF	✓		✓		13,4	1,9	3,97	1,5	4,2	-	
	SEMT13T3AGSN-MF	✓		✓		13,4	1,9	3,97	1,5	4,2	-	
	SEMT13T3AGEN-MG	✓		✓		13,4	1,9	3,97	1,5	4,2	-	
	SEMT13T3AGTN-MG	✓		✓		13,4	1,9	3,97	1,5	4,2	-	
	SEMT13T3AGTN-RG			✓		13,4	1,9	3,97	1,5	4,2	-	
	SEMT13T3AGTN-HG			✓		13,4	1,9	3,97	1,5	4,2	-	
Portaherramientas   Tool holder pag. 302												
	SEMR1203AFSN-RG		✓			12,7	1,6	3,18	1	2	-	
	SPMN120308		✓			12,7	-	3,18	0,8	2	-	
	W245-12T3-AL				✓	13,4	1,9	3,97	1,5	4,2	-	
	W245-12T3-FG	✓				13,4	1,9	3,97	1,5	4,2	-	
	W245-12T3-MG	✓		✓		13,4	1,9	3,97	1,5	4,2	-	
	W245-12T3-HG			✓		13,4	1,9	3,97	1,5	4,2	-	
Portaherramientas   Tool holder pag. 303												

FRESADO  
MILLING

Copiado  
Copy milling

Ref.	KS2100	KS3100	KS4100	H101	Medidas Dimensions (mm)						
					l	d	S	r	d1	l1	
 RDKT0802M0			✓		8	-	2,4	-	-	-	
RDKT10T03M0			✓		10	-	2,4	-	-	-	
RDKT1204M0			✓		12	-	2,4	-	-	-	
RDKT1604M0			✓		16	-	2,4	-	-	-	
 RDKT0802M0-ST			✓		8	-	2,4	-	-	-	
RDKT10T3M0-ST	✓		✓		10	-	2,4	-	-	-	
RDKT1204M0-ST	✓		✓		12	-	2,4	-	-	-	
RDKT0802M0-TR			✓		8	-	2,4	-	-	-	
RDKT10T3M0-TR			✓		10	-	2,4	-	-	-	
RDKT1204M0-TR			✓		12	-	2,4	-	-	-	
 RDKW0802M0			✓		8	-	2,4	-	-	-	
RDKW10T3M0			✓		10	-	2,4	-	-	-	
RDKW1204M0			✓		12	-	2,4	-	-	-	
Portaherramientas   Tool holder pag. 304 - 305											
 SPWE100-50R		✓			10	4	3	5	-	-	
SPWE120-60R		✓			12	4	3	6	-	-	
SPWE160-80R		✓			16	5	4	8	-	-	
SPWE200-100R		✓			20	5	5	10	-	-	
SPWE250-125R		✓			25	6	6	12,5	-	-	
SPWE320-160R		✓			32	6	7	16	-	-	
Portaherramientas   Tool holder pag. 306											
 WP26339R14-RG	✓		✓		-	9,52	3,97	1,2	4,4	-	
WP26379R25-RG	✓		✓		1,1	13	5,56	2,0	5,5	-	
Portaherramientas   Tool holder pag. 307 - 308											
 XMB080	✓	✓	✓		8	8	2,4	4	-	-	
XMB100	✓	✓	✓		10	9,5	2,7	5	-	-	
XMB120	✓	✓	✓		12	11	3,2	6	-	-	
XMB160	✓	✓	✓		16	13	4,3	8	-	-	
XMB200	✓	✓	✓		20	16	5,2	10	-	-	
XMB250	✓	✓	✓		25	19,5	6,2	12,5	-	-	
XMB320	✓	✓	✓		32	24,5	7,2	16	-	-	
Portaherramientas   Tool holder pag. 309 - 310											
 XMR080 10	✓		✓		8	8	2,4	1	-	-	
XMR100 10	✓		✓		10	9,5	2,7	1	-	-	
XMR100 20	✓		✓		10	9,5	2,7	2	-	-	
XMR120 10	✓		✓		12	11	3,2	1	-	-	
XMR120 20	✓		✓		12	11	3,2	2	-	-	
XMR160 10	✓		✓		16	13	4,2	1	-	-	
XMR160 20	✓		✓		16	13	4,2	2	-	-	
XMR200 10	✓		✓		20	16	5,2	1	-	-	
XMR200 20	✓		✓		20	16	5,2	2	-	-	
Portaherramientas   Tool holder pag. 311 - 312											
<b>Varios</b> Various milling											
 DCEX11T301-XF		✓			-	-	0,1	-	-	-	
DCEX11T302-XF		✓			-	-	0,2	-	-	-	
DCEX11T304-XF		✓			-	-	0,4	-	-	-	
DCEX11T301-XR		✓			-	-	0,1	-	-	-	
 DCEX11T302-XR		✓			-	-	0,2	-	-	-	
DCEX11T304-XR		✓			-	-	0,4	-	-	-	
DCEX11T308-XR		✓			-	-	0,8	-	-	-	
Portaherramientas   Tool holder pag. 313											
 SCGX09T304-FG	✓				-	-	0,4	-	-	-	
SCMX09T304-SM		✓			-	-	0,4	-	-	-	
 TCGX16T308-FG	✓				-	-	0,8	-	-	-	
TCMX16T308-SM		✓			-	-	0,8	-	-	-	
Portaherramientas   Tool holder pag. 314											

**Varios**  
Various milling

	Ref.	KS3100	SI330	SK777	NERO26	Medidas Dimensions (mm)						
						l	d	S	r	d1		l1
	<b>SOMT11308 KS3100</b>	✓				10,87	-	3,97	0,8	-	-	
Portaherramientas   Tool holder pag. 315												
	<b>XCET310404</b>		✓			12,7	-	4,5	0,8	-	22	
Portaherramientas   Tool holder pag. 316												
	<b>ENHQ08T30601209SL28W</b>			✓	✓	8	-	3,97	-	-	-	
	<b>ENHQ08T30601409SR28W</b>			✓	✓	8	-	3,97	-	-	-	
	<b>ENHQ08T30601726SL28V</b>			✓	✓	8	-	3,97	-	-	-	
	<b>ENHQ08T30601626SR28V</b>			✓	✓	8	-	3,97	-	-	-	
	<b>ENHQ08T30600154SL30</b>			✓		8	-	3,97	-	-	-	
	<b>ENHQ08T30600254SR30</b>			✓		8	-	3,97	-	-	-	
	<b>ENHQ09040802312SL28W</b>			✓	✓	9,52	-	4,76	-	-	-	
	<b>ENHQ09040802212SR28W</b>			✓	✓	9,52	-	4,76	-	-	-	
	<b>ENHQ09040801726SL28V</b>			✓	✓	9,52	-	4,76	-	-	-	
	<b>ENHQ09040801626SR28V</b>			✓	✓	9,52	-	4,76	-	-	-	
	<b>ENHQ09040800354SL30</b>			✓		9,52	-	4,76	-	-	-	
<b>ENHQ09040800254SR30</b>			✓		9,52	-	4,76	-	-	-		
Portaherramientas   Tool holder pag. 319 - 320												