Navigation

Solderless pipe union with tapered sleeve 10
Solderless pipe union with cutting sleeve 38
Adapters, plugs and washers 70
Quick connectors82
Manifolds
Tubes and hoses
Fixing material
Couplings
Valves

SKF.



Pressure gauges134
Reservoirs and trays138
Lubricating nipples142
Filters
Brushes
Tools
Manual grease guns
Refill pumps



Table of contents

Electronic part library8	High-pressure cutting sleeve unions acc. to ISO 8334-138
CAD product data	Fitting types
Lubricants suitable for lubrication systems9	Double-edged cutting sleeve union (DECS)40
T	Double-edged cutting sleeves D acc. to DIN 3861/ISO 8434-1 41
Tapered sleeve fittings acc. to DIN 3854/DIN 3862	Union nuts M acc. to DIN 3861/ISO 8434-1
Provision of counterbore	Straight screw-in connectors GE with metrical thread 43
Form counterbores	Straight screw-in connectors GE with Whitworth pipe thread . 44
Double-tapered sleeves for metal pipes	Straight screw-in connectors GE with Whitworth pipe thread,
Socket unions for metal pipes acc. to DIN 3871	made from stainless steel or brass
Reinforcing sockets for plastic tubes	Straight screw-in connectors GE with NPT pipe thread 45
Tapered sleeves for plastic tubes acc. to DIN 3862	Straight screw-in glands XGE
Connectors with tapered thread	Straight tube-to-tube connectors G
Connectors with cylindrical thread acc. to DIN 71428 18	Straight tube-to-tube reducing connectors GR
Bracketed connectors	Union studs GZ
Tube-to-tube connector with air vent acc. to DIN 3862	Straight tube studs EGE
T-connectors acc. to DIN 71433	T-connectors T
Bulkhead connectors with tapered thread	Reducing T-connectors TR
Tube-to-tube connectors	Elbow connectors W
Straight bulkhead fittings acc. to DIN 71429	Elbow screw-in connectors WE with metrical thread 50
Reducing piece	Elbow screw-in connectors WE with Whitworth pipe thread51
Threaded sockets	K-connectors K
Elbow bulkhead fittings acc. to DIN 71429	Female connector straight GAI with mectrical thread 53
Elbows with cylindrical thread acc. to DIN 71433	Female connector straight GAI with Whitworth pipe thread 53
Elbows with tapered thread acc. to DIN 71429 29	Check valves GERV
Elbows with tube end for pipe union	Straight bulkhead connectors SV
for installation in counterbores acc. to DIN 3854/DIN 3862 30	Elbow bulkhead connectors WSV
Banjo fittings acc. to DIN 71430 Form A	Banjo fittings SWVE with metrical thread
Banjo fittings acc. to DIN 71430 Form B	Banjo fittings SWVE with Whitworth pipe thread
Banjo fittings acc. to DIN 71430 Form C	Banjo fittings WH (high-pressure)
Banjo fittings acc. to DIN 71430 Form D	Reducing connectors RED with cylindrical thread
Banjo fittings, rotatable	Connectors for pressure gauges MAV
Banjo fitting with indicator pin for lubricant distributor $\ldots34$	
Rotating joints	Connectors for pressure gauges MAVE
Cross joints	L-connectors EL directionally adjustable
	L-connectors EVL directionally adjustable
	Screw-in T-connectors TE, TH with metrical pipe thread 62
	Screw-in T-connectors TE, TH with Whitworth pipe thread 62

Blanking plug for cones BUZ 65

<u>LINCOLN</u>

SKF.

S	oft-seal cutting sleeve union (SSCS)
	Straight screw-in connectors GEZ
	Cone plugs VKA
	Straight screw-in connectors with
	shortened thread and function nut GEZ (short) 68
	Straight bulkhead connectors with function nut SVZ
	Straight connectors (tube to tube) with function nut GZ 69
	T-connectors with function nut TZ
4	dapters, plugs and washers70
	Reducing connectors with cylindrical thread
	for operating pressures up to 45 bar
	(sealed by flat washer acc. to DIN 7603)
	Reducing connectors with tapered thread for operating pressures up to 45 bar
	Reducing connectors with cylindrical thread
	for operating pressures up to 45 bar
	(sealed by flat washer acc. to DIN 7603)
	Adapter for pressure gauges
	for operating pressures up to 45 bar (sealed by flat washer acc. to DIN 7603)
	Adapter for pressure gauges
	with cylindrical thread for operating pressures up to 45 bar 74
	Reducing connectors with tapered thread
	for operating pressures up to 350 bar
	Elbow reducing connectors 45°
	with tapered thread for operating pressures up to 350 bar 75
	Elbow reducing connectors 90° with tapered thread for operating pressures up to 350 bar 75°
	Reducing connectors RI
	with cylindrical thread for operating pressures up to 400 bar $. . 76$
	Banjo fittings, rotatable
	Vent plugs with profile seal acc. to ISO 9974-2
	Vent plugs sealed by flat washer acc. to DIN 7603 \ldots 79
	Screw plugs VSTI
	Screw plugs sealed by flat washer acc. to DIN 7603 80 $$
	Elat washers 01

Quick connectors82
Single-seal quick connectors8
Straight screw-in connectors 8!
Straight screw-in connectors with FKM threaded seal 8!
Adapters with tapered thread 80
Banjo fittings with tapered thread
Elbows with tapered thread
Banjo fittings with 0-ring threaded seal
Banjo fittings with FKM threaded seal
Banjo fittings with hexagon socket and O-ring threaded seal . 88
Screw-in T-connectors
T-connectors
Straight bulkhead connectors 90
Tube-to-tube connector
Triple-seal quick connectors92
Straight screw-in connectors with cylindrical thread 93
Straight screw-in connectors with tapered thread 93
Tube-to-tube connectors
Banjo fittings with banjo bolt and cylindrical thread 94
Elbows with tapered thread
Banjo fittings with cylindrical thread
Banjo fittings with tapered thread
Locking pin
Manifolds98
Metering device manifolds



Tubes and hoses
Plastic tubing
Tube and hose protections
Steel tubing
Stainless steel tubing
Low-pressure hoses for main lines max. 45 bar with pipe stud on both ends10
Low-pressure hoses for main lines max. 45 bar with tapered sleeve and socket union on both ends
Low-pressure hoses for main lines max. 45 bar with pipe stud on both ends and with claw groove for quick connectors 10
Low-pressure hoses for secondary lines max. 15 bar with pipe stud on both ends
Low-pressure hoses for secondary lines max. 15 bar with tapered sleeve and socket union on both ends 10
Low-pressure hoses for secondary lines max. 15 bar with pipe stud on both ends and claw groove for quick connectors 110
Low-pressure hoses suitable for self-installation max. 45 bar
High-pressure hoses for self-installation
Threaded joints for high-pressure hoses
Fixing material
Fixing clips
Pipe brackets acc. to DIN 3015
Cable straps
Mounting base
Fixing bolts
Couplings12
Low-pressure quick-disconnect couplings
Medium- and high-pressure quick-disconnect couplings \dots 12
Coupling plugs
Coupling sockets with return flow port

Valves	126
Relief valve	127
Relief valves with bleed valve and safety valve	127
Pressure regulating valves, adjustable (poppet valve)	128
Adapters for valves	128
Pressure regulating valves, fixed pressure	129
Shut-off valves	131
Solenoid valves	133
Pressure gauges	134
Standard pressure gauges	135
Damped pressure gauges with restrictor	135
Damped pressure gauges with glycerin filling	136
Damped pressure gauges with glycerin filling and visualization in red/green	136
High-pressure gauges	137
Reservoirs	138
Plastic	
reservoirs	
Oil trough with shut-off valve	
Metal reservoirs	
Oil level gauges for metal reservoirs	141
Lubricating nipples	142
Hydraulic grease nipples according to DIN 71412	143
Button-head grease nipples according DIN 3404	143
Lubrication fitting block	144
Holder with lubricating nipple and fitting	144
Lubrication nipple manifolds	145
Lubricating nipple box	145

6 SKF.



www.rodavigo.net +34 986 288118 Servicio de Att. al Cliente

Filters	146
Screen filters for oil and fluid grease	147
Filter elements for oil and fluid grease filters	147
Screen filters for grease	148
Filter elements for grease filter units	149
Brushes	150
UC, 233, 068874	151
Support for brushes	151
Tools	152
Pipe cutter	153
Tube bender	155
Tube bending fix	156
Tube cutter	157
Grease pump set for pressure and function check	158
Drum plug wrench	159
Socket wrench insert for elbows	160
Mounting stud for hose couplings	161
Manual grease guns	162
Manual grease filler guns	163
PowerLuber	164
Refill pumps	166
Filler cylinder	167
Manual and pneumatic filling pumps	168
Compact grease transfer pump GTP-C	169
Grease transfer pump GTP	170
Electric filling pump EFFP	171
Cross reference list	172
Index	17/.

