




**13 Llaves combinadas OPEN-BOX**



- DIN 3113 Forma A/ISO 7738 Forma A
- Chrome-Alloy-Steel, cromadas



| Código   | mm  | L mm | b mm | d mm | a <sub>1</sub> mm | a <sub>2</sub> mm | t mm | g    |    |
|----------|-----|------|------|------|-------------------|-------------------|------|------|----|
| 40085500 | 5,5 | 100  | 14,8 | 9,2  | 3,5               | 5,8               | 13   | 13   | 10 |
| 40080606 | 6   | 105  | 15,5 | 9,9  | 3,6               | 6                 | 15   | 15   | 10 |
| 40080707 | 7   | 110  | 15,5 | 9,9  | 3,9               | 6                 | 20   | 15   | 10 |
| 40080808 | 8   | 115  | 18   | 12,4 | 4,2               | 7                 | 21   | 21   | 10 |
| 40080909 | 9   | 120  | 21   | 13,4 | 4,5               | 7                 | 10   | 27   | 10 |
| 40081010 | 10  | 125  | 23   | 14,8 | 4,8               | 7                 | 10   | 35   | 10 |
| 40081111 | 11  | 135  | 26   | 16,4 | 4,8               | 8                 | 10   | 43   | 10 |
| 40081212 | 12  | 140  | 28   | 17,8 | 5,3               | 8,5               | 10   | 46   | 10 |
| 40081313 | 13  | 160  | 30   | 19,1 | 5,3               | 8,5               | 10   | 57   | 10 |
| 40081414 | 14  | 165  | 32   | 20,6 | 5,3               | 8,5               | 10   | 68   | 10 |
| 40081515 | 15  | 170  | 35   | 21,9 | 5,3               | 8,5               | 10   | 73   | 10 |
| 40081616 | 16  | 180  | 37   | 23,2 | 5,8               | 10                | 10   | 89   | 10 |
| 40081717 | 17  | 190  | 38   | 24,6 | 5,8               | 10                | 10   | 99   | 10 |
| 40081818 | 18  | 200  | 40   | 26   | 6,7               | 11,5              | 10   | 126  | 10 |
| 40081919 | 19  | 230  | 42   | 27,5 | 6,7               | 11,5              | 10   | 142  | 10 |
| 40082020 | 20  | 230  | 45   | 29   | 7                 | 13                | 10   | 176  | 10 |
| 40082121 | 21  | 260  | 47   | 30,3 | 7,3               | 13                | 10   | 216  | 10 |
| 40082222 | 22  | 260  | 49   | 31,8 | 7,3               | 13                | 10   | 220  | 10 |
| 40082323 | 23  | 280  | 53   | 33,5 | 7,8               | 14                | 5    | 251  | 5  |
| 40082424 | 24  | 280  | 53   | 34,9 | 7,8               | 14                | 5    | 254  | 5  |
| 40082525 | 25  | 300  | 55   | 36,3 | 8,4               | 14,5              | 5    | 281  | 5  |
| 40082626 | 26  | 300  | 57,5 | 37,8 | 8,4               | 14,5              | 5    | 315  | 5  |
| 40082727 | 27  | 300  | 60   | 39,2 | 8,4               | 14,5              | 5    | 345  | 5  |
| 40082828 | 28  | 320  | 62   | 40,6 | 8,4               | 14,5              | 5    | 368  | 5  |
| 40082929 | 29  | 330  | 64   | 41,9 | 8,9               | 16                | 5    | 420  | 5  |
| 40083030 | 30  | 330  | 66   | 43,2 | 8,9               | 16                | 5    | 404  | 5  |
| 40083232 | 32  | 360  | 70   | 45,8 | 9,4               | 16,5              | 5    | 484  | 5  |
| 40083434 | 34  | 450  | 75   | 48   | 9,4               | 17                | 1    | 683  | 1  |
| 40083636 | 36  | 460  | 80   | 50,8 | 10                | 18                | 1    | 787  | 1  |
| 40083838 | 38  | 480  | 87   | 53,6 | 11                | 19                | 1    | 915  | 1  |
| 40084141 | 41  | 480  | 88   | 57,8 | 11                | 19                | 1    | 1055 | 1  |
| 40084646 | 46  | 500  | 94,5 | 65,2 | 13                | 20                | 1    | 1352 | 1  |
| 40085050 | 50  | 530  | 103  | 73   | 14                | 21                | 1    | 1700 | 1  |
| 40085555 | 55  | 560  | 114  | 81   | 15                | 22                | 1    | 2193 | 1  |
| 40086060 | 60  | 590  | 125  | 89,8 | 16                | 24                | 1    | 2825 | 1  |

**ES 13/10, 6-15 mm**



- 175 x 350 x 40 mm
- 10 piezas

| Código   | g                                     |
|----------|---------------------------------------|
| 96838127 | 525                                   |
| núm.     | contenido                             |
| 13       | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15 mm |

**13a Llaves combinadas OPEN-BOX**



- Chrome-Alloy-Steel, cromadas

| Código   | mm      | L mm | b mm | d mm | a <sub>1</sub> mm | a <sub>2</sub> mm | g    |    |
|----------|---------|------|------|------|-------------------|-------------------|------|----|
| 40481212 | 3/16    | 95   | 14   | 9,8  | 3                 | 3,2               | 10   | 5  |
| 40481313 | 13/64   | 95   | 14   | 9,8  | 3                 | 3,2               | 10   | 5  |
| 40481414 | 7/32    | 95   | 14   | 9,8  | 3                 | 3,2               | 10   | 5  |
| 40481515 | 15/64   | 95   | 14   | 9,8  | 3                 | 3,2               | 9    | 5  |
| 40481616 | 1/4     | 105  | 15,5 | 10,2 | 3,6               | 6                 | 14   | 10 |
| 40481818 | 9/32    | 110  | 17   | 11,3 | 3,9               | 6                 | 17   | 10 |
| 40482020 | 5/16    | 115  | 18   | 12,4 | 4,2               | 7                 | 20   | 10 |
| 40482222 | 11/32   | 120  | 21   | 13,4 | 4,5               | 7                 | 26   | 10 |
| 40482424 | 3/8     | 125  | 23   | 14,3 | 4,8               | 7                 | 32   | 10 |
| 40482828 | 7/16    | 135  | 26   | 16,4 | 4,8               | 8                 | 41   | 10 |
| 40483232 | 1/2     | 160  | 30   | 18,8 | 5,3               | 8,5               | 57   | 10 |
| 40483434 | 9/16    | 165  | 32   | 20,6 | 5,3               | 8,5               | 68   | 10 |
| 40483535 | 19/32   | 170  | 35   | 21,9 | 5,3               | 8,5               | 74   | 10 |
| 40483636 | 5/8     | 180  | 37   | 23,2 | 5,8               | 10                | 88   | 10 |
| 40483838 | 11/16   | 200  | 40   | 25,3 | 6,7               | 11,5              | 116  | 10 |
| 40484040 | 3/4     | 230  | 42   | 27,5 | 6,7               | 11,5              | 144  | 10 |
| 40484141 | 25/32   | 235  | 45   | 29   | 7                 | 13                | 175  | 5  |
| 40484242 | 13/16   | 260  | 47   | 30   | 7,3               | 13                | 204  | 5  |
| 40484444 | 7/8     | 260  | 49   | 31,8 | 7,3               | 13                | 217  | 5  |
| 40484646 | 15/16   | 280  | 53   | 34,9 | 7,8               | 14                | 255  | 5  |
| 40484848 | 1       | 300  | 55   | 37,2 | 8,4               | 14,5              | 286  | 5  |
| 40485050 | 1 1/16  | 300  | 60   | 39,2 | 8,4               | 14,5              | 327  | 5  |
| 40485252 | 1 1/8   | 330  | 64   | 41,4 | 8,9               | 16                | 380  | 5  |
| 40485454 | 1 3/16  | 332  | 66   | 43,2 | 8,9               | 16,5              | 398  | 1  |
| 40485656 | 1 1/4   | 360  | 70   | 45,8 | 9,4               | 16,5              | 504  | 5  |
| 40485858 | 1 5/16  | 450  | 74   | 47   | 9,6               | 17                | 617  | 1  |
| 40486060 | 1 3/8   | 460  | 80   | 49,3 | 10                | 18                | 796  | 1  |
| 40486262 | 1 7/16  | 461  | 80   | 51,4 | 10                | 18                | 770  | 1  |
| 40486464 | 1 1/2   | 480  | 87   | 53,6 | 11                | 19                | 961  | 1  |
| 40486666 | 1 5/8   | 480  | 88   | 58   | 11                | 19                | 1021 | 1  |
| 40486969 | 1 13/16 | 500  | 94,5 | 65,3 | 13                | 20                | 1343 | 1  |
| 40487070 | 1 7/8   | 530  | 103  | 68,4 | 14                | 21                | 1779 | 1  |
| 40487272 | 2       | 530  | 103  | 74   | 14                | 21                | 1817 | 1  |

**ES 13/8, 16-24 mm**



- 175 x 350 x 54 mm
- 8 piezas

| Código   | g                                 |
|----------|-----------------------------------|
| 96838128 | 1440                              |
| núm.     | contenido                         |
| 13       | 16; 17; 18; 19; 20; 21; 22; 24 mm |

**ES 13/5, 27-32 mm**



- 530 x 350 x 30 mm
- 5 piezas

| Código   | g                     |
|----------|-----------------------|
| 96838104 | 2280                  |
| núm.     | contenido             |
| 13       | 27; 28; 29; 30; 32 mm |

2

Llaves para tuercas y tornillos

13, 13a Juegos llaves combinadas OPEN-BOX



2

| Código   | núm.                   | Contenido mm/"  | △△<br>g |
|----------|------------------------|---|---------|
| 96400813 | 13/6                   | 7; 8; 10; 13; 17; 19  | 430     |
| 96400801 | 13/9                   | 9; 10; 11; 12; 13; 14; 17; 19; 22   | 758     |
| 96400808 | 13/10KT <sup>1)</sup>  | 8; 9; 10; 11; 12; 13; 14; 15; 17; 19  | 746     |
| 96400802 | 13/11                  | 8; 9; 10; 11; 12; 13; 14; 15; 17; 19; 22  | 915     |
| 96400803 | 13/15                  | 6; 7; 8; 9; 10; 11; 12; 13; 17; 19; 22; 24; 27; 30; 32  | 2236    |
| 96400816 | 13/16 <sup>2)</sup>    | 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24   | 1620    |
| 96400804 | 13/17                  | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22  | 1480    |
| 96400805 | 13/26 <sup>2)</sup>    | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32                      | 4705    |
| 96404803 | 13a/8 <sup>2)</sup>    | 7/16; 1/2; 9/16; 5/8; 11/16; 3/4; 13/16; 7/8  | 959     |
| 96404812 | 13a/10KT <sup>1)</sup> | 1/4; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 5/8; 11/16; 3/4   | 750     |
| 96404804 | 13a/20 <sup>2)</sup>   | 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8; 1 1/4 | 3210    |

Embalaje standard: Bolsa enrollable con cierre de velcro de tejido extremadamente resistente.

<sup>1)</sup> en caja de cartón con cubierta transparente  
<sup>2)</sup> en caja de cartón

TCS 13/18, 6-24 mm



- 530 x 350 x 35 mm
- 18 piezas

| Código   | △△<br>g |
|----------|---------|
| 96838183 | 1850    |

| núm. | contenido   |
|------|---|
| 13   | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24 mm |

TCS 13/17, 6-24 mm



- 350 x 350 x 60 mm
- 17 piezas

| Código   | △△<br>g |
|----------|---------|
| 96830164 | 1615    |

| núm. | contenido   |
|------|---|
| 13   | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm |

TCS 13/17, 6-24 mm MF



- 350 x 350 x 60 mm
- 17 piezas

| Código   | △△<br>g |
|----------|---------|
| 96830351 | 1552    |

| núm. | contenido   |
|------|---|
| 13   | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm |

TCS 13/21, 6-34 mm



- 530 x 350 x 75 mm
- 21 piezas

| Código   | △△<br>g |
|----------|---------|
| 96830174 | 3571    |

| núm. | contenido   |
|------|---|
| 13   | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 34 mm |



**TCS 13/25, 5,5-34 mm**



TCS



- 530 x 350 x 80 mm
- 25 piezas

|                 |         |
|-----------------|---------|
| Código          | ΔΔ<br>g |
| <b>96832096</b> | 4550    |

| núm.      | contenido  |
|-----------|--|
| <b>13</b> | 5,5; 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 27; 29; 30; 32; 34 mm |

**TCS 13a/23**



TCS



- 530 x 350 x 35 mm
- 23 piezas

|                 |         |
|-----------------|---------|
| Código          | ΔΔ<br>g |
| <b>96830885</b> | 2726    |

| núm.       | contenido   |
|------------|---|
| <b>13a</b> | 3/16; 13/64; 7/32; 15/64; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8" |

**TCS 12+13+14/29**



TCS



- 530 x 350 x 80 mm
- 29 piezas

|                 |         |
|-----------------|---------|
| Código          | ΔΔ<br>g |
| <b>96830193</b> | 3752    |

| núm.      | contenido  |
|-----------|--|
| <b>12</b> | 5,5; 12; 14 mm (2x)  |
| <b>13</b> | 7; 11 mm (2x); 6; 8; 9; 10; 12; 13; 14; 15; 16; 17; 18; 19; 20; 22; 24; 30; 32; 36 mm (1x) |
| <b>14</b> | 17 mm  |

**TCS 13a/19**



TCS



- 350 x 350 x 55 mm
- 19 piezas


|                 |         |
|-----------------|---------|
| Código          | ΔΔ<br>g |
| <b>96838778</b> | 2000    |

| núm.       | contenido  |
|------------|--|
| <b>13a</b> | 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1" |

**130a Llaves combinadas**

AS HPO

- Fed. Spec. GGG-W-636 E
- HPQ®-Acero de alta calidad, cromado




| Código          | "     | L mm | b mm | d mm | a <sub>1</sub> mm | a <sub>2</sub> mm | ΔΔ g | 📦  |
|-----------------|-------|------|------|------|-------------------|-------------------|------|----|
| <b>40571616</b> | 1/4   | 105  | 14,2 | 9,8  | 3,6               | 6                 | 13   | 10 |
| <b>40571818</b> | 9/32  | 110  | 15,5 | 10,9 | 4,1               | 6                 | 16   | 10 |
| <b>40572020</b> | 5/16  | 115  | 17   | 12   | 4,5               | 7                 | 20   | 10 |
| <b>40572222</b> | 11/32 | 120  | 19   | 13,1 | 4,9               | 7                 | 25   | 10 |
| <b>40572424</b> | 3/8   | 125  | 20,5 | 14,1 | 5,2               | 7                 | 32   | 10 |
| <b>40572828</b> | 7/16  | 135  | 23   | 16,2 | 6                 | 8                 | 42   | 10 |
| <b>40573232</b> | 1/2   | 150  | 27   | 18,2 | 6,5               | 8,5               | 61   | 10 |
| <b>40573434</b> | 9/16  | 165  | 30,5 | 20,6 | 7                 | 8,5               | 78   | 10 |

**130aSP Llaves combinadas**

HPQ

- con perfil Spline-Drive
- MS-33787, MIL-W-8982
- HPQ®-Acero de alta calidad, cromado




| Código          | Spline tño. | "    | L mm | b mm | d mm | a <sub>1</sub> mm | a <sub>2</sub> mm | ΔΔ g | 📦 |
|-----------------|-------------|------|------|------|------|-------------------|-------------------|------|---|
| <b>40581616</b> | <b>8</b>    | 1/4  | 105  | 14,2 | 10   | 3,6               | 5,6               | 13   | 5 |
| <b>40582020</b> | <b>10</b>   | 5/16 | 115  | 17   | 12,2 | 4,5               | 6,4               | 21   | 5 |
| <b>40582424</b> | <b>12</b>   | 3/8  | 125  | 20,5 | 14,8 | 5,2               | 7                 | 31   | 5 |
| <b>40582828</b> | <b>14</b>   | 7/16 | 135  | 23   | 16,5 | 6                 | 8                 | 43   | 5 |
| <b>40583232</b> | <b>16</b>   | 1/2  | 150  | 27   | 18,7 | 6,5               | 8,5               | 59   | 5 |
| <b>40583434</b> | <b>18</b>   | 9/16 | 165  | 30,5 | 20,8 | 7                 | 8,5               | 84   | 5 |

## Llaves para tuercas y tornillos

### 14 Llaves combinadas OPEN-BOX, modelo largo



- DIN 3113 Forma B/ISO 7738 Forma B
- Chrome-Alloy-Steel, cromadas



| Código   | Ø  | L   | b    | d    | a <sub>1</sub> | a <sub>2</sub> | t  | Δ    | g  |  |
|----------|----|-----|------|------|----------------|----------------|----|------|----|--|
|          | mm | mm  | mm   | mm   | mm             | mm             | mm | g    |    |  |
| 40100606 | 6  | 125 | 14   | 9,5  | 4,5            | 6              | 7  | 18   | 10 |  |
| 40100707 | 7  | 135 | 16   | 10,8 | 5              | 7              | 8  | 25   | 10 |  |
| 40100808 | 8  | 145 | 17,5 | 12,1 | 5              | 7              | 8  | 28   | 10 |  |
| 40100909 | 9  | 155 | 19   | 13,3 | 5,5            | 8              | 9  | 34   | 10 |  |
| 40101010 | 10 | 165 | 21   | 14,6 | 5,5            | 8              | 9  | 43   | 10 |  |
| 40101111 | 11 | 180 | 23,5 | 15,9 | 6              | 9              | 10 | 55   | 10 |  |
| 40101212 | 12 | 180 | 25,5 | 17,3 | 6              | 9              | 10 | 61   | 10 |  |
| 40101313 | 13 | 195 | 27,5 | 18,6 | 6,5            | 10             | 11 | 83   | 10 |  |
| 40101414 | 14 | 210 | 29,5 | 20,1 | 6,5            | 10             | 11 | 88   | 10 |  |
| 40101515 | 15 | 215 | 31   | 21,4 | 7              | 11             | 13 | 109  | 10 |  |
| 40101616 | 16 | 230 | 33   | 22,7 | 7              | 11             | 14 | 108  | 10 |  |
| 40101717 | 17 | 240 | 35   | 24,1 | 7,5            | 12             | 15 | 151  | 10 |  |
| 40101818 | 18 | 255 | 37   | 25,5 | 7,5            | 12             | 16 | 151  | 10 |  |
| 40101919 | 19 | 265 | 39,5 | 27   | 8              | 13             | 18 | 190  | 10 |  |
| 40102020 | 20 | 280 | 41,5 | 28,5 | 8              | 13             | 19 | 219  | 10 |  |
| 40102121 | 21 | 280 | 43   | 29,8 | 8,5            | 13             | 19 | 244  | 10 |  |
| 40102222 | 22 | 300 | 45   | 31,3 | 8,5            | 14             | 20 | 268  | 10 |  |
| 40102424 | 24 | 330 | 50   | 34,3 | 9,5            | 14             | 22 | 363  | 5  |  |
| 40102727 | 27 | 385 | 56   | 38,6 | 10,5           | 16             | 24 | 502  | 5  |  |
| 40103030 | 30 | 415 | 63   | 42,6 | 12             | 18             | 26 | 645  | 5  |  |
| 40103232 | 32 | 430 | 67   | 45,2 | 12             | 18             | 27 | 666  | 5  |  |
| 40103434 | 34 | 460 | 72   | 48   | 13             | 18             | 27 | 900  | 1  |  |
| 40103636 | 36 | 480 | 74   | 50,8 | 13             | 19             | 28 | 951  | 1  |  |
| 40104141 | 41 | 560 | 84   | 57,8 | 14             | 20             | 32 | 1322 | 1  |  |

### 14 Juegos llaves combinadas OPEN-BOX, modelo largo



| Código   | núm.                   | Contenido mm   | Δ | g    |
|----------|------------------------|--|---|------|
| 96401008 | 14/6 <sup>2)</sup>     | 10; 13; 17; 19; 22; 24   |   | 1175 |
| 96401009 | 14/9 <sup>2)</sup>     | 10; 11; 13; 17; 19; 22; 24; 27; 30                             |   | 2395 |
| 96401007 | 14/10 KT <sup>1)</sup> | 8; 10; 11; 12; 13; 14; 16; 17; 18; 19                          |   | 1235 |
| 96401006 | 14/11                  | 8; 9; 10; 11; 12; 13; 14; 15; 17; 19; 22                       |   | 1131 |
| 96401004 | 14/15                  | 6; 7; 8; 9; 10; 11; 12; 13; 17; 19; 22; 24; 27; 30; 32         |   | 3370 |
| 96401010 | 14/15N <sup>2)</sup>   | 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30     |   | 3165 |
| 96401005 | 14/17                  | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 |   | 1874 |

Embalaje standard; Bolsa enrollable con cierre de velcro de tejido extremadamente resistente.

<sup>1)</sup> en embalaje de plástico, con tapa transparente.

<sup>2)</sup> en caja de cartón.

### ES 14/10, 6-15 mm



- 175 x 350 x 39 mm
- 10 piezas

|          |   |     |
|----------|---|-----|
| Código   | Δ | g   |
| 96838105 |   | 700 |

| núm. | contenido                             |
|------|---------------------------------------|
| 14   | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15 mm |

### ES 14/8, 16-24 mm



- 175 x 350 x 51 mm
- 8 piezas

|          |   |      |
|----------|---|------|
| Código   | Δ | g    |
| 96838106 |   | 1820 |

| núm. | contenido                         |
|------|-----------------------------------|
| 14   | 16; 17; 18; 19; 20; 21; 22; 24 mm |

### TCS 14/5, 17-21 mm




- 175 x 350 x 30 mm
- 5 piezas

|          |   |      |
|----------|---|------|
| Código   | Δ | g    |
| 96838188 |   | 1065 |

| núm. | contenido             |
|------|-----------------------|
| 14   | 17; 18; 19; 20; 21 mm |

### TCS 14/8, 8-16 mm



- 175 x 350 x 30 mm
- 8 piezas

|          |   |     |
|----------|---|-----|
| Código   | Δ | g   |
| 96838189 |   | 660 |

| núm. | contenido                        |
|------|----------------------------------|
| 14   | 8; 10; 11; 12; 13; 14; 15; 16 mm |



**TCS 14/18, 6-24 mm**



- 350 x 350 x 60 mm
- 18 piezas

|                 |         |
|-----------------|---------|
| Código          | ΔΔ<br>g |
| <b>96838750</b> | 2348    |

| núm. | contenido   |
|------|---|
| 14   | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24 mm |

**TCS 14/21, 6-36 mm**



- 530 x 350 x 75 mm
- 21 piezas

|                 |         |
|-----------------|---------|
| Código          | ΔΔ<br>g |
| <b>96838771</b> | 4988    |

| núm. | contenido   |
|------|---|
| 14   | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 36 mm |

**Sistema Tool Control.**

El sistema de bandeja de seguridad.



Adecuado para carros de taller y cajas de herramientas. Con superficies amarillas de señalización para detectar si falta alguna herramienta.

**4014 Llaves combinadas de boca fija**

- Cromo-Vanadio, cromadas




| Código            | mm | L mm | b mm | d mm | a <sub>1</sub> mm | a <sub>2</sub> mm | t mm | ΔΔ g |   |
|-------------------|----|------|------|------|-------------------|-------------------|------|------|---|
| <b>40 1465 65</b> | 65 | 710  | 133  | 98   | 22                | 33                | 49,5 | 4500 | 1 |
| <b>40 1470 70</b> | 70 | 760  | 143  | 105  | 24                | 35                | 53,5 | 5500 | 1 |
| <b>40 1475 75</b> | 75 | 810  | 153  | 110  | 26                | 38                | 57,5 | 6500 | 1 |
| <b>40 1480 80</b> | 80 | 860  | 163  | 119  | 28                | 41                | 63,5 | 8000 | 1 |

2

**16 Llaves combinadas OPEN-BOX**

- ISO 3318
- Chrome-Alloy-Steel, cromadas



| Código            | mm  | L mm | b mm | d mm | a <sub>1</sub> mm | a <sub>2</sub> mm | ΔΔ g |    |
|-------------------|-----|------|------|------|-------------------|-------------------|------|----|
| <b>40 0932 32</b> | 3,2 | 75   | 10   | 6,6  | 3                 | 3,2               | 6    | 10 |
| <b>40 0935 35</b> | 3,5 | 75   | 10   | 6,6  | 3                 | 3,2               | 6    | 10 |
| <b>40 0940 40</b> | 4   | 85   | 12,5 | 7,8  | 3                 | 3,2               | 9    | 10 |
| <b>40 0945 45</b> | 4,5 | 85   | 12,5 | 7,8  | 3                 | 3,2               | 8    | 10 |
| <b>40 0950 50</b> | 5   | 95   | 14   | 9,8  | 3                 | 3,2               | 11   | 10 |

**16/5 Juego llaves combinadas de boca fija y boca en estrella OPEN-BOX; 3,2-5 mm**

- en bolsa con cierre de velcro de tejido extremadamente resistente



| Código          | Contenido mm        | ΔΔ g |
|-----------------|---------------------|------|
| <b>96400902</b> | 3,2; 3,5; 4; 4,5; 5 | 46   |