

# 4. STORAGE AND MOVEMENT

<b>Plastic boxes</b>	<b>p. 94</b>
<b>Aluminum trolleys</b>	<b>p. 96</b>
<b>Trolleys</b>	<b>p. 97</b>
<b>Containers</b>	<b>p. 98</b>
<b>Ladders</b>	<b>p.100</b>
<b>Pallets</b>	<b>p.103</b>
<b>Sheets</b>	<b>p.105</b>
<b>Lockers</b>	<b>p.107</b>
<b>Pallet trucks</b>	<b>p.109</b>



## >>> Plastic boxes

Stackable plastic boxes with front opening Plastibox

At www.rodavigo.net

Family: Storage and movement  
Product: Plastipol Material

### Light quality

Lightweight, resistant and efficient boxes for constant handling. With lateral nerves to give stability in stacking. They include a label holder for labelling fast and effective. Multiples equipment and accessories adapted. Different measures-external and interiors; different capacity is, weights, materials and colors.



Code Colour

903K20052AZ	BLUE
903K20052GR	GRAY
903K20052RO	RED
903K20052VE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 50x105x90/70 mm.  
Interiors: 42x87x60 mm.  
Capacity: 0,25 liters.  
Weight: 0,06 Kg.  
Copolymer polypropylene.



Code Colour

903K2005AZ	BLUE
903K2005GR	GRAY
903K2005RO	RED
903K2005VE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 50x105x90/70 mm.  
Interiors: 42x87x60 mm.  
Capacity: 0,25 liters.  
Weight: 0,06 Kg.  
Copolymer polypropylene.



Code Colour

903K2004AZ	BLUE
903K2004GR	GRAY
903K2004RO	RED
903K2004VE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 75x105x160/140 mm.  
Interiors: 62x87x125 mm.  
Capacity: 0,7 liters.  
Weight: 0,10 Kg.  
Copolymer polypropylene.



Code Colour

903K2004LAZ	BLUE
903K2004LGR	GRAY
903K2004LRO	RED
903K2004LVE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 75x105x240/200 mm.  
Interiors: 62x87x200 mm.  
Capacity: 1,1 liters.  
Weight: 0,14 Kg.  
Copolymer polypropylene.



Code Colour

903K2003AZ	BLUE
903K2003GR	GRAY
903K2003RO	RED
903K2003VE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 130x150x240/200 mm.  
Interiors: 117x130x190 mm.  
Capacity: 3,5 liters.  
Weight: 0,26 Kg.  
Polystyrene



Code Colour

903K3003HAZ	BLUE
903K3003HGR	GRAY
903K3003HRO	RED
903K3003HVE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 150x160x260/220 mm.  
Interiors: 145x140x195 mm.  
Capacity: 5 liters.  
Weight: 0,32 Kg.  
Copolymer polypropylene.



Code Colour

903K2003LAZ	BLUE
903K2003LGR	GRAY
903K2003LRO	RED
903K2003LVE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 117x130x280 mm.  
Interiors: 130x150x340/300 mm.  
Capacity: 5,5 liters.  
Weight: 0,38 Kg.  
Polystyrene



Code Colour

903K2002AZ	BLUE
903K2002GR	GRAY
903K2002RO	RED
903K2002VE	GREEN


Measurements: Height x Width x Depth  
Exteriors: 150x210x340/300 mm.  
Interiors: 140x188x280 mm.  
Capacity: 9 liters.  
Weight: 0,62 Kg.  
Polystyrene



Code Colour

903K3002HAZ	BLUE
903K3002HGR	GRAY
903K3002HRO	RED
903K3002HVE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 200x210x350/300 mm.  
Interiors: 195x183x265 mm.  
Capacity: 12 liters.  
Weight: 0,66 Kg.  
Copolymer polypropylene.



Code Colour

903K2001AZ	BLUE
903K2001GR	GRAY
903K2001RO	RED
903K2001VE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 180x300x490/440 mm.  
Interiors: 170x275x410 mm.  
Capacity: 23 liters.  
Weight: 1,1 Kg.  
Polystyrene



Code Colour

903K3001AZ	BLUE
903K3001GR	GRAY
903K3001RO	RED
903K3001VE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 200x310x500/450 mm.  
Interiors: 195x278x410 mm.  
Capacity: 28 liters.  
Weight: 1,30 Kg.  
Copolymer polypropylene.



Code Colour

903K3001HAZ	BLUE
903K3001HGR	GRAY
903K3001HRO	RED
903K3001HVE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 300x310x500/450 mm.  
Interiors: 295x278x410 mm.  
Capacity: 41 liters.  
Weight: 2 Kg.  
Copolymer polypropylene.



Code Colour

903K3000AZ	BLUE
903K3000GR	GRAY
903K3000RO	RED
903K3000VE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 300x400x600/500 mm.  
Interiors: 272x355x445 mm.  
Capacity: 58 liters.  
Weight: 2,95 Kg.  
Copolymer polypropylene.



Code Colour

903K30000AZ	BLUE
903K30000GR	GRAY
903K30000RO	RED
903K30000VE	GREEN

Measurements: Height x Width x Depth  
Exteriors: 300x450x715/630 mm.  
Interiors: 278x420x610 mm.  
Capacity: 74 liters.  
Weight: 4,5 Kg.  
Copolymer polypropylene.

## >>> Plastic boxes

At [www.rodavigo.net](http://www.rodavigo.net)


Family: Storage and movement  
Product: Plastipol Material

Eurobox European standard 300x200 mm -  
Stackable plastic boxes of European standard measurements


### Stackable distribution

Palletisation plan of the eurobox, on the palette of European measurements of 1200x1000 mm and 1200x800 mm.

1200 x 1000 mm pallet.



1200 x 800 mm pallet.



Some models of the boxes EUROBOX, available in colour red. The EUROBOX boxes, you can manufacture in any colour from 1,000 units.



Standardization is essential for coordination and adaptation between different manufacturers are available in standard measurements and all of them they are stacked on each other and on europallets. They are available in various sizes and their smooth interior without ribs as well as its size, facilitate loading and handling of these boxes.



Code Colour

903EU3212LGR GRAY  
903EU3212LRO RED

Measurements: Height x Width x Depth  
Exteriors: 120x200x300mm.  
Interiors: 115x168x268 mm.  
Capacity: 5 liters  
Weight: 0,42 Kg.  
Polypropylene



Code Colour

903EU3217LGR GRAY  
903EU3217LRO RED

Measurements: Height x Width x Depth  
Exteriors: 170x200x300mm.  
Interiors: 165x168x268 mm.  
Capacity: 7 liters  
Weight: 0,52 Kg.  
Polypropylene

### SPECIAL BOX FOR BATTERY COLLECTION

Code Colour

903PI3217 GREEN

Measurements: Height x Width x Depth  
Exteriors: 170x300x200mm.  
Interiors: 7 liters  
Polypropylene



Code Colour

903PMPINE BLACK

Metal tube support.



### Eurobox European standard 300x200 mm - Stackable plastic boxes of European standard measurements



Code Colour

903EU4312LGR GRAY  
903EU4312LRO RED

Measurements: Height x Width x Depth Polypropylene  
Exteriors: 120x300x400mm.  
Interiors: 107x256x356 mm.  
Capacity: 10 liters  
Weight: 0,73 Kg.



Code Colour

903EU4317LGR GRAY  
903EU4317LRO RED

Measurements: Height x Width x Depth. Polypropylene  
Exteriors: 175x300x400mm.  
Interiors: 162x256x356mm.  
Capacity: 16 liters  
Weight: 0,90 Kg.



Code Colour

903EU4323LGR GRAY  
903EU4323LRO RED

Measurements: Height x Width x Depth. Polypropylene  
Exteriors: 235x300x400mm.  
Interiors: 222x256x356 mm.  
Capacity: 20 liters  
Weight: 1,12 Kg.



Code Colour

903EU4332LGR GRAY  
903EU4332LRO RED

Measurements: Height x Width x Depth. Polypropylene  
Exteriors: 320x300x400mm.  
Interiors: 307x256x356 mm.  
Capacity: 28 liters  
Weight: 1,52 Kg.

## >>> Aluminum trolleys

Aluminum trolleys

At www.rodavigo.net Family: Storage and movement  
Product: Gayner Material

### CRAL090

**Particularities**

- Fully foldable.
- Rubber stamping wheels with ball bearings

Code	Height	Width	Shovel	Wheels	Weight	Load
	mm	mm	mm	mm	kg	kg
23673360	1200 (folding 750)	400	300x220	∅120x35	6,5	90



### CRAL200

**Particularities**

- Pneumatic wheels with steel center and ball bearing.
- Robust construction, welded aluminum tube (up to 30% lighter than steel tube).
- Ergonomic handles.

Code	Height	Width	Shovel	Wheels	Weight	Load
	mm	mm	mm	mm	kg	kg
23673380	1180	460	300x220	∅260x85	9	200



### CRAL180

**Particularities**

- Pneumatic wheels with plastic center and ball bearing.
- Foldable shovel.
- Welded aluminum tube construction, up to 30% lighter than steel pipe.
- Safety handles.

Code	Height	Width	Shovel	Wheels	Weight	Load
	mm	mm	mm	mm	kg	kg
23673390	1300	460	300	∅260x85	8	180



Folding shovel

### CR 225 1

**Particularities**

- Pneumatic wheels with steel center and ball bearing.
- Plastic coated handle
- Reinforced support.
- Reinforced steel tray.

Code	Height	Width	Shovel	Wheels	Weight	Load
	mm	mm	mm	mm	kg	kg
23673402	1250	520	355x320	∅260x85	9	225



### CR 225 2

**Particularities**

- Pneumatic wheels with steel center and ball bearing.
- Ergonomic handles.
- Reinforced support.
- Reinforced steel tray.

Code	Height	Width	Shovel	Wheels	Weight	Load
	mm	mm	mm	mm	kg	kg
23673404	1320	520	355x320	∅260x85	9,1	225



# STORAGE AND MOVEMENT

## >>> Trolleys

At [www.rodavigo.net](http://www.rodavigo.net) Family: Storage and movement  
Product: Plastipol Material

Iron and wood trolleys

A-1006/2N



A-1208 L



A-1006/3N



Equipped with two fixed and two mobile wheels.  
Made of iron and wood.  
RAL 5020 blue colour

Code	Width mm	Depth mm	Height mm	Wheels mm	Load kg
903CA10062N	600	1000	865	∅160	500
903CA10063N	600	1000	865	∅160	500
903CA1208L	800	1200	1030	∅160	500

CA-0805




CA-1006



CA-1208




Trolleys made of three different sizes, with four different modalities when choosing the side walls of the trolley.



Code	Code	Code	Code	Width mm	Depth mm	Height mm	Wheels mm	Load kg
903CA08051	903CA08052	903CA08053	903CA08054	500	800	1000	∅160	500
903CA10061	903CA10062	903CA10063	903CA10064	600	1000	1000	∅160	500
903CA12081	903CA12082	903CA12083	903CA12084	800	1200	1030	∅200	500

## Aluminum trolleys



Aluminum trolleys have four modes different when choosing the design of the sides.

Code	Code	Code	Code	H1 mm	H2 mm	H3 mm	Wheels mm	Load kg
903CA91063176	903CA91063276	903CA91063376	903CA91063476	700	290	500	∅200	500
Measurements: A: 700 mm L: 955 mm	Measurements: A: 700 mm L: 910 mm	Measurements: A: 655 mm L: 910 mm	Measurements: A: 610 mm L: 910 mm					

## >>> Trolleys

Platform lift trucks

At www.rodavigo.net

Family: Storage and movement  
Product: Gayner Material



Model CPE  
23674710



Model CPEP  
23674730



Model CPE  
23674750

### Particularities

- Controlled descent.
- Security system to avoid the fall in case of breakage.
- 2 rotary wheels with brake and two fixed.
- Protected rotating caster wheels to avoid accidents.
- Wheels with polyurethane tread.
- Safety overload valve.

Code	Lifting height	Platform height	Platform length	Platform width	Weight	Handle	Pantograph	Load
	mm	mm	mm	mm	kg			kg
23674710	730	210	700	450	37	Fixed	No	150
23674720	900	270	815	500	72	Folding	No	300
23674730	1300	345	905	512	113	Fixed	Yes	350
23674740	900	280	815	500	84	Folding	No	500
23674750	1000	410	1000	512	110	Fixed	No	750
23674760	1500	450	1220	610	170	Fixed	Yes	750
23674770	1000	410	1000	512	114	Fixed	No	1000

## >>> Containers

Four wheel waste bins

At www.rodavigo.net

Family: Storage and movement  
Product: Plastipol Material

First fusion material, guaranteed and certified, resistant to ultraviolet and infrared rays at high and low temperatures. Solid rubber wheels diameter 200 x 50 with a load capacity of 230 Kg each and with the possibility of placing a directional lock. Pedal brake system. Six handles located on the sides. Reflective safety bands. Certified with the Geprüfte Sicherheit quality stamp.



Code	Colour	CB-800
903CB800AZ	BLUE	Measurements: Height x Width x Depth Exteriors: 1340 x 1360 x 767 mm. Capacity: 800 liters. Weight: 47 Kg. Load: 308 Kg. Polyethylene COMPLIES WITH THE STANDARD DIN 30700.
903CB800VE	GREEN	

Code	Colour	CB-1000
903CB1000AZ	BLUE	Measurements: Height x Width x Depth Exteriors: 1320 x 1360 x 1080mm. Capacity: 1000 liters. Weight: 56 Kg. Load: 400 Kg Polyethylene COMPLIES WITH THE STANDARD DIN 30700.
903CB1000VE	GREEN	

# STORAGE AND MOVEMENT

## >>> Containers

At [www.rodavigo.net](http://www.rodavigo.net) Family: Storage and movement  
Product: Plastipol Material

Two-wheeled waste containers



**CB-80**



Code Colour

903CB80AZ BLUE  
903CB80VE GREEN

Measurements: Height x Width x Depth  
Exteriors: 940 x 448 x 525 mm.  
Capacity: 80 liters  
Weight: 9,5 Kg.  
Polyethylene  
DIN 30740 standard.

**CB-120**



Code Colour

903CB120AZ BLUE  
903CB120VE GREEN

Measurements: Height x Width x Depth  
Exteriors: 930 x 480 x 550 mm.  
Capacity: 120 liters  
Weight: 10 Kg.  
Polyethylene  
DIN 30740 standard.

Code Description

903ARO80 Metal ring for CB-80.  
903PEDAL80120 Pedal for CB-80.  
903BOL80 CB-80 bucket bag.

Code Description

903ARO120 Metal ring for CB-120.  
903PEDAL80120 Pedal for CB-120.  
903BOL120 CB-120 bucket bag.

- First fusion material, guaranteed and certified, resistant to ultraviolet and infrared rays at high and low temperatures.
- Solid rubber wheels diameter 200 x 50 mm with a capacity of load of 100 Kgs. each.
- Electrolytic galvanized steel shaft of good quality in conditions of to be able to withstand the strongest blows.
- Subsequent handles obtained in the fusion to enable and facilitate movement.
- Hinged lid on the side edge of the handles, fitted with two handles.

**CB-240**



Code Colour

903CB240AZ BLUE  
903CB240VE GREEN

Measurements: Height x Width x Depth  
Exteriors: 1070 x 580 x 730 mm.  
Capacity: 240 liters  
Weight: 16 Kg.  
Polyethylene  
Colour: blue and green  
DIN 30740 standard.

**CB-360**



Code Colour

903CB360AZ BLUE  
903CB360VE GREEN

Measurements: Height x Width x Depth  
Exteriors: 1110 x 620 x 865 mm.  
Capacity: 360 liters  
Weight: 23 Kg.  
Polyethylene  
Colour: blue and green  
DIN 30740 standard.

Waste bins



**CR-30 NE**

(For hospital waste).  
Height: 355 mm.  
Diameter: 400 mm.  
Capacity: 30 liters  
Weight: 0,90 Kg + 0,40 (lid)  
Load: 9 Kg.  
Polyethylene.  
Colour: black

Code  
903CR30NE



**CR-60 NE**

(For hospital waste).  
Height: 705 mm.  
Diameter: 400 mm.  
Capacity: 60 liters  
Weight: 1,75 Kg + 0,40 (lid)  
Load: 18 Kg.  
Polyethylene.  
Colour: black

Code  
903CR60NE



**CB-50 NE**

Height: 465 mm.  
Diameter: 450 mm.  
Capacity: 50 liters  
Weight: 3,95 Kg.  
Polypropylene.  
Colour: black

Code  
903CB50NE



**CB-100 NE**

Height: 650 mm.  
Diameter: 520 mm.  
Capacity: 100 liters  
Weight: 4,10 Kg.  
Polypropylene.  
Colour: black

Code  
903CB100NE

Litter bins



**HIT**

Measurements: Height x Width x Depth  
Exteriors: 310 x 290 x 390 mm.  
Capacity: 15 liters  
Polypropylene

Code Colour

903HITAZ BLUE  
903HITGR GRAY  
903HITRO RED  
903HITVE GREEN



## >>> Ladders

### One section support ladders

At www.rodavigo.net Family: Storage and movement  
Product: Ladders and practical objects

Code						Weight Kg
	m	m	m	m	m	
904D7071	7	2,16	2,07	3,12	0,38	3,78
904D7081	8	2,46	2,35	3,41	0,38	4,30
904D7091	9	2,76	2,64	3,70	0,38	4,80
904D7101	10	3,06	2,93	3,99	0,38	5,34
904D7121	12	3,66	3,50	4,56	0,38	6,30



**D-700/1**

Light and lightweight ladder, very manageable, ideal for frequent use.

Code						Weight Kg
	m	m	m	m	m	
904D5121	12	3,70	3,54	4,60	0,45	9,45
904D5141	14	4,30	4,12	5,17	0,45	10,85
904D5161	16	4,90	4,69	5,75	0,45	12,20
904D5181	18	5,50	5,26	6,32	0,45	13,60
904D5201	20	6,10	5,84	6,90	0,45	15,00



**D-500/1**

Equipped with tilting pads.

### Two-section extensible support ladders

Code									Weight Kg	
	m	m	m	m	m	m	m			
904D7142	7+7	2,16	3,33	2,07	3,18	3,11	4,23	3	0,42	7,58
904D7162	8+8	2,46	3,93	2,35	3,75	3,40	4,60	3	0,42	8,38
904D7182	9+9	2,76	4,53	2,64	4,33	3,69	5,37	3	0,42	9,22
904D7202	10+10	3,06	5,13	2,93	4,90	3,97	5,95	3	0,42	10,16
904D7222	11+11	3,36	5,43	3,21	5,19	4,26	6,23	3	0,42	14,04
904D7242	12+12	3,66	6,03	3,50	5,76	4,55	6,81	4	0,42	15,30
904D7262	13+13	3,96	6,63	3,79	6,34	4,83	7,38	4	0,42	16,48



**D-700/2**

Lightweight manual extension ladder with safety hooks. The two components can be separated to have two simple ladders.

Code									Weight Kg	
	m	m	m	m	m	m	m			
904D11202	9+10	3,13	4,83	3,00	4,61	4,02	5,63	4	0,41	14,20
904D11242	11+12	3,73	6,03	3,57	5,76	4,59	6,78	4	0,41	16,70
904D11282	13+14	4,33	7,23	4,14	6,91	5,16	7,93	4	0,41	19,20
904D11322	15+16	4,93	8,13	4,72	7,77	5,74	8,79	5	0,46	23,66
904D11362	17+18	5,53	9,33	5,29	8,92	6,31	9,94	5	0,46	26,38
904D11402	19+20	6,13	10,53	5,87	10,07	6,88	11,08	5	0,46	29,10



**D-1100/2**

Extendable ladder with rope, with upright and step of greater resistance to reach great heights with maximum safety. Tilting pads and automatic locking hook.



## >>> Ladders

At [www.rodavigo.net](http://www.rodavigo.net) Family: Storage and movement  
Product: Ladders and practical objects

Three-section extendable support ladders

Code	Diagram	Dimensions (m)								Weight (Kg)
		5+5+5	7+7+7	8+8+8	9+9+9	10+10+10	11+11+11	12+12+12	13+13+13	
904D7153		1,56	2,66	1,49	2,54	2,54	3,59	3	0,38	9
904D7213		2,16	4,46	2,07	4,26	3,11	5,31	3	0,38	12
904D7243		2,46	5,36	2,35	5,12	3,40	6,17	3	0,38	13,5
904D7273		2,76	6,26	2,64	5,98	3,69	7,03	3	0,38	15
904D7303		3,06	7,16	2,93	6,84	3,97	7,89	3	0,38	16,5



**D-700/3**

Lightweight extendable ladder manual. Step in the shape of a D. Takes up a minimum space, folded to reach a large extension in position serving. Has safety hook on every stretch.

Code	Diagram	Dimensions (m)								Weight (Kg)
		10+10+9	12+12+11	14+14+13	16+16+15	18+18+17	20+20+19	22+22+21	24+24+23	
904D5303		3,11	6,19	2,97	5,92	3,98	6,93	4	0,48	25,42
904D5363		3,71	7,99	3,54	7,64	4,55	8,65	4	0,48	29,52
904D5423		4,31	9,79	4,12	9,36	5,12	10,37	4	0,48	33,72
904D5483		4,91	10,99	4,69	10,51	5,70	11,52	5	0,48	38,10
904D5543		5,51	12,79	5,26	12,23	6,27	13,24	5	0,48	42,58
9045603		6,11	14,59	5,84	13,95	6,84	14,96	5	0,57	79,78

**D-500/3**

Lightweight ladder extendable manual. Step in the shape of a D. Takes up a minimum space, folded to reach a large extension in position on duty. It's got a safety hook on every stretch.



## Stepladders

Code	Diagram	Dimensions (m)								Weight (Kg)	
		9+9	11+11	13+13	15+15	17+17	19+19	21+21	23+23		
904D628		2,78	4,48	2,65	4,28	3,66	5,29	1,59	3	0,87	17,72
904D634		3,38	5,38	3,23	5,14	4,23	6,15	1,94	4	0,97	21,66
904D640		4,03	6,68	3,85	6,38	4,86	7,39	2,32	4	1,07	25,70

**D-600**

Ladder convertible into scissors and extensible very robust. The base section widens to give a great stability to the staircase. Safety step in red. Non-slip rubber feet and upper hoops for mooring of posts.



Code	Diagram	Dimensions (m)										Weight (Kg)	
		9+9+9	11+11+11	13+13+13	15+15+15	17+17+17	19+19+19	21+21+21	23+23+23	25+25+25	27+27+27		
904D828		2,78	6,15	2,65	4,35	5,88	3,66	5,52	6,89	1,59	3	0,87	25,54
904D834		3,38	7,35	3,23	5,21	7,03	4,23	6,42	8,03	1,94	4	0,97	30,86
904D840		4,03	9,25	3,85	6,46	8,84	4,86	7,72	9,85	2,32	4	1,07	36,56

**D-800**

Ladder transformable from three sections equal to the D-600 series but with air section



>>> **Ladders**

**Step ladders**

At www.rodavigo.net Family: Storage and movement  
Product: Ladders and practical objects

**Simple**

Code							Weight
	m	m	m	m	m	m	Kg
90437005	5	1,33	1,27	2,57	0,67	0,48	4,94
90437006	6	1,59	1,52	2,82	0,93	0,52	5,92
90437008	8	2,12	2,02	3,32	1,24	0,59	7,76
90437010	10	2,64	2,52	3,82	1,54	0,66	10,10
90437012	12	3,16	3,02	4,32	1,85	0,73	12,54



**370**  
Industrial stepladder with automatic folding rear rack and large support surface. Upper platform with special recesses for tools and working tools. Wide, flat step for better foot support. Riveted joints that do not loosen with use.

**Dual access**

Code							Weight
	m	m	m	m	m	m	Kg
9041405	5	1,33	1,25	2,54	0,78	0,5	7,06
9041406	6	1,59	1,50	2,79	0,93	0,54	8,44
9041407	7	1,85	1,75	3,03	1,08	0,57	9,78
9041408	8	2,11	1,99	3,28	1,23	0,61	11,4
9041410	10	2,64	2,50	3,79	1,54	0,68	14,26
9041412	12	3,16	3,00	4,29	1,85	0,75	17,5
9041414	14	3,68	3,50	4,78	2,15	0,82	21,02
9041416	16	4,20	3,99	5,28	2,46	0,89	24,8



**1400**  
Reinforced stepladder for industrial use with reinforcement straps and double rivet on all steps. Non-slip rubber feet, upper platform. Made of 100% high quality aluminum.

**Simple with railing**

Code							Weight
	m	m	m	m	m	m	Kg
904403	3	1,36	0,65	2,45	0,68	0,47	4,28
904404	4	1,60	0,88	2,68	0,84	0,49	5,30
904405	5	1,86	1,11	2,90	0,99	0,52	6,26
904406	6	2,10	1,34	3,14	1,15	0,55	7,44
904407	7	2,35	1,57	3,37	1,30	0,57	8,60



**400**  
Ladder with flat tread of 120 mm of footprint that avoids foot fatigue. Rounded edges and side protectors. Non-slip feet and aluminum platform with safety latch. Double anti-opening security tape.

**Warehouse ladders**

Code							Weight
	m	m	m	m	m	m	Kg
9042403	3	1,81	0,76	2,56	0,90	1,01	18,70
9042405	5	2,31	1,32	3,12	1,10	1,01	24,08
9042407	7	2,80	1,87	3,67	1,30	1,01	29,54
9042409	9	3,30	2,43	4,23	1,50	1,01	35,00
9042411	11	3,86	2,98	4,78	1,70	1,01	43,50
9042413	13	4,30	3,54	5,35	2,00	1,11	52,00



**2400**  
Warehouse ladder with extra strong upright and non-deformable frame. The unions are all riveted and do not loosen with use, incorporates wheels with large diameter lever brake on the back for easy portability and manageability. Supplied with anti-friction cap on the joist, clamping handles to prevent rear tipping and 400 x 500 large-area platform. Standard includes two railings. In option, it offers safety chain on the platform.

## >>> Pallets

At [www.rodavigo.net](http://www.rodavigo.net) Family: Storage and movement  
Product: Plastipol Material

Pallets





Code: 903PPL1208CP (3 skates)

Reference: PPL-1208 C / P (3 skates)

Measurements: Height x Width x Depth  
Exterior: 158 x 1200 x 800 mm  
Dynamic load: 1000 Kg  
Static load: 6000 Kg

Rack load: 500 Kg  
Weight: 14.6 Kg  
Polyethylene  
White colour





Code: 903PPL1210CP (3 skates)

Reference: PPL-1210 C / P (3 skates)

Measurements: Height x Width x Depth  
Exterior: 159 x 1200 x 1000 mm  
Dynamic load: 1000 Kg  
Static load: 6000 Kg

Rack load: 500 Kg  
Weight: 19 Kg  
Polyethylene  
White colour





Code: 903PPL1208GR (9 feet)

Reference: PPL-1208 GR (9 feet)

Measurements: Height x Width x Depth  
Exterior: 140 x 1200 x 800 mm  
Dynamic load: 1000 Kg  
Static load: 4000 Kg

Rack load: 9.4 Kg  
Weight: 14.6 Kg  
Polyethylene  
Colour: Gray





Code: 903PPE1208NE (9 feet)

Reference: PPE-1208 NE (9 feet)

Measurements: Height x Width x Depth  
Exterior: 130 x 1200 x 800 mm  
Dynamic load: 1200 Kg  
Static load: 4000 Kg

Rack load: 8.65 Kg  
Recycled polypropylene  
Colour: Black





Code: 903PPE1210NE (9 feet)

Reference: PPE-1210 NE (9 feet)

Measurements: Height x Width x Depth  
Exterior: 130 x 1200 x 1000 mm  
Dynamic load: 1200 Kg  
Static load: 4000 Kg

Rack load: 10.25 Kg  
Recycled polypropylene  
Colour: Black



**>>> Pallets**

Pallets

At [www.rodavigo.net](http://www.rodavigo.net) Family: Storage and movement  
Product: Plastipol Material





Code: 903PPE0806NE

Reference: PPE-0806 NE

Measurements: Height x Width x Depth  
Exterior: 140 x 800 x 600 mm  
Dynamic load: 600 Kg  
Static load: 3000 Kg

Rack load: 3.31 Kg  
Recycled polyethylene  
Colour: Black





Code: 903PPEL1208NE

Reference: PPEL-1208 NE

Measurements: Height x Width x Depth  
Exterior: 135 x 1200 x 800 mm  
Dynamic load: 300 Kg  
Static load: 1500 Kg

Rack load: 5.58 Kg  
Recycled polyethylene  
Colour: Black





Code: 903PPEL1210NE

Reference: PPEL-1210 NE

Measurements: Height x Width x Depth  
Exterior: 135 x 1200 x 1000 mm  
Dynamic load: 400 Kg  
Static load: 1500 Kg

Rack load: 7.40 Kg  
Recycled polyethylene  
Colour: Black





Code: 903PP1208TE

Reference: PP-1208 TE

Measurements: Height x Width x Depth  
Exterior: 150 x 1200 x 800 mm  
Dynamic load: 800 Kg  
Static load: 4000 Kg

Rack load: 10 Kg  
Recycled polyethylene  
Colour tile





Code: 903PP1210TE

Reference: PP-1210 TE

Measurements: Height x Width x Depth  
Exterior: 150 x 1200 x 1000 mm  
Dynamic load: 1000 Kg  
Static load: 5000 Kg

Rack load: 13.5 Kg  
Recycled polyethylene  
Colour: Tile











## >>> Sheets

At [www.rodavigo.net](http://www.rodavigo.net) Family: Storage and movement  
Product: Plastipol Material

Plastic sheets


Measurements: Height x Width x Depth  
Exterior: 15 x 400 x 400 mm  
Weight: 0.35 Kg  
Load distributed per m<sup>2</sup>: 15,000 Kg  
Made of polyethylene  
Support point per tile: 441  
Drain holes: ø 9 mm  
Tiles per square meter: 6.25 units  
Colours:

	Code	Reference
 Anthracite	903SPR4415AN	SPR-4415 AN
 Blue	903SPR4415AZ	SPR-4415 AZ
 White	903SPR4415BL	SPR-4415 BL
 Gray	903SPR4415GR	SPR-4415 GR
 Tile	903SPR4415TE	SPR-4415 TE
 Light green	903SPR4415VEC	SPR-4415 VEC
 Dark green	903SPR4415VE	SPR-4415 VE




Stainless steel ramp for 2 tiles SPR-4415

Code 903RSP800  
Reference RSP-800



Stainless steel ramp for 3 tiles SPR-4415

Code 903RSP1200  
Reference RSP-1200



Floor suitable for swimming pools, kitchens, campsites, gyms and saunas, terraces, industries, work areas, etc.





>>> Sheets

PVC plastic sheets

At www.rodavigo.net Family: Storage and movement  
Product: Plastipol Material

Upper plastic strips: 5 x 21 mm  
Bottom plastic straps: 7 x 8.6 mm  
Total height: 11 mm

Groove width between upper strips: 8.5 mm  
Distance between lower strips: 40 mm  
Made of elastic PVC



Measurements: Width x Depth  
Exterior: 600 x 1000 mm

Measurements: Width x Depth  
Exterior: 800 x 1000 mm

Measurements: Width x Depth  
Exterior: 1000 x 1000 mm

Measurements: Width x Depth  
Exterior: 1200 x 1000 mm


	Code	Ref.
Blue	90378021	78021
Red	90378081	78081
Black	90378851	78851

	Code	Ref.
Blue	90378022	78022
Red	90378082	78082
Black	90378852	78852

	Code	Ref.
Blue	90378023	78023
Red	90378083	78082
Black	90378853	78853

	Code	Ref.
Black	90378854	78854

Maximum roll length 30 m., Always indicate the desired length.  
The roll in black colour is supplied with 2 additional strips in red colour.



Code Gray: 903SPR6630GR

Reference Gray: SPR-6630 GR

Measurements: Height x Width x Depth  
Exterior: 30 x 600 x 600 mm  
Load distributed per m2: 20,000 Kg  
Drain holes: 55 x 20 mm  
Weight: 1.75 Kg  
Tiles per m2: 3.66 units  
Made of polyethylene  
Color: Gray



Code Gray: 903SPR5525GR  
White: 903SPR5525BL

Reference Gray: SPR-5525 GR  
White: SPR-5525 BL

Measurements: Height x Width x Depth  
Exterior: 25 x 500 x 500 mm  
Load distributed per m2: 20,000 Kg  
Drain holes: 20 x 20 mm  
Weight: 0.84 Kg  
Tiles per m2: 4 units  
Made of polyethylene  
Color: gray and white



Code Gray: 903SPR5555GR  
White: 903SPR5555BL

Reference Gray: SPR-5555 GR  
White: SPR-5555 BL

Measurements: Height x Width x Depth  
Exterior: 55 x 500 x 500 mm  
Load distributed per m2: 50,000 Kg  
Drain holes: 20 x 20 mm  
Weight: 1.95 Kg  
Tiles per m2: 4 units  
Made of polyethylene  
Color: gray and white



Code Gray: 903SPL5525GR  
White: 903SPL5525BL

Reference Gray: SPL-5525 GR  
White: SPL-5525 BL


Measurements: Height x Width x Depth  
Exterior: 25 x 500 x 500 mm  
Load distributed per m2: 20,000 Kg  
Weight: 1.22 Kg  
Tiles per m2: 4 units  
Made of polyethylene  
Color: gray and white



Code Gray: 903SPL5555GR  
White: 903SPL5555BL

Reference Gray: SPL-5555 GR  
White: SPL-5555 BL

Measurements: Height x Width x Depth  
Exterior: 55 x 500 x 500 mm  
Load distributed per m2: 50,000 Kg  
Weight: 2.30 Kg  
Tiles per m2: 4 units  
Made of polyethylene  
Color: gray and white



## >>> Lockers

At [www.rodavigo.net](http://www.rodavigo.net) Family: Storage and movement  
Product: Plastipol Material

Wardrobes and lockers

Code **903R2001ICT**

Reference R-2001-I CT

Initial wardrobe

Measurements: Height x Width x Depth

Exterior: 1800 x 300 x 500 mm

Composition:

1 galvanized bottom

2 galvanized sides

1 galvanized coat rack

1 set of frame and door with lock and 2 keys

Door colour: RAL 7004 gray

Frame colour: RAL 7037 gray

Double door ventilation grille

Code **903R2001ACT**

Reference R-2001-A CT

Additional wardrobe

It is added to the initial wardrobe to form groups



Request a quote for the installation of padlock locks



Code **903T20012ICT**

Reference T-2001/2-I CT

Initial lockers

Measurements: Height x Width x Depth

Exterior: 1800 x 300 x 500 mm

Composition:

1 galvanized bottom

2 galvanized sides

2 hangers and an internal partition shelf

1 set of frame and 2 doors with lock and 2 keys

Door colour: RAL 7004 gray

Frame colour: RAL 7037 gray

Door breathing grille

Code **903T20012ACT**

Reference T-2001/2-A CT

Additional locker

It is added to the initial lockers to form groups



Code **903T20012ICM**

Reference T-2001/2-I CM

Initial lockers

Measurements: Height x Width x Depth

Exterior: 1800 x 300 x 500 mm

Composition:

1 galvanized bottom

2 galvanized sides

2 hangers and an internal partition shelf

1 set of frame and 2 doors

2 doors with coin lock

Door colour: RAL 7004 gray

Frame colour: RAL 7037 gray

Door breathing grille

Code **903T20012ACM**

Reference T-2001/2-A CM

Additional locker

It is added to the initial lockers to form groups



Code **903TISPINTGA**

Reference TI-SPINT GA

300mm wide sloped ceiling for Spint wardrobes and lockers.  
Galvanized finish.





## >>> Lockers

Wardrobes and lockers

At [www.rodavigo.net](http://www.rodavigo.net) Family: Storage and movement  
Product: Plastipol Material

Code 903RA2001I

Reference RA-2001-I

Initial wardrobe, 1 door  
Measurements: Height x Width x Depth  
Exterior: 1800 x 300 x 500 mm  
Composition:  
Double ventilation grille, key lock,  
label holder, top shelf, hanger rack.  
Colour: RAL 7035 gray



Code 903RA2001A

Reference RA-2001-A

Additional wardrobe  
It is added to the initial wardrobe to form groups

Code 903TA2002I

Reference TA-2002-I

Initial wardrobe, 1 door  
Measurements: Height x Width x Depth  
Exterior: 1800 x 300 x 500 mm  
Composition:  
Double ventilation grille, key lock,  
label holders, hangers.  
Colour: RAL 7035 gray



Code 903TA2002A

Reference TA-2002-A

Additional locker  
It is added to the initial lockers to form groups

Code 903RA4001I

Reference RA-4001-I

Initial wardrobe, 1 door  
Measurements: Height x Width x Depth  
Exterior: 1800 x 400 x 500 mm  
Composition:  
Ventilation grille, key lock,  
label holder and partition wall.  
Colour: RAL 7035 gray



Code 903RA4001A

Reference RA-4001-A

Additional wardrobe  
It is added to the initial wardrobe to form groups

Code 903TA4002I

Reference TA-4002-I

Initial wardrobe, 1 door  
Measurements: Height x Width x Depth  
Exterior: 1800 x 400 x 500 mm  
Composition:  
Ventilation grille, key lock,  
label holder.  
Colour: RAL 7035 gray



Code 903TA4002A

Reference TA-4002-A

Additional locker  
It is added to the initial lockers to form groups



## >>> Pallet truck

At [www.rodavigo.net](http://www.rodavigo.net) Family: Storage and movement  
Product: Gayner Material

Pallet truck

### Pallet truck


#### Particularities

- One-piece nodular cast iron pump body.
- Pump with capacity for 6000 kg.
- Overload valve.
- Chrome plunger and piston
- Premium quality gaskets.
- Rapid descent without load, slower with load.
- Rudder with rubber protection on the handle.
- 3 coatings of paint.
- Roller tandem.
- Chassis equipped with entry and exit rollers.

Maximum hydraulic quality



- Padded tiller handle  
Protects the hands of the operator in use intensive.
- Three position knob  
1. descent  
2. Neutral  
3. Elevation



Roller tandem.  
Inlet-outlet rollers.




Inlet-outlet rollers allow more access easily to the europallets by the wide side.

Code	AxB mm	Type	Roller material	Wheels material	Load kg
2367520	540x800	Short	Polyurethane	Alum-rubber	2500
2367522	540x1150	Standard	Polyurethane	Alum-rubber	2500
2367524	540x1150	Standard	Nylon	Alum-rubber	2500
2367528	680x1150	Standard	Polyurethane	Alum-rubber	2500

### Galvanized pallet truck

#### Particularities

- Overload valve.
- Premium quality gaskets.
- Rapid descent without load, slower with load.
- 3 position knob.
- Roller tandem.
- Entry and exit rollers.




Code	Lifting height mm	Minimum height mm	Ext. width B mm	Fork length A mm	Rear wheels	Front rollers	Load kg
2367538	195	85	540	1150	Nylon	Nylon	2500

### Weighing pallet truck

#### Particularities

- Overload valve.
- Chrome plunger and piston
- Premium quality gaskets.
- Reinforced forks.
- Three position rudder lever.
- LCD screen.
- Scale accuracy +/- 0.2%.



Code	Lifting height mm	Minimum height mm	Ext. width B mm	Fork length A mm	Rear wheels	Front rollers	Scale accuracy	Load kg
23675440	200	85	560	1150	Aluminum-rubber	Polyurethane	0,2% of weight	2000



## >>> Pallet trucks



### Electric pallet truck

At www.rodavigo.net Family: Storage and movement  
Product: Gayner Material

Code

23675450

Lift height (mm) 205  
Minimum height (mm) 85  
External width forks (mm) 530  
Fork length (mm) 1,150  
Measurements: Length (mm) 1,590  
Width (mm) 700  
Height (mm) 1,235  
8000W lifting motor  
Battery (ah / h) 24V / 60Ah,  
Travel speed 5.2 Km / h  
Full load speed 5 Km / h  
Ascent speed 3.5 cm / sec.  
Full load speed 2.7 cm / sec.  
Lowering speed 2.7 cm / sec.  
Speed at full load 4.2 cm / sec.  
Polyurethane drive wheel  
Wheel Ø (mm) 240  
Polyurethane front rollers  
Ø Rollers (mm) 84  
Max turning radius (mm) > 1.1530  
Weight (Kg) 300  
Load (kg) 1,500




#### Particularities

- Safety system against crushing
- Electromagnetic deferation system
- Electronic control of speed of movement and elevation/descent
- High quality hydraulic pump, maximum efficiency and minimum noise
- Rudder with ergonomic design controls
- Automatic stop at elevation and descent limits
- Battery and charger incorporated.

### Pallet stacker electromanual

Code	Lifting height	Weight
		kg
23675474	1.600	320
23675480	2.500	370
23675484	3.000	400

Minimum height (mm) 85  
External width forks B (mm) 600  
Fork length A (mm) 1,150  
Measurements: Length (mm) 1.60  
Width (mm) 700  
Lift motor (v / W) 12 / 2,000  
Battery (ah / h) 100ah / 20h  
Battery charger (v) 220v / 12v  
Aluminum-polyurethane rear wheels  
Ø Wheels (mm) 200  
Polyurethane front rollers  
Ø Rollers (mm) 80  
Maximum turning radius (mm) > 1,250  
Load (kg) 1,000



#### Particularities

- Lifting height: 1.6 / 2.5 / 3.0 mt.
- Electro-hydraulic raising and lowering
- Built-in loader • Central brake.