

8. PACKAGING

Packaging tapes

p. 246

Strapping

p. 247

Staplers

p. 247

Shrink film

p. 247



>>> Packaging tapes

Adhesive tapes for packaging

At www.rodavigo.net Family: Packaging
Product: Packing material

Industry model

| Code | Colour | Thickness |
|-----------|-------------|-----------|
| 922CAM45 | BROWN | 45 |
| 922CATR45 | TRANSPARENT | 45 |
| 922CAM52 | BROWN | 52 |
| 922CATR52 | TRANSPARENT | 52 |
| 922CAM65 | BROWN | 65 |
| 922CATR65 | TRANSPARENT | 65 |



Ideal for all standard applications in the packaging area.
Very resistant to UV rays and aging.
High security sealing, with great adhesive force.
It unwinds easily and has great resistance to breakage.

Textile model


| Code | Colour |
|---------|--------|
| 922CTPL | SILVER |
| 922CTNE | BLACK |
| 922CTBL | WHITE |
| 922CTRO | RED |
| 922CTAM | YELLOW |
| 922CTAZ | BLUE |
| 922CTVE | GREEN |



Ideal for rough surfaces. Waterproof.
Easy to cut and great adhesive force.
Length x width (m) 50 x 0.05

Adhesive tapes

| Code | Colour | Width mm. | Faces |
|----------|--------|-----------|-------|
| 922CA19S | YELLOW | 19 | 1 |
| 922CA25S | | 25 | 1 |
| 922CA38S | | 38 | 1 |
| 922CA50S | | 50 | 1 |
| 922CA50D | WHITE | 50 | 2 |
| 922CA25D | | 25 | 2 |




Crepe tape

For smooth packing, binding, marking and fixing
For tasks that do not demand high requirements
and that are not subjected to extreme
temperatures. Length: 50 m.

Two-sided adhesive tape

Universal use. Especially for
rough and fiber surfaces.
Great adhesion force, very good
initial adhesion. It can be easily
cut by hand. Length: 50 m.



Manual roll holder

| Code |
|--------|
| 922PRM |



With brake and safety blade.
For tape up to 50 mm wide, Ø 76 mm.
With stable metal frame and soft rubber pressure roller.

>>> Strapping


At www.rodavigo.net Family: Packaging
Product: Packing material

Strapping material

Polypropylene strapping tapes

| Code | Length | Width x Thickness | Internal Ø diameter | Tear resistance |
|-------------|--------|-------------------------|---------------------------|--------------------|
| 92280850492 | 3000 | 12 x 0,55 | 200 | 150 |
| 92280851292 | 2500 | 12 x 0,55 | 280 | 150 |
| 92265901092 | 3000 | 13 x 0,63 | 406 | 190 |
| 92265903792 | 2000 | 16 x 0,68 | 406 | 285 |

Expansion 25%. Elastic recoil 6%.
Coils with a cardboard center.



Simple equipment for regular strapping

| Code | Code | Product |
|-------------|-------------|------------------------------|
| 13mm tape | 16mm tape | |
| 92276080592 | 92276080692 | Equipment |
| 92265032392 | 92265032392 | Tensor and closing apparatus |
| 92275967392 | 92275967392 | Reel holder |
| 92275968192 | 92275967592 | Strapping tape 500 m |
| 92265913492 | 92265918592 | 2000 seals |



Simple equipment for frequent strapping

| Code | Code | Product |
|-------------|-------------|---------------------------|
| 13mm tape | 16mm tape | |
| 92276080792 | 92276080892 | Equipment |
| 92265032392 | 92265032392 | Tensor and closing device |
| 92275967492 | 92275967492 | Reel holder |
| 92275968192 | 92275967592 | Strapping tape 500 m |
| 92265913492 | 92265918592 | 2000 seals |



The equipment consists of a two-knob tensioning and closing device (13-16 mm), 1 portable reel holder for short coils with an internal Ø of 62 mm, four short reels of strapping tape (13 -16 mm) and 2000 metal seals 13 or 16 mm. All components can be replaced loose.

The equipment consists of a two-knob tensioning and closing device (13-16 mm), 1 rolling reel holder with compartment for short coils with an internal diameter of 62 mm, four short coils of strapping tape (13 -16 mm) and 2000 13 or 16 mm metal seals. All components can be replaced loose.

>>> Staplers

Staplers

For industrial stapling of cardboard cutouts, cardboard boxes with lids, sliding lids, cardboard trays, etc. Made of solid, single or double corrugated cardboard. Stapled up to a depth of 19 cm across. Stapled by staple arms placed successively, which gives them great resistance. It staples materials up to 13 mm of thickness. For staple arms 12 and 16 mm length.



Code MECHANICS
Staple Loading Capacity (pcs.): 90
For staple arms length: 12 + 16 mm

92292014492

Code PNEUMATICS
Staple Loading Capacity (pcs.): 90
Pneumatic model
For staple arms length: 12 + 16 mm

92292014592

>>> Shrink film

Shrink film

Manual reel holder

Shrink film of transparent or black polyethylene. One-sided elastic and adherent. Good cargo insurance when storing and transporting. Low palletizing costs.

| Code | Code | Width |
|-------------|------------------|-------|
| Black film | Transparent film | mm |
| 922FILM450N | 922FILM450T | 450 |
| 922FILM500N | 922FILM500T | 500 |



Central diameter:
50 mm.

Ergonomic design.
For coils with an internal diameter: 50 mm.

| Code | Tube material |
|------------|---------------|
| 922PTFILMA | Steel |
| 922PTFILMP | Plastic |





RODAVIGO, S.A.

RODAMIENTOS VIGO, S.A.

www.rodavigo.net

Without Borders